



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### **Usage guidelines**

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### **About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

A CENSUS OF THE PLANTS

OF

NEW SOUTH WALES,

BY

CHARLES MOORE, F.L.S., &c., &c.

19167. d. 1.




6000270301

*[Handwritten scribble]*

*[Handwritten mark]*

19167 . d 1.





# A CENSUS OF THE PLANTS

OF

# NEW SOUTH WALES

BY

CHARLES MOORE, F.L.S., &c., &c.,  
Director of the Botanic Gardens, Sydney.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.

---

1884.



IN compiling this Census principally from the Census of Australian Plants lately published by Baron Von Mueller, K.C.M.G., the object in view has been to provide a ready means of reference to the systematic names and authorities of all plants found hitherto in a natural or naturalized state in this Colony. The nomenclature here adopted is that of the *Flora Australiensis*, which has necessitated a departure in some instances from the names given in the Census of the learned Baron, but where any change of this kind has been made the Baron's designation will be found within brackets.





# CENSUS OF THE PLANTS OF NEW SOUTH WALES.

## CLASS I—DICOTYLEDONS.

### SUB-CLASS I—POLYPETALEÆ.

#### Series I—Thalamifloræ.

(The plants marked thus \* are naturalized.)

#### RANUNCULACEÆ—

##### Clematis, Linn.

- aristata, R. Br. B. fl., I, 6
- glycinoides, DC. B. fl., I, 7
- microphylla, DC. B. fl., I, 7
- Fawcetti, F. v. M. M. fr., X, 1

##### Myosurus, Linn.

- minimus, L. B. fl., I, 8

##### Ranunculus, Linn.

- aquatilis, L. B. fl., I, 10
- Millani, F. v. M. B. fl., I, 10
- anemoneus, F. v. M. B. fl., I, 11
- lappaceus, Sm. B. fl., I, 12
- Muelleri, Benth. B. fl., I, 13
- rivularis, Bks. and Sol. B. fl., I, 13
- plebeius, R. Br. B. fl., I, 13
- parviflorus, L. B. fl., I, 14

#### DILLENIACEÆ—

##### Hibbertia, Andr. B. fl., I, 25

- nitida, F. v. M. B. fl., I, 25
- bracteata, Benth. B. fl., I, 25
- sericea, Benth. B. fl., I, 26
- stricta, R. Br. B. fl., I, 27
- Billardieri, F. v. M. B. fl., I, 28
- acicularis, F. v. M. B. fl., I, 29
- hermannifolia, DC. B. fl., I, 30
- vestita, A. Cunn. B. fl., I, 31
- serpyllifolia, R. Br. B. fl., I, 32
- pedunculata, R. Br. B. fl., I, 32
- fasciculata, R. Br. B. fl., I, 33
- virgata, R. Br. B. fl., I, 34
- linearis, R. Br. B. fl., I, 36
- diffusa, R. Br. B. fl., I, 36
- saligna, R. Br. B. fl., I, 37
- volubilis, Andr. B. fl., I, 37
- dentata, R. Br. B. fl., I, 38

##### Adrastea, DC. (Hibbertia)

- salicifolia, F. v. M. B. fl., I, 46

**MAGNOLIACEÆ—**

- Drimys*, Forst.  
*aromatica*, F. v. M. B. fl., I, 49  
*dipetala*, F. v. M. B. fl., I, 49  
*Howeana*, F. v. M. M. fr., VII, 17

**ANONACEÆ—**

- Ancana*, F. v. M.  
*stenopetala*, F. v. M. M. fr., V, 27  
*Polyalthia*, Blume.  
*nitidissima*, Benth. B. fl., I, 51  
*Melodorum*, Dun.  
*Leichhardtii*, Benth. B. fl., I, 52  
*Eupomatia*, R. Br.  
*Bennettii*, F. v. M. B. fl., I, 54  
*laurina*, R. Br. B. fl., I, 54

**MENISPERMACEÆ—**

- Fawcettia*, F. v. M.  
*tinoporoides*, F. v. M. M. fr., X, 98  
*Pericampylus*, Miers.  
*incanus*, Miers. B. fl., I, 56 (*Cocculus Moorei* F. v. M.)  
*Sarcopetalum*, F. v. M.  
*Harveyanum*, F. v. M. B. fl., I, 57  
*Stephania*, Lour.  
*hernandiæfolia*, Walp. B. fl., I, 57  
*Carronia*, F. v. M.  
*multisepalea*, F. v. M. M. fr., IX, 84

**NYMPHÆACEÆ—**

- Brasenia*, Schreb.  
*peltata*, Pursh. B. fl., I, 60 (*Cabomba*)  
*Nymphæa*, Linn.  
*gigantea*, Hk. B. fl., I, 61

**PAPAVERACEÆ—**

- Papaver*, Linn.  
*horridum*, DC. B. fl., I, 63  
 \**Argemone*, Linn.  
*Mexicana*, L.

**CRUCIFERÆ—**

- Nasturtium*, R. Br.  
*palustre*, DC. B. fl., I, 65 (*N. terrestre*, R. Br.)  
 \**officinale*, R. B.  
*Barbarea*, R. Br.  
*vulgaris*, R. Br. B. fl., I, 66  
*Arabis*, Linn.  
*glabra*, Crantz. B. fl., I, 67  
*Cardamine*, Linn.  
*stylosa*, DC. B. fl., I, 68  
*dictyosperma*, Hk. B. fl., I, 68  
*laciniata*, F. v. M. B. fl., I, 69  
*hirsuta*, L. B. fl., I, 70  
*tenuifolia*, Hk. B. fl., I, 69  
*eustylis*, F. v. M. B. fl., I, 71

CRUCIFERÆ—*continued.*

Alyssum, Linn.

linifolium, Steph. B. fl., I, 71

Wilkiea, Scop.

Africana, F. v. M. M. fr., VII, 18

Blennodia, R. Br.

filifolia, Benth. B. fl., I, 73

trisecta, Bth. B. fl., I, 74

nasturtioides, Bth. B. fl., I, 74

eremigera, Bth. B. fl., I, 74

Lucæ, F. v. M. M. fr., XI, 59

cardaminoides, F. v. M. B. fl., I, 75

curvipes, F. v. M. B. fl., I, 75

brevipes, F. v. M. B. fl., I, 75

lasiocarpa, F. v. M. B. fl., I, 76

Cunninghamii, Bth. B. fl., I, 76

canescens, R. Br. B. fl., I, 76

alpestris, F. v. M. B. fl., I, 77

(Sisymbrium)

(Erysimum)

Stenopetalum, R. Br.

velutinum, F. v. M. B. fl., I, 78

lineare, R. Br. B. fl., I, 78

sphaerocarpum, F. v. M. B. fl., I, 78

nutans, F. v. M. B. fl., I, 79

Geococcus, Drum.

pusillus, Drum. B. fl., I, 80

Menkea, Lehm.

australis, Lehm. B. fl., I, 80

Capsella, Mœnch.

procumbens, Fries. B. fl., I, 81 (C. elliptica, C. A. Mey.)

pilosula, F. v. M. B. fl., I, 82

humistrata, F. v. M. M. fr., XI, 25

\*bursa-pastoris, Mœnch.

Lepidium, Linn.

leptopetalum, F. v. M. B. fl., I, 84

phlebopetalum, F. v. M. B. fl., I, 85

monoplocoides, F. v. M. B. fl., I, 85

papillosum, F. v. M. B. fl., I, 86

foliosum, Desv. B. fl., I, 86

ruderales, L. B. fl., I, 86

\*sativum, L.

Thlaspi, Linn.

cochlearinum, F. v. M. B. fl., I, 88 (Capsella cochlearina, F. v. M.)

Cakile, Tourn.

maritima, Scopoli. M. fr., VII, 19

\*Raphanus, Linn.

sativus, L.

raphanistrum, L.

\*Sinapis, Linn.

arvensis, L.

\*Brassica, Linn.

campestris, L.

\*Sisymbrium, Linn.

officinale, Scop.

CRUCIFERÆ—*continued.*

- \**Senebiera*, Poir.
  - didyma*, Pers.
- \**Camelina*, Crantz.
  - dentata*, Pers.

## \*FUMARIACEÆ—

- \**Fumaria*, Linn.
  - officinalis*, L.

## CAPPARIDEÆ—

- Polanisia*, Rafin.
  - viscosa*, DC. B. fl., I, 90 (*Cleome viscosa*, L.)
- Capparis*, Linn.
  - lasiantha*, R. Br. B. fl., I, 94
  - nobilis*, F. v. M. B. fl., I, 95
  - Mitchelli*, Lindl. B. fl., I, 96
  - loranthifolia*, Lindl. B. fl., I, 97
- Apophyllum*, F. v. M.
  - anomalum*, F. v. M. B. fl., I, 97

## VIOLARIÆ—

- Viola*, Linn.
  - betonicaefolia*, Sm. B. fl., I, 99
  - hederacea*, Labill. B. fl., I, 99
  - Caleyana*, G. Don. B. fl., I, 100
- Ionidium*, Vent. (*Hybanthus*)
  - suffruticosum*, Ging. B. fl., I, 101 (*H. enncaspermus*, F. v. M.)
  - floribundum*, Walp. B. fl., I, 102
  - Vernonii*, F. v. M. B. fl., I, 103
  - filiforme*, F. v. M. B. fl., I, 103
- Hymenanchera*, R. Br.
  - dentata*, R. Br. B. fl., I, 104 (*H. Banksii*, F. v. M.)

## BIXINEÆ (FLACOURTIEÆ)—

- Scolopia*, Schreb.
  - Brownii*, F. v. M. B. fl., I, 107
- Xylosma*, Forst.
  - ovata*, Benth. B. fl., I, 108
- Streptothamnus*, F. v. M.
  - Moorei*, F. v. M. B. fl., I, 108
  - Beckleri*, F. v. M. B. fl., I, 108

## PITTOSPOREÆ—

- Pittosporum*, Banks.
  - rhombifolium*, A. Cunn. B. fl., I, 110
  - undulatum*, Vent. B. fl., I, 111
  - revolutum*, Ait. B. fl., I, 111
  - phillyræoides*, DC. B. fl., I, 112
  - bicolor*, Hk. B. fl., I, 113
  - erioloma*, Ch. Moore and F. v. M. M. fr., VII, 139
- Hymenosporum*, F. v. M.
  - flavum*, F. v. M. B. fl., I, 114
- Bursaria*, Cav.
  - spinosa*, Cav. B. fl., I, 115
- Marianthus*, Huég.
  - procumbens*, Benth. B. fl., I, 117

PITTOSPOREÆ—*continued.*

- Citriobatus, A. Cunn.  
 multiflorus, A. Cunn. B. fl., I, 121  
 pauciflorus, A. Cunn. B. fl., I, 122  
 Billardiera, Sm.  
 longiflora, Labill. B. fl., I, 123  
 scandens Sm. B. fl., I, 123  
 cymosa, F. v. M. B. fl., I, 124  
 Cheiranthra, A. Cunn.  
 linearis, Cunn. B. fl., I, 127

## TREMANDREÆ—

- Tetratheca, Sm.  
 thymifolia, Sm. B. fl., I, 130  
 ericifolia, Sm. B. fl., I, 131  
 pilosa, Labill. B. fl., I, 131  
 juncea, Sm. B. fl., I, 132
- } (T. ericifolia, Sm.)

## POLYGALEÆ—

- Salomonina, Lour.  
 oblongifolia, DC. B. fl., I, 138  
 Polygala, Linn.  
 Japonica, Houtt. B. fl., I, 139 (P. Sibirica, L.)  
 Comesperma, Labill.  
 sphærocarpum, Steetz. B. fl., I, 143  
 scoparium, Steetz. B. fl., I, 143  
 volubile, Labill. B. fl., I, 144  
 retusum, Labill. B. fl., I, 145  
 sylvestre, Lindl. B. fl., I, 146  
 ericinum DC. B. fl., I, 146  
 calymega, Labill. B. fl., I, 147  
 defoliatum, F. v. M. B. fl., I, 148

## FRANKENIACEÆ—

- Frankenia, Linn.  
 pauciflora, DC. B. fl., I, 151 (Fr. lævis, L.)

## CARYOPHYLLEÆ—

- Gypsophila, Linn.  
 tubulosa, Boiss. B. fl., I, 155 (Saponaria tubulosa, F. v. M.)  
 \*Silene, Linn.  
 gallica, L. B. fl., I, 155  
 \*Cerastium, Linn.  
 vulgatum, L. B. fl., I, 156  
 Stellaria, Linn.  
 pungens, Brong. B. fl., I, 157  
 glauca, With. B. fl., I, 158  
 flaccida, Hk. B. fl., I, 158  
 multiflora, Hk. B. fl., I, 159  
 \*media, L.  
 Sagina, Linn.  
 procumbens, L. B. fl., I, 160  
 apetala, L. B. fl., I, 160  
 Colobanthus, Bartle.  
 subulatus, Hk. B. fl., I, 160 (C. Benthamianus, Fenzl.)

CARYOPHYLLEÆ—*continued.*

- Spergularia, Pers.  
 rubra, Cambess. B. fl., I, 161  
 Polycarpon, Linn.  
 tetraphyllum, Læfl. B. fl., I, 163  
 Polycarpæa, Lour.  
 corymbosa, Lam. B. fl., I, 166 (P. Indica, Lam.)  
 \*Lychnis, Linn.  
 Githago, Lam.  
 \*Spergula, Linn.  
 arvensis, L.  
 \*Dianthus, Linn.  
 prolifer, L.

## PORTULACÆÆ—

- Portulaca, Linn.  
 oleracea, L. B. fl., I, 169  
 filifolia, F. v. M. B. fl., I, 169  
 Calandrinia, H. B. & K. (Claytonia)  
 Balonnensis, F. v. M. B. fl., I, 172  
 polyandra, Benth. B. fl., I, 172  
 Pickeringi, F. v. M. M. fr., X, 69  
 pusilla, Lindl. B. fl., I, 174 (C. calyptrata, Hk., var.)  
 volubilis, Benth. B. fl., I, 174  
 calyptrata, Hk. B. fl., I, 174  
 corrigioloides, F. v. M. B. fl., I, 175  
 pygmæa, F. v. M. B. fl., I, 176  
 Claytonia, Linn.  
 Australasica, Hk. B. fl., I, 177

## ELATINEÆ—

- Elatine, Linn.  
 Americana, Arn. B. fl., I, 178  
 Bergia, Linn.  
 ammannioides, Roth. B. fl., I, 180

## HYPERICINEÆ—

- Hypericum, Linn.  
 gramineum, Forst. B. fl., I, 182 (H. Japonicum, Thunb. var.)  
 Japonicum, Thunb. B. fl., I, 182

## MALVACEÆ—

- Lavatera, Linn.  
 plebeia, Sims. B. fl., I, 185  
 Malvastrum, R. Gray.  
 spicatum, A. Gray. B. fl., I, 187  
 tricuspdatum, A. Gray. B. fl., I, 187  
 Plagianthus, Forst.  
 pulchellus, A. Gray. B. fl., I, 189  
 spicatus, Benth. B. fl., I, 189  
 glomeratus, Benth. B. fl., I, 190  
 microphyllus, F. v. M. B. fl., I, 190

**MALVACEÆ—continued.****Sida, Linn.**

- corrugata, Lindl. B. fl., I, 192  
 intricata, F. v. M. B. fl., I, 193  
 virgata, Hk. B. fl., I, 194  
 petrophila, F. v. M. B. fl., I, 194  
 subspicata, F. v. M. B. fl., I, 195  
 rhombifolia, L. B. fl., I, 196

**Abutilon, Gærtn.**

- tubulosum, Hk. B. fl., I, 200  
 leucopetalum, F. v. M. B. fl., I, 200  
 micropetalum, F. v. M. B. fl., I, 201  
 cryptopetalum, F. v. M. B. fl., I, 201  
 octocarpum, F. v. M. B. fl., I, 202  
 Avicennæ, Gærtn. B. fl., I, 203  
 oxycarpum, F. v. M. B. fl., I, 204  
 halophilum, F. v. M. B. fl., I, 205  
 Fraseri, Hk. B. fl., I, 205

**Pavonia, Pav.**

- hastata, Cav. B. fl., I, 207

**Howittia, F. v. M.**

- trilocularis, F. v. M. B. fl., I, 198

**Hibiscus, Linn.**

- rhodopetalus, F. v. M. B. fl., I, 209  
 Trionum, L. B. fl., I, 210  
 brachysiphonius, F. v. M. B. fl., I, 210  
 divaricatus, Grah. B. fl., I, 212  
 heterophyllus, Vent. B. fl., I, 212  
 diversifolius, Jacq. B. fl., I, 213  
 splendens, Fras. B. fl., I, 213  
 Kriechauffii, F. v. M. B. fl., I, 216  
 Farragei, F. v. M. M. fr., IX, 129  
 Sturtii, Hk. B. fl., I, 216  
 tiliaceus, L. B. fl., I, 218

**Lagunaria, G. Don.**

- Patersoni, G. Don. B. fl., I, 218

**Gossypium, Linn.**

- Sturtii, F. v. M. B. fl., I, 222

**\*Malva, Linn.**

- rotundifolia, L.  
 parviflora, L.  
 verticillata, L.  
 sylvestris, L.

**\*Cristaria, Cav.**

- coccinea, Pursh.

**STERCULIACEÆ—****Sterculia, Linn.**

- quadrifida, R. Br. B. fl., I, 227  
 discolor, F. v. M. B. fl., I, 228  
 lurida, F. v. M. B. fl., I, 228  
 acerifolia, A. Cunn. B. fl., I, 229  
 diversifolia, G. Don. B. fl., I, 229 } (Brachychiton)  
 (B. populneum, R. Br.)



STERCULIACEÆ—*continued.*

- Tarrietia*, Blume.  
*argyrodendron*, Benth. B. fl., I, 230  
*Carronii*, Moore, ined.  
*trifoliolata*, F. v. M. M. fr., IX, 43
- Ungeria*, Schott & Endl.  
*floribunda*, Schott & Endl. M. fr., IX, 169
- Melhania*, Forst.  
*incana*, Heyn. B. fl., I, 234
- Rulingia*, R. Br. (*Commersonia*)  
*pannosa*, R. Br. B. fl., I, 238 (*C. dasphylla* Andr.)  
*rugosa*, Steetz. B. fl., I, 238  
*hermanniaefolia*, Steetz. B. fl., I, 240
- Commersonia*, Forst.  
*Fraseri*, J. Gay. B. fl., I, 242  
*echinata*, Forst. B. fl., I, 243
- Hannafordia*, F. v. M.  
*Bissillii*, F. v. M. M. fr., XI, 115
- Seringia*, J. Gay  
*platyphylla*, J. Gay. B. fl., I, 244
- Keraudrenia*, J. Gay  
*Hillii*, F. v. M. B. fl., I, 246 (*Seringia Hillii*, F. v. M.)
- Lasiopetalum*, Sm.  
*dasyphyllum*, Sieb. B. fl., I, 261  
*Behrii*, F. v. M. B. fl., I, 261  
*parviflorum*, Rudge. B. fl., I, 262  
*macrophyllum*, Grah. B. fl., I, 262  
*Baueri*, Steetz. B. fl., I, 263  
*rufum*, R. Br. B. fl., I, 263  
*ferrugineum*, Sm. B. fl., I, 263

## TILIACEÆ—

- Grewia*, Linn.  
*latifolia*, F. v. M. B. fl., I, 271
- Corchorus*, Linn.  
*Cunninghamii*, F. v. M. B. fl., I, 276
- Echinocarpus*, Blume (*Sloanea*)  
*Australis*, Benth. B. fl., I, 279
- Sloanea*, Linn.  
*Woollsi*, F. v. M. M. fr., VIII, 2
- Aristolelia*, L' Hér.  
*Australasica*, F. v. M. B. fl., I, 280
- Elæocarpus*, Linn.  
*halopetalus*, F. v. M. B. fl., I, 281  
*longifolius*, Moore, ined.  
*obovatus*, G. Don. B. fl., I, 281  
*cyaneus*, Ait. B. fl., I, 281  
*grandis*, F. v. M. B. fl., I, 281

Series II—*Discifloræ.*

## LINEÆ—

- Linum*, Linn.  
*marginale*, Cunn. B. fl., I, 283  
 \**Gallicum*, L.

CENSUS OF THE PLANTS OF NEW SOUTH WALES.

ZYGOPHYLLÆ—

- Tribulus, Linn.  
*terrestris*, L. B. fl., 288  
*cistoides*, L. B. fl., I, 288  
Nitraria, Linn.  
*Schoberi*, L. B. fl., I, 291  
Zygophyllum, Linn.  
*apiculatum*, F. v. M. B. fl., I, 292  
*glaucescens*, F. v. M. B. fl., I, 293  
*iodocarpum*, F. v. M. B. fl., I, 293  
*ammophilum*, F. v. M. M. fr., XI, 28  
*Billardieri*, DC B. fl., I, 293  
*fruticulosum*, DC B. fl., I, 294

GERANIACEÆ—

- Geranium, Linn.  
*dissectum*, L. B. fl., I, 296 (*G. Carolinianum*, L.)  
*sessiliflorum*, Cav. B. fl., I, 297  
\**molle*, L.  
Erodium, L' Hér.  
*cygnorum*, Nees. B. fl., I, 297  
\**cicutarium*, Willd. B. fl., I, 298  
\**moschatum*, Willd.

RUTACEÆ—

- Pelargonium, L' Hér.  
*australe*, Willd. B. fl., I, 298  
*Rodneyanum*, Mitch. B. fl., I, 299  
\**graveolens*, Ait.  
Oxalis, Linn.  
*corniculata*, L. B. fl., I, 301  
\**cernua*, Thunb.  
Zieria, Sm.  
*lævigata*, Sm. B. fl., I, 304  
*pilosa*, Rudg. B. fl., I, 305  
*aspalathoides*, A. Cunn. B. fl., I, 305  
*obcordata*, A. Cunn. B. fl., I, 305  
*cytisoides*, Sm. B. fl., I, 306  
*involutrata*, R. Br. B. fl., I, 306  
*furfuracea*, R. Br. B. fl., I, 306  
*Smithii*, Andr. B. fl., I, 306  
*granulata*, Ch. Moore. B. fl., I, 307  
Boronia, Sm.  
*algida*, F. v. M. B. fl., I, 312  
*ledifolia*, J. Gay. B. fl., I, 314  
*Fraseri*, Hk. B. fl., I, 315  
*mollis*, A. Cunn. B. fl., I, 315  
*microphylla*, Sieb. B. fl., I, 318  
*pinnata*, Sm. B. fl., I, 318  
*coerulescens*, F. v. M. B. fl., I, 320  
*polygalifolia*, Sm. B. fl., I, 320  
*anemonifolia*, A. Cunn. B. fl., I, 321 (*B. polygalifolia*, Sm. var.)  
*falcifolia*, A. Cunn. B. fl., I, 322  
*serrulata*, Sm. B. fl., I, 323  
*parviflora*, Sm. B. fl., I, 324

RUTACEÆ—*continued.*

- inornata*, Turcz. B. fl., I, 325 (B. *clavellifolia*, F. v. M.)  
*Barkeriana*, F. v. M. M. fr., XI, 96  
*Crocea*, Sm. (Eriostemon)  
*exalata*, F. v. M. B. fl., I, 329 (E. *Crowei*, F. v. M. var.)  
*saligna*, Andr. B. fl., I, 329 (E. *Crowei*, F. v. M.)  
Eriostemon, Sm.  
*salicifolius*, Sm. B. fl., I, 331 (E. *lanceolatus*, Gærtn.)  
*trachyphyllus*, F. v. M. B. fl., I, 332  
*myoporoides*, DC B. fl., I, 333  
*hispidulus*, Sieb. B. fl., I, 333  
*buxifolius*, Sm. B. fl., I, 333  
*obovalis*, A. Cunn. B. fl., I, 334  
*scaber*, Paxt. B. fl., I, 334  
*linearis*, A. Cunn. B. fl., I, 334  
*difformis*, A. Cunn. B. fl., I, 335  
*ericifolius*, A. Cunn. B. fl., I, 335  
*ambiens*, F. v. M. M. fr., VI, 166  
*alpinus*, F. v. M. M. fr., I, 103  
*Beckleri*, F. v. M. M. fr., IX, 108  
*Phebalium*, A. Juss. (Eriostemon)  
*pungens*, Benth. B. fl., I, 338  
*lachnoides*, A. Cunn. B. fl., I, 339  
*dentatum*, Sm. B. fl., I, 339 (E. *umbellatus*, Turcz.)  
*Ralstoni*, Benth. B. fl., I, 339  
*elatus*, Benth. B. fl., I, 340  
*diosmeum*, A. Juss. B. fl., I, 341  
*ozothamnoides*, F. v. M. B. fl., I, 342  
*obcordatum*, A. Cunn. B. fl., I, 342 (E. *Mortoni*, F. v. M.)  
*glandulosum*, Hk. B. fl., I, 342 (E. *sediflorus*, F. v. M.)  
*squamulosum*, Vent. B. fl., I, 342 (E. *lepidotus*, Spreng.)  
*Billardieri*, A. Juss. B. fl., I, 344 (E. *squameus*, Labill.)  
*ovatifolium*, F. v. M. B. fl., I, 345  
*Philotheca*, Rudge  
*australis*, Rudge. B. fl., I, 348  
*Reichenbachiana*, Sieb. B. fl., I, 348 } (Ph. *australis*, Rudg.)  
*Asterolasia*, F. v. M. (Eriostemon)  
*correifolia*, Benth. B. fl., I, 350  
*buxifolia*, Benth. B. fl., I, 351 (E. *Cunninghami*, F. v. M.)  
*mollis*, Benth. B. fl., I, 351  
*trymalioides*, F. v. M. B. fl., I, 351  
*Correa*, Sm.  
*alba*, Andr. B. fl., I, 354  
*speciosa*, Andr. B. fl., I, 354  
*Lawrenciana*, Hk. B. fl., I, 355  
*Bosistoa*, F. v. M.  
*sapindiformis*, F. v. M. B. fl., I, 359  
*euodiformis*, F. v. M. M. fr., IX, 174  
*Melicope*, Forst.  
*neurococca*, Benth. B. fl., I, 360 (Bouchardatia *neurococca*, Baill.)  
*erythrococca*, Benth. B. fl., I, 360 (Euodia *erythrococca*, Benth.)  
*Australasica*, F. v. M. B. fl., I, 360 (Euodia *octandra*, F. v. M.)

RUTACEÆ--*continued.*

*Evodia*, Forst.

- micrococca*, F. v. M. B. fl., I, 361
- pentacocca*, F. v. M. M. fr., III, 168
- accedens*, Blume. M. fr., V, 4, 56
- littoralis*, Endl. M. fr., IX, 102
- polybotrya*, Ch. Moore & F. v. M. M. fr., IX, 193
- contermina*, Ch. Moore & F. v. M. M. fr., VII, 144

*Medicosma*, Hook. f. (*Euodia*)

- Cunninghamii*, Hk. B. fl., I, 362

*Zanthoxylum*, Linn.

- brachyacanthum*, F. v. M. B. fl., I, 363
- Blackburnia*, Benth. B. fl., I, 363

*Geijera*, Schott

- salicifolia*, Schott. B. fl., I, 364
- parviflora*, Lindl. B. fl., I, 364

*Pleiococca*, F. v. M.

- Wilcoxiana*, F. v. M. M. fr., IX, 117

*Pentaceras*, Hook. f.

- australis*, Hk. B. fl., I, 365

*Acronychia*, Forst

- Baueri*, Schott. B. fl., I, 366
- lævis*, R. & C, Forst. B. fl., I, 366
- melicopoides*, F. v. M. M. fr., IV, 117
- Endlicheri*, Schott. M. fr., IX, 103

*Halfordia*, F. v. M.

- drupifera*, F. v. M. M. fr., V, 5

*Atalantia*, Corr.

- glauca*, Hk. B. fl., I, 370

*Citrus*, Linn.

- australis*, Planch. B. fl., I, 371 (*C. Planchonii*, F. v. M.)
- Australasica*, F. v. M. B. fl., I, 371

SIMARUBEÆ—

*Ailanthus*, Desf.

- imberbiflora*, F. v. M. B. fl., I, 373

*Hyptiandra*, Hook. f.

- Bidwilli*, Hk. B. fl., I, 374

*Cadellia*, F. v. M.

- pentastylis*, F. v. M. B. fl., I, 374
- monostylis*, Benth. B. fl., I, 375

MELIACEÆ—

*Hedraianthera*, F. v. M.

- porphyropetala*, F. v. M. M. fr., V, 58

*Turræa*, Linn.

- pubescens*, Hellen. B. fl., I, 379

*Melia*, Linn.

- composita*, Willd. B. fl., I, 380 (*M. Azedarach*, L.)

*Dysoxylon*, Blume

- Fraserianum*, Benth. B. fl., I, 381
- Muelleri*, Benth. B. fl., I, 381
- Becklerianum*, DC. M. fr., X, 138
- Lessertianum*, Benth. B. fl., I, 382
- rufum*, Benth. B. fl., I, 382

**MELIACEÆ—continued.****Amoora, Roxb.**

nitidula, Benth. B. fl., I, 383

**Synoum, A. Juss.**

glandulosum, Juss. B. fl., I, 384

**Owenia, F. v. M.**

acidula, F. v. M. B. fl., I, 385

cepiodora, F. v. M. M. fr., XI, 82

**Cedrela, Linn.**

Toona, Roxb. B. fl., I, 387 (C. australis, F. v. M.)

**Flindersia, R. Br.**

australis, R. Br. B. fl., I, 388

Schottiana, F. v. M. B. fl., I, 388

Oxleyana, F. v. M. B. fl., I, 389

Bennettiana, F. v. M. B. fl., I, 389

maculosa, F. v. M. B. fl., I, 389 (Fl. Strzeleckiana, F. v. M.)

**OLACINEÆ—****Olax, Linn.**

retusa, F. v. M. B. fl., I, 392

stricta, R. Br. B. fl., I, 392

**Pennantia, Forst.**

Cunninghamii, Miers. B. fl., I, 395

Endlicheri, Reiss. M. fr., IX, 150

**Villaresia, Ruiz y Pav.**

Moorei, F. v. M. B. fl., I, 396

**CELASTRINEÆ—****Celastrus, Linn.**

australis, Harv. &amp; F. v. M. B. fl., I, 398

bilocularis, F. v. M. B. fl., I, 399

Cunninghamii, F. v. M. B. fl., I, 399

**Denhamia, Meisn.**pittosporoides, F. v. M. B. fl., I, 402 (Leucocarpum pittosporoides,  
F. v. M.)**Elæodendron, Jacq. f.**

australe, F. v. M. B. fl., I, 402

**Hippocratea, Linn.**

obtusifolia, Roxb. B. fl., I, 404

**Siphonodon, Griff.**

australe, Benth. B. fl., I, 403

**STACKHOUSIÆ—****Stackhousia, Sm.**

pulvinaris, F. v. M. B. fl., I, 405

monogyna Labill. B. fl., I, 406 (St. linearifolia, A. Cunn.)

muricata Lindl. B. fl., I, 408

viminea, Sm. B. fl., I, 408

spathulata, Sieb. B. fl., I, 406

**RHAMNEÆ—****Ventilago, Gærtn.**

viminalis, Hk. B. fl., I, 411

**Alphitonia, Reissek.**

excelsa, Reiss. B. fl., I, 414

RHAMNEÆ—*continued*.

- Emmenospermum, F. v. M.  
 alphonoides, F. v. M. B. fl., I, 415
- Pomaderris, Labill.  
 lanigera, Sims. B. fl., I, 416  
 ferruginea, Sieb. B. fl., I, 417 (P. elliptica, Labill, var.)  
 elliptica, Labill. B. fl., I, 417  
 phillyreoides, Sieb. B. fl., I, 418  
 vacciniifolia, Reiss. B. fl., I, 418  
 Calvertiana, F. v. M. M. fr., IX, 138  
 ledifolia, A. Cunn. B. fl., I, 419  
 apetala, Labill. B. fl., I, 419  
 cinerea, Benth. B. fl., I, 420  
 prunifolia, A. Cunn. B. fl., I, 420  
 ligustrina, Sieb. B. fl., I, 420  
 betulina, Cunn. B. fl., I, 421  
 racemosa, Hk. B. fl., I, 421
- Spyridium, Fenzl. (Cryptandra)  
 parvifolium, F. v. M. B. fl., I, 428 (Cr. Hookeri, F. v. M.)  
 subochreatum, Reiss. B. fl., I, 432  
 eriocephalum, Fenzl. B. fl., I, 434. (Cr. vexillifera, Hk.)
- Cryptandra, Sm.  
 ericifolia, Sm. B. fl., I, 438  
 spinescens, Sieb. B. fl., I, 439  
 amara, Sm. B. fl., I, 440  
 lanosiflora, F. v. M. B. fl., I, 440  
 tomentosa, Lindl. B. fl., I, 441  
 propinqua, A. Cunn. B. fl., I, 442  
 buxifolia, Fenzl. B. fl., I, 442  
 longistaminea, F. v. M. B. fl., I, 443
- Discaria, Hook.  
 australis, Hk. B. fl., I, 415 (Colletia pubescens, Brongn.)

## AMPELIDÆ—(Viniferæ).

- Vitis, Linn.  
 antarctica, Benth. B. fl., I, 447 (V. Baudiniana, F. v. M.)  
 nitens, F. v. M. B. fl., I, 448  
 acris, F. v. M. B. fl., I, 449  
 clematidea, F. v. M. B. fl., I, 449  
 hypoglauca, F. v. M. B. fl., I, 450  
 sterculifolia, F. v. M. B. fl., I, 450  
 opaca, F. v. M. B. fl., I, 450

## SAPINDACEÆ—

- Diploglottis, Hook. f.  
 Cunninghamii, Hk. B. fl., I, 454
- Castanospora, F. v. M.  
 Alphanii, F. v. M. M. fr., IV, 158
- Cupania, Linn.  
 semiglauca, F. v. M. B. fl., I, 457  
 anacardioides, A. Rich. B. fl., I, 458  
 serrata, F. v. M. B. fl., I, 458  
 pseudorrhhus, A. Rich. B. fl., I, 459  
 xylocarpa, A. Cunn. B. fl., I, 459  
 nervosa, F. v. M. B. fl., I, 459 (C. xylocarpa, A. Cunn. var.)

SAPINDACEÆ—*continued.**Ratonia*, DC. (*Cupania*)*pyriformis*, Benth. B. fl., I, 461*stipitata*, Benth. B. fl., I, 461*tenax*, Benth. B. fl., I, 461*Atalaya*, Blume*multiflora*, Benth. B. fl., I, 463*hemiglauca*, F. v. M. B. fl., I, 463*coriacea*, Radk. in Sitzungsber. der Akad. zu Münch. 326, 1873*Nephelium*, Linn.*connatum*, F. v. M. B. fl., I, 465*subdentatum*, F. v. M. B. fl., I, 465*tomentosum*, F. v. M. B. fl., I, 466*leiocarpum*, F. v. M. B. fl., I, 467*Beckleri*, Benth. B. fl., I, 467*Heterodendron*, Desf.*oleæfolium*, Desf. B. fl., I, 469*diversifolium*, F. v. M. B. fl., I, 469*Harpullia*, Roxb.*alata*, F. v. M. B. fl., I, 470*Hillii*, F. v. M. B. fl., I, 470*pendula* Planch. B. fl., I, 471*Akania*, Hook. f.*Hillii*, Hk. B. fl., I, 471*Dodonæa*, Linn.*triquetra*, Wendl. B. fl., I, 474*lanceolata*, F. v. M. B. fl., I, 475*petiolaris*, F. v. M. B. fl., I, 475*viscosa*, L. B. fl., I, 475*attenuata*, A. Cunn. B. fl., I, 477*cuneata*, Rudg. B. fl., I, 477*peduncularis*, Lindl. B. fl., I, 478*procumbens*, F. v. M. B. fl., I, 478*lobulata*, F. v. M. B. fl., I, 479*truncatiales*, F. v. M. B. fl., I, 479*triangularis*, Lindl. B. fl., I, 481*bursarifolia*, Behr. & F. v. M. B. fl., I, 482*Baueri*, Endl. B. fl., I, 482*megazyga*, F. v. M. B. fl., I, 483*pinnata*, Sm. B. fl., I, 484*boroniæfolia*, G. Don. B. fl., I, 485*multijuga*, G. Don. B. fl., I, 485*adenophora*, Miq. B. fl., I, 486*stenozyga*, F. v. M. B. fl., I, 486

## ANACARDIACEÆ—

*Rhus*, Linn.*rhodanthema*, F. v. M. B. fl., I, 489*Euroschinus*, Hook. f.*falcatus*, Hk. B. fl., I, 490

## Series III—Calycifloræ.

## LEGUMINOSÆ—

## Suborder I, Papilionaceæ

## Oxylobium, Andr.

- ellipticum, R. Br. B. fl., II, 16
- alpestre, F. v. M. B. fl., II, 17
- cordifolium, Andr. B. fl., II, 19
- Pultenæa, D. C. B. fl., II, 19
- hamulosum, Benth. B. fl., II, 20
- scandens, Benth. B. fl., II, 20
- procumbens, F. v. M. B. fl., II, 20
- trilobatum, F. v. M. B. fl., II, 25
- staurophyllum, Benth. B. fl., II, 26 (O. trilobatum, F. v. M. var.)

## Chorizema, Labill.

- parviflorum, Benth. B. fl., II, 30

## Isotropis, Benth.

- Wheeleri, F. v. M. B. fl., II, 40

## Mirbelia, Sm.

- grandiflora, Ait. B. fl., II, 34
- oxylobioides, F. v. M. B. fl., II, 34
- reticulata, Sm. B. fl., II, 35
- aotoides, F. v. M. B. fl., II, 35
- pungens, A. Cunn. B. fl., II, 35
- speciosa, Sieb. B. fl., II, 36

## Gompholobium, Sm.

- latifolium, Sm. B. fl., II, 42
- Huegelii, Benth. B. fl., II, 43
- grandiflorum, Sm. B. fl., II, 44
- virgatum, Sieb. B. fl., II, 45
- minus, Sm. B. fl., II, 45
- uncinatum, A. Cunn. B. fl., II, 46
- glabratum, DC. B. fl., II, 48
- pinnatum, Sm. B. fl., II, 48

## Jacksonia, R. Br.

- rhadinoclona, F. v. M. M. fr., X, 37
- scoparia, R. Br. B. fl., II, 59
- Stackhousii, F. v. M. M. fr., XI, 138

## Sphærolobium, Sm.

- vimineum, Sm. B. fl., II, 65

## Viminaria, Sm.

- denudata, Sm. B. fl., II, 68

## Daviesia, Sm.

- concinna, R. Br. B. fl., II, 75
- umbellulata, Sm. B. fl., II, 75
- Wyattii, Bailey. M. fr., X, 138
- latifolia, R. Br. B. fl., II, 76
- buxifolia, Benth. B. fl., II, 75 (D. latifolia, R. Br. var.)
- corymbosa, Sm. B. fl., II, 76
- filipes, Benth. B. fl., II, 80
- squarrosa, Sm. B. fl., II, 80
- ulicina, Sm. B. fl., II, 81
- acicularis, Sm. B. fl., II, 81



LEGUMINOSÆ—*continued.*

- genistifolia*, A. Cunn. B. fl., II, 82  
*brevifolia*, Lindl. B. fl., II, 84  
*pectinata*, Lindl. B. fl., II, 87  
*alata*, Sm. B. fl., II, 89  
*arborea*, F. v. M. & Scortech. In *Proced. L.S. of N.S.W.*, VII, 221  
 (1882.)

*Aotus*, Sm.

- villosa*, Sm. B. fl., II, 90  
*mollis*, Benth. B. fl., II, 91  
*lanigera*, A. Cunn. B. fl., II, 92

*Phyllota*, DC.

- phylicoides*, Benth. B. fl., II, 95  
*humifusa*, Benth. B. fl., II, 95

*Pultenæa*, Sm.

- daphnoides*, Wendl. B. fl., II, 112  
*stricta*, Sims. B. fl., II, 112  
*retusa*, Sm. B. fl., II, 113  
*pyncecephala*, F. v. M. B. fl., II, 114  
*polifolia*, A. Cunn. B. fl., II, 115  
*paleacea*, Willd. B. fl., II, 115  
*Gunnii*, Benth. B. fl., II, 116  
*scabra*, R. Br. B. fl., II, 116  
*Hartmanni*, F. v. M. M. fr., VIII, 166  
*microphylla*, Sieb. B. fl., II, 117  
*pedunculata*, Hk. B. fl., II, 118  
*ternata*, F. v. M. B. fl., II, 122  
*stypelioides*, A. Cunn. B. fl., II, 123  
*altissima*, F. v. M. B. fl., II, 123  
*obovata*, Benth. B. fl., II, 123  
*incurvata*, A. Cunn. B. fl., II, 124  
*subumbellata*, Hk. B. fl., II, 124  
*stipularis*, Sm. B. fl., II, 125  
*glabra*, Benth. B. fl., II, 125  
*dentata*, Labill. B. fl., II, 125  
*aristata*, Sieb. B. fl., II, 126  
*plumosa*, Sieb. B. fl., II, 126  
*viscosa*, R. Br. B. fl., II, 127  
*echinula*, Sieb. B. fl., II, 127  
*hibbertioides*, Hk. B. fl., II, 127  
*humilis*, Benth. B. fl., II, 131  
*parviflora*, Sieb. B. fl., II, 132  
*procumbens*, A. Cunn. B. fl., II, 133  
*hispidula*, R. Br. B. fl., II, 133  
*villosa*, Willd. B. fl., II, 134  
*foliolosa*, A. Cunn. B. fl., II, 135  
*flexilis*, Sm. B. fl., II, 135  
*euchila*, DC. B. fl., II, 135  
*elliptica*, Sm. B. fl., II, 136  
*subspicata*, Benth. B. fl., II, 137  
*villifera*, Sieb. B. fl., II, 137  
*prostata*, Benth. B. fl., II, 138  
*fasciculata*, Benth. B. fl., II, 139

LEGUMINOSÆ--*continued.*

- Eutaxia*, R. Br.  
*empetrifolia*, Schl. B. fl., II., 145
- Dillwynia*, Sm.  
*ericifolia*, Sm. B. fl., II, 147  
*floribunda*, Sm. B. fl., II, 149  
*brunioides*, Meissn. B. fl., II, 150  
*juniperina*, Sieb. B. fl., II, 150  
*cinerascens*, R. Br. B. fl., II, 151  
*patula*, F. v. M. B. fl., II, 151
- Platylobium*, Sm.  
*formosum*, Sm. B. fl., II, 153
- Bossiaea*, Vent.  
*lenticularis*, Sieb. B. fl., II, 157  
*Kiamensis*, Benth. B. fl., II, 158  
*foliosa*, A. Cunn. B. fl., II, 160  
*cinerea*, R. Br. B. fl., II, 160  
*prostrata*, R. Br. B. fl., II, 162  
*Neo-Anglica*, F. v. M. M. fr., V, 106  
*buxifolia*, A. Cunn. B. fl., II, 163  
*rhombifolia*, Sieb. B. fl., II, 164  
*microphylla*, Sm. B. fl., II, 164  
*heterophylla*, Vent. B. fl., II, 165  
*riparia*, A. Cunn. B. fl., II, 166  
*ensata*, Sieb. B. fl., II, 167  
*scolopendria*, Sm. B. fl., II, 167  
*Walkeri*, F. v. M. B. fl., II, 167  
*Scortechinii*, F. v. M. (inedit.)
- Templetonia*, R. Br.  
*Muelleri*, Benth. B. fl., II, 169  
*egena*, Benth. B. fl., II, 170  
*sulcata*, Benth. B. fl., II, 171
- Hovea*, R. Br.  
*linearis*, R. Br. B. fl., II, 172  
*heterophylla*, A. Cunn. B. fl., II, 172  
*longifolia*, R. Br. B. fl., II, 172  
*acutifolia*, A. Cunn. B. fl., II, 174  
*longipes*, Benth. B. fl., II, 174
- Goodia*, Salisb.  
*lotifolia*, Salisb. B. fl., II, 177
- Crotalaria*, Linn.  
*linifolia*, L. B. fl., II, 180  
*retusa*, L. B. fl., II, 181  
*Mitchelli*, Benth. B. fl., II, 181  
*incana*, L. B. fl., II, 183  
*dissitiflora*, Benth. B. fl., II, 184
- Trigonella*, Linn.  
*suavissima*, Lindl. B. fl., II, 187
- Lotus*, Linn.  
*corniculatus*, L. B. fl., II, 188  
*australis*, Andr. B. fl., II, 188

LEGUMINOSÆ—*continued.*

## Psoralea, Linn.

- eriantha, Benth. B. fl., II, 192
- patens, Lindl. B. fl., II, 192
- cinerea, Lindl. B. fl., II, 192
- parva, F. v. M. B. fl., II, 194
- tenax, Lindl. B. fl., II, 193
- adscendens, F. v. M. B. fl., II, 193

## Indigofera, Linn.

- linifolia, Retz. B. fl., II, 195
- enneaphylla, L. B. fl., II, 196
- trita, L. B. fl., II, 197
- hirsuta, L. B. fl., II, 198
- australis, Willd. B. fl., II, 199
- efoliata, F. v. M. in "Australasian Chemist and Druggist,"  
November, 1883
- brevidens, Benth. B. fl., II, 200
- coronillifolia, A. Cunn. B. fl., II, 201
- \*atropurpurea, Ham.

## Tephrosia, Pers.

- purpurea, Pers. B. fl., II, 209
- Bidwilli, Benth. B. fl., II, 210

## Millettia, W. &amp; Arn.

- megasperma, F. v. M. B. fl., II, 211 (*Wistaria megasperma*, F. v. M.)

## Sesbania, Pers.

- aculeata, Pers. B. fl., II, 213

## Carmichaelia, R. Br.

- exsul, F. v. M. M. fr., VII, 126

## Clianthus, Soland.

- Dampieri, Cunn. B. fl., II, 214

## Streblorrhiza, Endl.

- speciosa, Endl. M. fr., IX, 169

## Swainsona, Salisb.

- Greyana, Lindl. B. fl., II, 216
- galegifolia, R. Br. B. fl., II, 217
- coronillifolia, Salisb. B. fl., II, 217
- brachycarpa, Benth. B. fl., II, 217
- phacoides, Benth. B. fl., II, 217
- Burkittii, F. v. M. B. fl., II, 218
- oligophylla, F. v. M. B. fl., II, 219
- campylantha, F. v. M. B. fl., II, 219
- plagiotropis, F. v. M. M. fr., IX, 143
- procumbens, F. v. M. B. fl., II, 220
- phacifolia, F. v. M. B. fl., II, 221
- oroboides, F. v. M. B. fl., II, 222
- lessertiifolia, DC. B. fl., II, 222
- monticola, A. Cunn. B. fl., II, 223
- microphylla, A. Grey. B. fl., II, 223
- laxa, R. Br. B. fl., II, 224
- Fraseri, Benth. B. fl., II, 224

## Glycyrrhiza, Linn.

- psoraleoides, Benth. B. fl., II, 225

LEGUMINOSÆ—*continued.*

## Aeschynomene, Linn.

Indica, L. B. fl., II, 226

## Zornia, Gmel.

diphylla, Pers. B. fl., II, 226

## Desmodium, Desv.

acanthocladum, F. v. M. B. fl., II, 231

brachypodium, A. Gray. B. fl., II, 232

varians, Endl. B. fl., II, 232

rhytidophyllum, F. v. M. B. fl., II, 233

nemorosum, F. v. M. B. fl., II, 234

polycarpum, DC. B. fl., II, 235

trichocaulon, DC. B. fl., II, 235

parvifolium, DC. B. fl., II, 235

## Uraria, Desv.

picta, Desv. B. fl., II, 237

## Lespedeza, Mich.

cuneata, G. Don. B. fl., II, 240

## Glycine, Linn.

falcata, Benth. B. fl., II, 243

clandestina, Wendl. B. fl., II, 243

tabacina, Benth. B. fl., II, 244

sericea, Benth. B. fl., II, 245

tomentosa, Benth. B. fl., II, 245

## Kennedyia, Vent.

rubicunda, Vent. B. fl., II, 249

procurrens, Benth. B. fl., II, 249

prostrata, R. Br. B. fl., II, 250

## Hardenbergia, Benth. (Kennedyia)

monophylla, Benth. B. fl., II, 246

## Mucuna, Adans.

gigantea, DC. B. fl., II, 254

## Galactia, R. Br.

tenuiflora, Wight &amp; Arn. B. fl., II, 255

## Canavalia, DC.

obtusifolia, DC. B. fl., II, 256

## Vigna, Savi.

vexillata, Benth. B. fl., II, 258

lutea, A. Gray. B. fl., II, 259

luteola, Benth. B. fl., II, 260

lanceolata, Benth. B. fl., II, 260

## Rhynchosia, Lour.

minima, DC. B. fl., II, 267

australis, Benth. B. fl., II, 267 (Rh. minima, D. C. var.)

## Lonchocarpus, H. B. &amp; K.

Blackii, Benth. B. fl., II, 271

## Derris, Dour.

scandens, Benth. B. fl., II, 272

## Sophora, Linn.

tomentosa, L. B. fl., II, 274

Fraseri, Benth. B. fl., II, 274

tetraptera, J. Miller. M. fr., VII, 26

## Castanospermum, A. Cunn.

australe, A. Cunn. B. fl., II, 275

LEGUMINOSÆ—*continued.*

- Barklya, F. v. M.  
 syringifolia, F. v. M. B. fl., II, 275
- \*Ononis, Linn.  
 Natrix, L.
- \*Medicago, Linn.  
 sativa, L.  
 denticulata, Willd.  
 minima, Willd.  
 lupulina, L.
- \*Melilotus, Tourn.  
 parviflorus, Desf.
- \*Trifolium, Linn.  
 pratense, L.  
 repens, L.  
 agrarium, L.
- \*Vicia, Linn.  
 sativa, L.  
 hirsuta, Koch.
- \*Ervum, Linn.  
 hirsutum, L.
- \*Ulex, Linn.  
 Europæus, L.

*Sub-order II—CÆSALPINIÆÆ.*

- Guilandina, Linn.  
 Bonducella, L. B. fl., II, 276 (Cæsalpina Bonducella, Flem.)
- Mezoneurum, Desf.  
 brachycarpum, Benth. B. fl., II, 278  
 scortechinii, F. v. M., Wing's South Sc. Rec. II, 73 (1882.)
- Cassia, Linn.  
 Brewsteri, F. v. M. B. fl., II, 282  
 lævigata, Willd. B. fl., II, 282  
 Sophera, L. B. fl., II, 283  
 pleurocarpa, F. v. M. B. fl., II, 284  
 suffruticosa, Koen. B. fl., II, 285 (C. glauca, Lam.)  
 australis, Sims. B. fl., II, 285  
 pruinosa, F. v. M. B. fl., II, 286  
 circinata, Benth. B. fl., II, 286  
 phyllodinea, R. Br. B. fl., II, 287  
 eremophila, A. Cunn. B. fl., II, 287  
 artemisioides, Gaud. B. fl., II, 288  
 Sturtii, R. Br. B. fl., II, 288  
 desolata, F. v. M. B. fl., II, 289  
 concinna, Benth. B. fl., II, 291  
 mimosoides, L. B. fl., II, 291
- Petalostyles, R. Br.  
 labicheoides, R. Br. B. fl., II, 292
- Bauhinia, Linn.  
 Carronii, F. v. M. B. fl., II, 295

*Sub-order III—MIMOSÆÆ.*

- Neptunia, Lour.  
 gracilis, Benth. B. fl., II, 300

LEGUMINOSÆ—*continued.*

## Acacia, Willd.

- continua*, Benth. B. fl., II, 322  
*triptera*, Benth. B. fl., II, 323  
*spinescens*, Benth. B. fl., II, 323  
*lanigera*, A. Cunn. B. fl., II, 324  
*trinervata*, Sieb. B. fl., II, 325  
*collettioides*, A. Cunn. B. fl., II, 325  
*siculiformis*, A. Cunn. B. fl., II, 329  
*tetragonophylla*, F. v. M. B. fl., II, 330  
*juniperina*, Willd. B. fl., II, 331  
*asparagoides*, A. Cunn. B. fl., II, 332  
*diffusa*, Edw. B. fl., II, 332  
*oxycedrus*, Sieb. B. fl., II, 334  
*verticillata*, Willd. B. fl., II, 334  
*rigens*, A. Cunn. B. fl., II, 337  
*pugioniformis*, Wendl. B. fl., II, 338  
*juncifolia*, Benth. B. fl., II, 339  
*calamifolia*, Sweet. B. fl., II, 339  
*Baueri*, Benth. B. fl., II, 342  
*conferta*, A. Cunn. B. fl., II, 343  
*aspera*, Lindl. B. fl., II, 347  
*armata*, R. Br. B. fl., II, 347  
*vomeriformis*, A. Cunn. B. fl., II, 350  
*plagiophylla*, F. v. M. In Journ. L. S. III, 131 (1858.)  
*acanthoclada*, F. v. M. B. fl., II, 352  
*obliqua*, A. Cunn. B. fl., II, 353  
*lineata*, A. Cunn. B. fl., II, 353  
*acinacea*, Lindl. B. fl., II, 353  
*hispidula*, Willd. B. fl., II, 355  
*undulifolia*, Fraser. B. fl., II, 355  
*flexifolia*, A. Cunn. B. fl., II, 356  
*microcarpa*, F. v. M. B. fl., II, 357  
*montana*, Benth. B. fl., II, 357  
*verniciiflua*, A. Cunn. B. fl., II, 358  
*leprosa*, Sieb. B. fl., II, 358  
*stricta*, Willd. B. fl., II, 358  
*Sentis*, F. v. M. B. fl., II, 360  
*fasciculifera*, F. v. M. B. fl., II, 361  
*falcata*, Willd. B. fl., II, 361  
*penninervis*, Sieb. B. fl., II, 362  
*neriifolia*, A. Cunn. B. fl., II, 363  
*pycnantha*, Benth. B. fl., II, 365  
*notabilis*, F. v. M. B. fl., II, 365  
*gladiiformis*, A. Cunn. B. fl., II, 365  
*obtusata*, Sieb. B. fl., II, 366  
*rubida*, A. Cunn. B. fl., II, 366  
*amoena*, Wendl. B. fl., II, 366  
*hakeoides*, A. Cunn. B. fl., II, 367  
*salicina*, Lindl. B. fl., II, 367  
*suaveolens*, Lindl. B. fl., II, 369  
*subulata*, Bonpl. B. fl., II, 370  
*linifolia*, Willd. B. fl., II, 371

LEGUMINOSÆ—*continued.*

- prominens, A. Cunn. B. fl., II, 371 (A. linifolia, Willd., var.)  
 crassiuscula, Wendl. B. fl., II, 372  
 decora, Reichl. B. fl., II, 372 (A. buxifolia, A. Cunn., var.)  
 buxifolia, A. Cunn. B. fl., II, 372  
 lunata, Sieb. B. fl., II, 373  
 brachybotrya, Benth. B. fl., II, 373  
 podalyriæfolia, A. Cunn. B. fl., II, 374  
 vestita, Ker. B. fl., II, 375  
 cultriformis, A. Cunn. B. fl., II, 375  
 pravissima, F. v. M. B. fl., II, 375  
 myrtifolia, Willd. B. fl., II, 376  
 pravifolia, F. v. M. M. fr., I, 4  
 amblygona, A. Cunn. B. fl., II, 378  
 elongata, Sieb. B. fl., II, 381  
 subporosa, F. v. M. B. fl., II, 382  
 homalophylla, A. Cunn. B. fl., II, 383  
 pendula, A. Cunn. B. fl., II, 383  
 Oswaldi, F. v. M. B. fl., II, 384  
 stenophylla, A. Cunn. B. fl., II, 385  
 sclerophylla, A. Cunn. B. fl., II, 386  
 farinosa, Lindl. B. fl., II, 386  
 viscidula, A. Cunn. B. fl., II, 387  
 ixiophylla, Benth. B. fl., II, 387  
 venulosa, Benth. B. fl., II, 388  
 melanoxyton, R. Br. B. fl., II, 388  
 implexa, Benth. B. fl., II, 389  
 complanata, A. Cunn. B. fl., II, 390  
 binervata, DC. B. fl., II, 390  
 pycnostachya, F. v. M. B. fl., II, 396  
 subtilinervis, F. v. M. B. fl., II, 396  
 longifolia, Willd. B. fl., II, 397  
 linearis, Sims. B. fl., II, 399  
 cyperophylla, F. v. M. B. fl., II, 400  
 aneura, F. v. M. B. fl., II, 402  
 brachystachya, Benth. B. fl., II, 403 (A. aneura, F. v. M., var.)  
 Kempeana, F. v. M. In Melb. Chemist, July, 1882.  
 doratoxyton, A. Cunn. B. fl., II, 403  
 glaucescens, Willd. B. fl., II, 406  
 Cunninghamii, Hk. B. fl., II, 407  
 elata, A. Cunn. B. fl., II, 413  
 pruinosa, A. Cunn. B. fl., II, 413  
 spectabilis, A. Cunn. B. fl., II, 418  
 polybotrya, Benth. B. fl., II, 414  
 discolor, Wendl. B. fl., II, 414  
 decurrens, Willd. B. fl., II, 414  
 dealbata, Link. B. fl., II, 415  
 cardiophylla, A. Cunn. B. fl., II, 415  
 leptoclada, A. Cunn. B. fl., II, 416  
 pubescens, R. Br. B. fl., II, 416  
 Farnesiana, Willd. B. fl., II, 419  
 Albizzia, Durazz.  
 amoenissima, F. v. M. M. fr., IX, 179  
 Hendersoni, F. v. M. M. fr., X, 178

LEGUMINOSÆ—*continued*,

## Pithecolobium, Mart.

pruinosum, Benth. B. fl., II, 423 (*Albizzia pruinosa*, F. v. M.)grandiflorum, Benth. B. fl., II, 424 (*Albizzia Tozeri*, F. v. M.)

## ROSACEÆ—

## Geum, Linn.

urbanum, L. B. fl., II, 428

## Rubus, Linn.

parvifolius, L. B. fl., II, 430

rosæfolius, Sm. B. fl., II, 431

Moluccanus, L. B. fl., II, 430

Moorei, F. v. M. B. fl., II, 431

## Agrimonia, Tourn.

Eupatoria, L. M. fr., VIII, 34

## Alchemilla, Linn.

vulgaris, Bauh. B. fl., II, 432

## Acæna, Linn.

ovina, Cunn. B. fl., II, 433

sanguisorbæ, Vahl. B. fl., II, 434

## \*Rosa, Linn.

rubiginosa, L.

## \*Poterium, Linn.

Sanguisorba, L.

## SAXIFRAGÆ—

## Argophyllum, Forst.

Lejourdanii, F. v. M. B. fl., II, 437

## Abrophyllum, Hook.

ornans, J. Hk. B. fl., II, 437

## Cuttsia, F. v. M.

viburnea, F. v. M. M. fr., V, 47

## Colmeiroa, F. v. M.

carpodetoides, F. v. M. M. fr., VII, 149

## Quintinia, Alph. DC.

Sieberi, DC. B. fl., II, 438

Verdonii, F. v. M. B. fl., II, 438

## Polyosma, Blume.

Cunninghamii, J. J. Benn. B. fl., II, 438

## Anopterus, Labill.

Macleayanus, F. v. M. B. fl., II, 439

## Callicoma, Andr.

serratifolia, Andr. B. fl., II, 440

## Aphanopetalum, Endl.

resinosum, Endl. B. fl., II, 441

## Ceratopetalum, Sm.

gummiferum, Sm. B. fl., II, 442

apetalum, Don. B. fl., II, 442

## Schizomeria, D. Don.

ovata, Don. B. fl., II, 443

## Acrophyllum, Benth.

venosum, Benth. B. fl., II, 443

## Ackama, A. Lunn.

Muelleri, Benth. B. fl., II, 444 (*Weinmannia paniculosa*, F. v. M.)



SAXIFRAGEÆ—*continued.*

- Weinmannia, Linn.  
 lachnocarpa, F. v. M. M. fr., VIII, 7  
 rubifolia, Benth. B. fl., II, 445
- Eucryphia, Cav.  
 Moorei, F. v. M. B. fl., II, 447
- Bauera, Benth.  
 rubioides, Andr. B. fl., II, 447  
 capitata, Ser. B. fl., II, 448

## CRASSULACEÆ—

- Tillæa, Linn.  
 verticillaris, DC. B. fl., II, 451  
 purpurata, Hk. B. fl., II, 451  
 macrantha, Hk. B. fl., II, 452  
 recurva, Hk. B. fl., II, 452

## DROSERACEÆ—

- Drosera, Linn.  
 Indica, L. B. fl., II, 456  
 Arcturi, Hk. B. fl., II, 456  
 glanduligera, Lehm. B. fl., II, 457  
 pygmæa, DC. B. fl., II, 457  
 spathulata, Labill. B. fl., II, 459  
 binata, Labill. B. fl., II, 461  
 auriculata, Backh. B. fl., II, 465  
 peltata, Sm. B. fl., II, 465  
 Menziesii, R. Br. B. fl., II, 468

## HALORAGÆ—

- Loudonia, Lindl.  
 Behrii, Schl. B. fl., II, 472
- Haloragis, Forst.  
 mucronata, Benth. B. fl., II, 475  
 elata, Cunn. B. fl., II, 476  
 ceratophylla, Zahlbr. B. fl., II, 478  
 odontocarpa, F. v. M. B. fl., II, 479  
 serra, Brongn. B. fl., II, 479  
 glauca, Lindl. B. fl., II, 479  
 alata, Jacq. B. fl., II, 479  
 micrantha, R. Br. B. fl., II, 482  
 heterophylla, Brongn. B. fl., II, 483  
 pinnatifida, A. Gray. B. fl., II, 483  
 tetragyna, R. Br. B. fl., II, 484  
 teucrioides, A. Gray. B. fl., II, 484  
 salsoloides, Benth. B. fl., II, 485
- Meionectes, R. Br.  
 Brownii, J. Hk. B. fl., II, 486
- Myriophyllum, Linn.  
 variifolium, Hk. B. fl., II, 487  
 elatinoides, Gaud. B. fl., II, 487  
 verrucosum, Lindl. B. fl., II, 488  
 latifolium, F. v. M. B. fl., II, 488  
 gracile, Benth. B. fl., II, 489  
 integrifolium, Hk. B. fl., II, 490

HALORAGÆ—*continued.*

- Ceratophyllum, Linn.  
demersum, L. B. fl., II, 491
- Callitriche, Linn.  
verna, L. B. fl., II, 492  
Muelleri, Sond. M. fr., VIII, 163

## RHIZOPHOREÆ—

- Rhizophora, Linn.  
mucronata, Lam. B. fl., II, 493

## MYRTACEÆ—

- Darwinia, Rudge  
taxifolia, A. Cunn. B. fl., III, 12  
fascicularis, Rudg. B. fl., III, 13
- Homoranthus, A. Cunn.  
virgatus, A. Cunn. B. fl., III, 16 (Darwinia virgata, A. Cunn.)
- Calythrix, Labill. (Calycotrix)  
tetragona, Labill. B. fl., III, 50
- Thryptomene, Endl.  
Miqueliana, F. v. M. B. fl., III, 62
- Micromyrtus, Benth.  
microphylla, Benth. B. fl., III, 65 (Thryptomene ciliata,  
F. v. M.)  
minutiflora, Benth. B. fl., III, 65 (Thryptomene minutiflora,  
F. v. M.)
- Bæckeia, Linn.  
diffusa, Sieb. B. fl., III, 76  
crassifolia, Lindl. B. fl., III, 76  
ericæa, F. v. M. B. fl., III, 77  
crenulata, R. Br. B. fl., III, 78  
brevifolia, DC. B. fl., III, 78  
Gunniana, Schaur. B. fl., III, 78  
diosmifolia, Rudg. B. fl., III, 79  
linifolia, Rudg. B. fl., III, 80  
stenophylla, F. v. M. B. fl., III, 80  
camphorata, R. Br. B. fl., III, 81  
virgata, Andr. B. fl., III, 81  
Cunninghamii, Benth. B. fl., III, 82  
densifolia, Sm. B. fl., III, 82  
Behrii, F. v. M. B. fl., III, 83

## Leptospermum, Forst.

- lævigatum, F. v. M. B. fl., III, 103  
flavescens, Sm. B. fl., III, 104  
scoparium, Forst. B. fl., III, 105  
arachnoideum, Sm. B. fl., III, 105  
lanigerum, Sm. B. fl., III, 106  
parvifolium, Sm. B. fl., III, 107  
stellatum, Cav. B. fl., III, 107  
attenuatum, Sm. B. fl., III, 108  
myrtifolium, Sieb. B. fl., III, 108  
myrsinoides, Schl. B. fl., III, 109  
abnorme, F. v. M. B. fl., III, 109

MYRTACEÆ—*continued.***Kunzea, Reichb.**

- Muelleri, Benth. B. fl., III, 113  
 parvifolia, Schl. B. fl., III, 115  
 peduncularis, F. v. M. B. fl., III, 115  
 corifolia, Reichb. B. fl., III, 115  
 capitata, Reichb. B. fl., III, 116  
 opposita, F. v. M. M. fr., VI, 24

**Callistemon, R. Br.**

- lanceolatus, DC. B. fl., III, 120  
 coccineus, F. v. M. B. fl., III, 120  
 salignus, DC. B. fl., III, 120  
 rigidus, R. Br. B. fl., III, 121  
 linearis, DC. B. fl., III, 122  
 pinifolius, DC. B. fl., III, 122  
 brachyandrus, Lindl. B. fl., III, 122  
 pthyoides, Miq. in Nederl. Kruiddk. Arch. IV, 142. (1859.)

**Melaleuca, Linn.**

- hypericifolia, Sm. B. fl., III, 131  
 acuminata, F. v. M. B. fl., III, 132  
 thymifolia, Sm. B. fl., III, 134  
 pauciflora, Turcz. B. fl., III, 139  
 squarrosa, Don. B. fl., III, 139  
 linariifolia, Sm. B. fl., III, 140  
 Leucadendra, L. B. fl., III, 142  
 genistifolia, Sm. B. fl., III, 143  
 styphelioides, Sm. B. fl., III, 144  
 parviflora, Lindl. B. fl., III, 145  
 armillaris, Sm. B. fl., III, 146  
 uncinata, R. Br. B. fl., III, 150  
 hakeoides, F. v. M. B. fl., III, 151  
 squamea, Labill. B. fl., III, 155  
 nodosa, Sm. B. fl., III, 158  
 ericifolia, Sm. B. fl., III, 159  
 pustulata, Hk. B. fl., III, 160

**Angophora, Cav.**

- cordifolia, Cav. B. fl., III, 183  
 subvelutina, F. v. M. B. fl., III, 184  
 intermedia, DC. B. fl., III, 184  
 lanceolata, Cav. B. fl., III, 184

**Eucalyptus, L'Her.**

- stellulata, Sieb. B. fl., III, 200  
 coriacea, A. Cunn. B. fl., III, 201 (E. pauciflora, Sieb.)  
 virgata, Sieb. B. fl., III, 202 (E. Sieberiana, F. v. M.)  
 amygdalina, Labill. B. fl., III, 202  
 obliqua, L'Her. B. fl., III, 204  
 obtusiflora, DC. B. fl., III, 205 (E. obliqua, L'Her., var.)  
 capitellata, Sm. B. fl., III, 206  
 macrorhyncha, F. v. M. B. fl., III, 207  
 piperita, Sm. B. fl., III, 207  
 pilularis, Sm. B. fl., III, 208  
 Leucoxyton, F. v. M. B. fl., III, 209  
 melliodora, A. Cunn. B. fl., III, 210

MYRTACEÆ—*continued.*

- gracilis*, F. v. M. B. fl., III, 211  
*paniculata*, Sm. B. fl., III, 211  
*hæmastoma*, Sm. B. fl., III, 212  
*microcorys*, F. v. M. B. fl., III, 212  
*polyanthema*, Schau. B. fl., III, 213  
*populnea*, F. v. M. B. fl., III, 214  
*bicolor*, A. Cunn. B. fl., III, 214 (*E. largiflorens*, F. v. M.)  
*uncinata*, Turcz. B. fl., III, 216  
*hemiphloia*, F. v. M. B. fl., III, 216  
*stricta*, Sieb. B. fl., III, 217  
*albena*, Miq. B. fl., III, 219  
*siderophloia*, Benth. B. fl., III, 220  
*melanophloia*, F. v. M. B. fl., III, 220  
*crebra*, F. v. M. B. fl., III, 221  
*brachypoda*, Turcz. B. fl., III, 223 (*E. microtheca*, F. v. M.)  
*pulverulenta*, Sims. B. fl., III, 224  
*globulus*, Labill. B. fl., III, 225  
*longifolia*, Link & Otto. B. fl., III, 226  
*robusta*, Sm. B. fl., III, 228  
*botryoides*, Sm. B. fl., III, 229  
*goniocalyx*, F. v. M. B. fl., III, 229  
*dumosa*, A. Cunn. B. fl., III, 230  
*incrassata*, Labill. B. fl., III, 231  
*cinerea*, F. v. M. E. fl., III, 239 (*E. viminalis*, Labill., var.)  
*dealbata*, F. v. M. B. fl., III, 239 (*E. viminalis*, Labill., var.)  
*viminalis*, Labill. B. fl., III, 239  
*rostrata*, Schl. B. fl., III, 240  
*tereticornis*, Sm. B. fl., III, 241  
*punctata*, DC. B. fl., III, 242  
*Stuartiana*, F. v. M. B. fl., III, 243  
*saligna*, Sm. B. fl., III, 245  
*resinifera*, Sm. B. fl., III, 245  
*Gunnii*, Hk. B. fl., III, 246  
*oleosa*, F. v. M. B. fl., III, 248  
*corymbosa*, Sm. B. fl., III, 256  
*maculata*, Hk. B. fl., III, 258  
*eximia*, Schau. B. fl., III, 258  
*regnans*, F. v. M. Report Acclim. Soc., Vict., 22 (1870)  
*eugenioides*, Sieb. in Spreng. cur. poster, 195 (1827)  
*triantha*, Link, enum. pl. hort. bot. Berol. II, 20 (1822)  
*ochrophloia*, F. v. M. M. fr., XI, 36
- Tristania**, R. Br.  
*neriifolia*, R. Br. B. fl., III, 262.  
*suaveolens*, Sm. B. fl., III, 262  
*conferta*, R. Br. B. fl., III, 263  
*laurina*, B. Br. B. fl., III, 264
- Syncarpia**, Ten.  
*laurifolia*, Ten. B. fl., III, 265 (*Metrosideros glomulifera*, Sm.)  
*leptopetala*, F. v. M. B. fl., III, 266 (*Metrosideros leptopetala*,  
 F. v. M.)
- Metrosideros**, Banks  
*polymorpha*, Gaud. M. fr., IX, 14  
*nervulosa*, Ch. Moore & F. v. M. M. fr., I, 80

**MYRTACEÆ—continued.**

*Backhousia*, Hook & Harv.

*myrtifolia*, Hk & Harv. B. fl., III, 269

*sciadophora*, F. v. M. B. fl., III, 270

*Rhodomyrtus*, DC.

*psidioides*, Benth. B. fl., III, 272

*Myrtus*, Linn.

*rhytisperma*, F. v. M. B. fl., III, 274

*tenuifolia* Sm. B. fl., III, 274

*Becklerii*, F. v. M. B. fl., III, 275

*acmenioides*, F. v. M. B. fl., III, 276

*fragrantissima*, F. v. M. B. fl., III, 277

*Rhodamnia*, Jach.

*trinervia*, Bl. B. fl., III, 278

*argentea*, Benth. B. fl., III, 278

*Eugenia*, Linn.

*Smithii*, Poir. B. fl., III, 282

*hemilampra*, F. v. M. M. fr., IX, 145

*Ventenatii*, Benth. B. fl., III, 283

*Jambolana*, Lam. B. fl., III, 283 (E. Moorei, F. v. M.)

*corynantha*, F. v. M. M. fr., IX, 145

*Hodgkinsoniæ*, F. v. M. M. fr., IX, 145

*myrtifolia*, Sims. B. fl., III, 286

*parvifolia*, Moore, ined.

*Acicalyptus*, A. Gray

*Fullageri*, F. v. M. M. fr., VIII, 115

**MELASTOMACEÆ—**

*Melastoma*, Linn.

*Malabathricum*, L. B. fl., III, 292

**LYTHRARIÆ (SALICARIÆ)—**

*Ammannia*, Linn.

*multiflora*, Roxb. B. fl., III, 293

*Lythrum*, Linn.

*Salicaria*, L. B. fl., III, 298

*Hyssopifolia*, L. B. fl., III, 299

**ONAGRARIÆ—**

*Epilobium*, Linn.

*junceum*, Forst. B. fl., III, 304

*tetragonum*, L. B. fl., III, 305

*Billardierianum*, Ser. B. fl., III, 305

\**roseum*, Sm.

} (E. tetragonum, L.)

*Jussiaea*, Linn.

*repens*, L. B. fl., III, 306

*suffruticosa*, L. B. fl., III, 307

\**Oenothera*, Linn.

*biennis*, L.

*rosea*, Willd.

**PASSIFLOREÆ—**

*Passiflora*, Linn.

*Herbertiana*, Lindl. B. fl., III, 311

*cinnabarina*, Lindl. M. fr., IX, 68

*Banksii*, Benth. B. fl., III, 312 (P. aurantia, Forst.)

## CUCURBITACEÆ—

- Trichosanthes, Linn.  
 palmata, Roxb. B. fl., III, 315
- Cucumis, Linn.  
 trigonus, Roxb. B. fl., III, 317  
 Chate, L., in syst. nat. edit. decim., 5 (1759)
- Momordica, Linn.  
 Balsaminea, L. B. fl., III, 318
- Bryonia, Linn.  
 laciniosa, L. B. fl., III, 319. (Bryonopsis laciniosa, Naud.)  
 Bryonopsis, Arnott.  
 Pancheri, Naud, in Annal. des sc. nat. ser. cinq. V. 30 (1869)
- Melothria, Linn.  
 Cunninghamii, Benth. B. fl., III, 320  
 Baueriana, F. v. M. M. fr., VI, 188  
 Muelleri, Benth. B. fl., III, 320
- Mukia, Arn.  
 scabrella, Arn. B. fl., III, 321 (Melothria Maderaspatana, Cogn.)
- Sicyos, Linn.  
 angulata, L. B. fl., III, 322

## FICOIDEÆ—

- Mesembryanthemum, Linn.  
 æquilaterale, Han. B. fl., III, 324  
 australe, Sol. B. fl., III, 324
- Tetragonia, Linn.  
 expansa, Murr. B. fl., III, 325  
 implexicoma, J. Hk. B. fl., III, 326
- Aizoon, Linn.  
 quadrifidum, F. v. M. B. fl., III, 327
- Sesuvium, Linn.  
 portulacastrum, L. B. fl., III, 328
- Trianthema, Linn.  
 decandra, L. B. fl., III, 329 (Zaleya decandra, Burm.)  
 cypseloides, Benth. B. fl., III, 331
- Pomatotheca, F. v. M.  
 humillima, F. v. M. M. fr., X, 72
- Macarthuria, Hueg.  
 Neo-Cambrica, F. v. M. B. fl., III, 332
- Mollugo, Linn.  
 Glinus, Harv. B. fl., III, 333  
 orygioides, F. v. M. B. fl., III, 333  
 Spergula, L. B. fl., III, 334  
 Cerviana, Ser. B. fl., III, 334

## UMBELLIFERÆ—

- Hydrocotyle, Linn.  
 vulgaris, L. B. fl., III, 339  
 hirta, R. Br. B. fl., III, 339  
 laxiflora, DC. B. fl., III, 340  
 rhombifolia, F. v. M. M. fr., VII, 147  
 pedicellosa, F. v. M. B. fl., III, 341  
 tripartita, R. Br. B. fl., III, 341  
 geraniifolia, F. v. M. B. fl., III, 342  
 callicarpa, Bung. B. fl., III, 343

UMBELLIFERÆ—*continued.*

- trachycarpa*, F. v. M. B. fl., III, 343  
*capillaris*, F. v. M. B. fl., III, 344  
*Asiatica*, L. B. fl., III, 346  
**Trachymene**, Rudge (*Didiscus*).  
*pilosa*, Sm. B. fl., III, 348 (*D. pusillus*, F. v. M.)  
*cyanopetala*, Benth. B. fl., III, 348  
*australis*, Benth. B. fl., III, 349. (*D. pilosus*, Benth.)  
*glaucifolia*, Benth. B. fl., III, 350  
*incisa*, Rudg. B. fl., III, 350  
*procumbens*, Benth. B. fl., III, 350  
*humilis*, Benth. B. fl., III, 351  
**Siebera**, Reichb. (*Trachymene*)  
*ericoides*, Benth. B. fl., III, 356  
*linearifolia*, Benth. B. fl., III, 356 (*Tr. linearis*, Spreng.)  
*Billardieri*, Benth. B. fl., III, 356  
*Stephensonii*, Benth. B. fl., III, 357  
**Xanthosia**, Rudge.  
*tridentata*, DC. B. fl., III, 360.  
*pilosa*, Rudg. B. fl., III, 360  
*dissecta*, Hk. B. fl., III, 362  
*vestita*, Benth. B. fl., III, 363  
*Atkinsoniana*, F. v. M. B. fl., III, 363  
**Actinotus**, Labill.  
*Helianthi*, Labill. B. fl., III, 367  
*minor*, DC. B. fl., III, 368  
*Gibbonsii*, F. v. M. M. fr., VII, 23  
**Eryngium**, Linn.  
*rostratum*, Cav. B. fl., III, 370  
*vesiculosum*, Labill. B. fl., III, 370  
*plantagineum*, F. v. M. B. fl., III, 371  
*expansum*, F. v. M. B. fl., III, 371  
**Apium**, Linn.  
*australe*, Thou. B. fl., III, 372 (*A. prostratum*, Labill.)  
*leptophyllum*, F. v. M. B. fl., III, 372  
**Crantzia**, Nutt.  
*lineata*, Nutt. B. fl., III, 374  
**Aciphylla**, Forst.  
*simplicifolia*, F. v. M. B. fl., III, 375  
*glacialis*, F. v. M. B. fl., III, 375  
**Daucus**, Linn.  
*brachiatus*, Sieb. B. fl., III, 376  
**Oreomyrrhis**, Endl.  
*andicola*, Endl. B. fl., III, 377  
*pulvinifica*, F. v. M. M. fr., VIII, 185  
\***Ammi**, Linn.  
*majus*, L.  
\***Sium**, Linn.  
*latifolium*, L.  
*angustifolium*, L.  
\***Anethum**, Linn.  
*feniculum*, Willd.  
\***Bupleurum**, Linn.  
*rotundifolium*, Willd.

**ARALIACEÆ—**

- Astrotricha*, DC.  
*floccosa*, DC. B. fl., III, 379  
*longifolia*, Benth. B. fl., III, 380  
*ledifolia*, DC. B. fl., III, 380
- Panax*, Linn.  
*Murrayi*, F. v. M. B. fl., III, 381  
*sambucifolius*, Sieb. B. fl., III, 382  
*cephalobotrys*, F. v. M. B. fl., III, 382  
*elegans*, Ch. Moore & F. v. M. B. fl., III, 383  
*Cissodendron*, Ch. Moore & F. v. M. M. fr., IX, 96
- Meryta*, Forst.  
*latifolia*, Seem. M. fr., IX, 169  
*angustifolia*, Seem. M. fr., IX, 169

**CORNACEÆ—**

- Marlea*, Roxb.  
*Vitiensis*, Benth. B. fl., III, 386 (*Stylidium Vitiense*, F. v. M.)

*Sub-class II—MONOPETALÆ.***LORANTHACEÆ—**

- Atkinsonia*, F. v. M.  
*ligustrina*, F. v. M. B. fl., III, 388
- Loranthus*, Linn.  
*celastroides*, Sieb. B. fl., III, 389  
*myrtifolius*, A. Cunn. B. fl., III, 390  
*longiflorus*, Desr. B. fl., III, 390  
*dictyophlebus*, F. v. M. B. fl., III, 391  
*alyxifolius*, F. v. M. B. fl., III, 391  
*Exocarpi*, Behr. B. fl., III, 392  
*maytenifolius*, A. Gray. B. fl., III, 393  
*linophyllus*, Fenzl. B. fl., III, 393  
*pendulus*, Sieb. B. fl., III, 394  
*Quandang*, Lindl. B. fl., III, 395
- Viscum*, Linn.  
*articulatum*, Burm. B. fl., III, 396
- Notothixos*, Oliv.  
*incanus*, Oliv. B. fl., III, 397 }  
*subaureus*, Oliv. B. fl., III, 397 } (N. *incanus*, Oliv.)  
*cornifolius*, Oliv. B. fl., III, 397 }

**CAPRIFOLIACEÆ—**

- Sambucus*, Linn.  
*xanthocarpa*, F. v. M. B. fl., III, 398  
*Gaudichaudiana*, DC. B. fl., III, 398

**RUBIACEÆ—**

- Hedyotis*, Linn.  
*tillæacea*, F. v. M. B. fl., III, 405 (*Oldenlandia tillæacea*, F. v. M.)
- Dentella*, Forst.  
*repens*, Forst. B. fl., III, 406
- Gardenia*, Linn.  
*chartacea*, F. v. M. B. fl., III, 410 (*Randia chartacea*, F. v. M.)



RUBIACEÆ—*continued*.*Randia*, Linn.

- Benthamiana*, F. v. M. M. fr., IX, 180  
*Moorei*, F. v. M. B. fl., III, 411  
*stipularis*, F. v. M. M. fr., VII, 47  
*densiflora*, Benth. B. fl., III, 412

*Ixora*, Linn.

- Beckleri*, Benth. B. fl., III, 415

*Hodgkinsonia*, F. v. M.

- ovatiflora*, F. v. M. B. fl., III, 420

*Canthium*, Lam.

- latifolium*, F. v. M. B. fl., III, 421  
*lucidum*, Hk. & Arn. B. fl., III, 421  
*oleifolium*, Hk. B. fl., III, 422  
*buxifolium*, Benth. B. fl., III, 422  
*vaccinifolium*, F. v. M. B. fl., III, 422  
*coprosmoides*, F. v. M. B. fl., III, 422

*Morinda*, Linn.

- jasminoides*, A. Cunn. B. fl., III, 424

*Coelospermum*, Blume.

- paniculatum*, F. v. M. B. fl., III, 425

*Psychotria*, Linn.

- loniceroides*, Sieb. B. fl., III, 427  
*daphnoides*, A. Cunn. B. fl., III, 428  
*Carronis*, Ch. Moore & F. v. M. M. fr., IX, 70

*Coprosma*, Forst.

- Nertera*, F. v. M. M. fr., IX, 186  
*Billardieri*, J. Hk. B. fl., III, 430  
*hirtella*, Labill. B. fl., III, 429  
*Baueri*, Endl. M. fr., IX, 69  
*putida*, Ch. Moore & F. v. M. M. fr., IX, 69  
*lanceolaris*, F. v. M. M. fr., IX, 70

*Opercularia*, Gærtn.

- scabrida*, Schlecht. B. fl., III, 433  
*aspera*, Gærtn. B. fl., III, 434  
*hispida*, Spr. B. fl., III, 434  
*diphylla*, Gærtn. B. fl., III, 434  
*ovata*, Hk. B. fl., III, 435  
*varia*, Hk. B. fl., III, 435

*Pomax*, Sol.

- umbellata*, Sol. B. fl., III, 437

*Spermacoce*, Linn.

- multicaulis*, Benth. B. fl., III, 440

*Asperula*, Linn.

- geminifolia*, F. v. M. B. fl., III, 443  
*scoparea*, Hk. B. fl., III, 444  
*conferta*, Hk. B. fl., III, 444  
*Gunnii*, Hk. B. fl., III, 445 } (A. *oligantha*, F. v. M.)

*Galium*, Linn.

- geminifolium*, F. v. M. B. fl., III, 445  
*Gaudichaudi*, DC. B. fl., III, 446  
*australe*, DC. B. fl., III, 446 } (G. *umbrosum*, Sol.)

\**aparine*, L.

## COMPOSITE—

## Saussurea, DC.

carthamoides, Benth. B. fl., III, 456

## Leuzea, DC.

australis, Gaud. B. fl., III, 457 (*Centaurea australis*, Benth & Hk.)

\**Centaurea*, Linn.

melitensis, L. B. fl., III, 453

## Vernonia, Schreb.

cinerea, Less. B. fl., III, 459

## Centratherum, Cass.

muticum, Less. B. fl., III, 460

\**Eupatorium*, Linn.

cannabinum, L. B. fl., III, 462

## Adenostemma, Forst.

viscosum, Forst. B. fl., III, 462

## Olearia, Moench. (Aster)

megalophylla, F. v. M. B. fl., III, 467

chrysophylla, A. Cunn. B. fl., III, 468

alpicola, F. v. M. B. fl., III, 468

rosmarinifolia, A. Cunn. B. fl., III, 468

oliganthema, F. v. M. B. fl., III, 469

argophylla, Labill. B. fl., III, 470

cydoniaefolia, A. Cunn. B. fl., III, 470

myrsinoides, Labill. B. fl., III, 470

dentata, Andr. B. fl., III, 472

stellulata, Labill. B. fl., III, 473

asterotricha, F. v. M. B. fl., III, 473

gravis, F. v. M. B. fl., III, 474

Nernstii, F. v. M. B. fl., III, 474

viscidula, Benth. B. fl., III, 474 (*A. Siemssenii*, F. v. M.)

tubiflora, F. v. M. B. fl., III, 475

axillaris, F. v. M. B. fl., III, 475

ramulosa, Labill. B. fl., III, 476

floribunda, Benth. B. fl., III, 477 (*A. florulentus*, F. v. M.)

lepidophylla, Benth. B. fl., III, 477 (*A. microphyllus*, Persoon.)

subspicata, Benth. B. fl., III, 478 (*A. Mitchelli*, F. v. M.)

ramosissima, Benth. B. fl., III, 479 (*A. cyanodiscus*, F. v. M.)

pimeloides, A. Cunn. B. fl., III, 479

iodochroa, F. v. M. B. fl., III, 479

concephala, F. v. M. B. fl., III, 480

calcarea, F. v. M. B. fl., III, 481

magniflora, F. v. M. B. fl., III, 480

Muelleri, Sond. B. fl., III, 481

decurrens, A. Cunn. B. fl., III, 481

glutinosa, Benth. B. fl., III, 482 (*A. glutescens*, F. v. M., and *A.*

*orarius*, F. v. M.)

teretifolia, F. v. M. B. fl., III, 482

elliptica, A. Cunn. B. fl., III, 483

glandulosa, Labill. B. fl., III, 483

tenuifolia, Benth. B. fl., III, 486 (*A. Cunninghamsi*, F. v. M.)

adenophora, F. v. M. B. fl., III, 486

rudis, F. v. M. B. fl., III, 487 (*A. exul*, Lindl.)

ciliata, F. v. M. B. fl., III, 488 (*A. Huegelii*, F. v. M.)

COMPOSITE—*continued.*

- Balli, F. v. M. M. fr., VIII, 143  
 Mooneyi, F. v. M. M. fr., VIII, 144
- Celmisia, Cass  
 longifolia, Cass. B. fl., III, 489 (Aster Celmisia, F. v. M.)
- Vittadinia, A. Rich  
 australis, A. Rich. B. fl., III, 490  
 scabra, DC. B. fl., III, 491
- Podocoma, Less.  
 cuneifolia, R. Br. B. fl., III, 493
- Erigeron, Linn.  
 pappochromus, Labill. B. fl., III, 494  
 conyzoides, F. v. M. B. fl., III, 495  
 \*canadensis, L. B. fl., III, 495  
 \*linifolius, Willd.
- Conyza, Linn.  
 viscidula, Wall. B. fl., III, 496
- Minuria, DC.  
 leprophylla, DC. B. fl., III, 498  
 Cunninghamii, Benth. B. fl., III, 498  
 integerrima, Benth. B. fl., III, 499 } (M. Candollei, F. v. M.)  
 denticulata, Benth. B. fl., III, 499 }  
 suædifolia, F. v. M. B. fl., III, 499
- Calotis, R. Br.  
 dentex, R. Br. B. fl., III, 501  
 cuneifolia, R. Br. B. fl., III, 501  
 glandulosa, F. v. M. B. fl., III, 502  
 cymbacantha, F. v. M. B. fl., III, 502  
 erinacea, Steetz. B. fl., III, 502  
 scabiositolia, Sond. & F. v. M. B. fl., III, 503  
 sapigera, Hk. B. fl., III, 503  
 lappulacea, Benth. B. fl., III, 504  
 microcephala, Benth. B. fl., III, 504  
 plumulifera, F. v. M. B. fl., III, 505  
 porphyroglossa, F. v. M. B. fl., III, 505  
 hispidula, F. v. M. B. fl., III, 506
- Lagenophora, Cass.  
 Billardieri, Cass. B. fl., III, 507  
 Solenogyne, F. v. M. B. fl., III, 508  
 Emphysopus, Hk. B. fl., III, 508
- Brachycome, Cass.  
 diversifolia, Fisch. & Mey. B. fl., III, 511  
 segmentosa, Ch. Moore & F. v. M. M. fr., VIII, 14  
 melanocarpa, Sond. & F. v. M. B. fl., III, 511  
 radicans, Steetz. B. fl., III, 512  
 goniocarpa, Sond. & F. v. M. B. fl., III, 512  
 pachyptera, Turcz. B. fl., III, 512  
 microcarpa, F. v. M. B. fl., III, 513  
 Stuartii, Benth. B. fl., III, 513  
 scapigera, DC. B. fl., III, 513  
 graminea, F. v. M. B. fl., III, 514  
 angustifolia, A. Cunn. B. fl., III, 514

COMPOSITE—*continued.*

- linearifolia*, DC. B. fl. III, 515  
*heterophylla*, Benth. B. fl., III, 515 (Br. *linearifolia*, DC, var.)  
*basaltica*, F. v. M. B. fl., III, 515  
*trachycarpa*, F. v. M. B. fl., III, 515  
*exilis*, Sond. B. fl., III, 516  
*ptychocarpa*, F. v. M. B. fl., III, 516  
*debilis*, Sond. B. fl., III, 516  
*decipiens*, Hk. B. fl., III, 516  
*cardiocarpa*, F. v. M. B. fl., III, 517  
*nivalis*, F. v. M. B. fl., III, 517  
*scapiformis*, DC. B. fl., III, 517  
*stricta*, DC. B. fl., III, 518  
*heterodonta*, DC. B. fl., III, 518  
*ciliaris*, Less. B. fl., III, 518  
*calocarpa*, F. v. M. B. fl., III, 519  
*marginata*, Benth. B. fl., III, 519  
*chrysoglossa*, F. v. M., in *Transact. Phil. Soc., Viet., I, 44* (1854)  
*Sieberi*, DC. B. fl., III, 520  
*discolor*, C. Stuart. B. fl., III, 520  
*multifida*, DC. B. fl., III, 520  
*collina*, Benth. B. fl., III, 521
- Monanteles**, Labill.  
*spicatus*, Labill. B. fl., III, 523 (*Pterocaulon Billardieri*, F. v. M.)  
*sphacelatus*, Labill. B. fl., III, 523 (*Pterocaulon sphacelatus*,  
 Benth. & Hk.)
- Pluchea**, Less.  
*Eyrea*, F. v. M. B. fl., III, 528
- Epaltes**, Less.  
*Cunninghami*, Benth. B. fl., III, 530  
*australis*, Less. B. fl., III, 530  
*pleiochæta*, F. v. M. M. fr., X, 100
- \*Xanthium**, Linn.  
*spinosum*, L. B. fl., III, 535
- Siegesbeckia**, Linn.  
*orientalis*, L. B. fl., III, 535
- Eclipta**, Linn.  
*alba*, Hassk. B. fl., III, 536  
*platyglossa*, F. v. M. B. fl., III, 536
- Wedelia**, Jacq.  
*spilanthoides*, F. v. M. B. fl., III, 538  
*biflora*, DC. B. fl., III, 539
- Spilanthus**, Linn.  
*grandiflora*, Turcz. B. fl., III, 541
- \*Galinsoga**, Cav.  
*parviflora*, Cav. B. fl., III, 542
- Bidens**, Linn.  
*tripartitus*, L. B. fl., III, 543  
*pilosus*, L. B. fl., III, 543  
*bipinnatus*, L. B. fl., III, 543
- Glossogyne**, Cass.  
*tenuifolia*, Cass. B. fl., III, 544.

COMPOSITE—*continued.*

- \**Tagetes*, Linn.  
*glandulifera*, Schrank. B. fl., III, 545
- Enhydra*, Lour.  
*paludosa*, DC. B. fl., III, 546
- Cotula*, Linn.  
*filifolia*, Thunb. B. fl., III, 548  
*coronopifolia*, L. B. fl., III, 549  
*australis*, Hk. B. fl., III, 550  
*alpina*, Hk. B. fl., III, 550  
*reptans*, Benth. B. fl., III, 551  
*filicula*, Hk. B. fl., III, 551
- Soliva*, Ruiz y Pav.  
*anthemifolia*, R. Br. B. fl., III, 552.
- Myriogyne*, Less.  
*minuta*, Less. B. fl., III, 553 (*Centipeda orbicularis*, Lour.)  
*racemosa*, Hk. B. fl., III, 553 (*Centipeda racemosa*, F. v. M.)
- Centipeda*, Lour.  
*Cunninghami*, F. v. M. M. fr., VIII, 143  
*thespidioides*, F. v. M. M. fr., VIII, 143
- Elachanthus*, F. v. M.  
*pusillus*, F. v. M. B. fl., III, 555
- Isoetopsia*, Turcz.  
*graminifolia*, Turcz. B. fl., III, 556
- Myriocephalus*, Benth.  
*rhizocephalus*, Benth. B. fl., III, 557  
*Stuartii*, Benth. B. fl., III, 560
- Angianthus*, Wendl.  
*tomentosus*, Wendl. B. fl., III, 562  
*brachypappus*, F. v. M. B. fl., III, 563  
*pusillus*, Benth. B. fl., III, 564  
*Preissianus*, Benth. B. fl., III, 566  
*strictus*, Benth. B. fl., III, 568
- Gnephosis*, Cass.  
*eriocarpa*, Benth. B. fl., III, 570  
*skirrophora*, Benth. B. fl., III, 570  
*cyathopappa*, F. v. M. B. fl., III, 571
- Calocephalus*, R. Br.  
*Brownii*, F. v. M. B. fl., III, 574  
*Sonderi*, F. v. M. B. fl., III, 575  
*lacteus*, Less. B. fl., III, 575  
*citreus*, Less. B. fl., III, 575  
*platycephalus*, Benth. B. fl., III, 576
- Gnaphalodes*, A. Gray.  
*uliginosum*, A. Gray. B. fl., III, 578
- Craspedia*, Forst.  
*Richea*, Cass. B. fl., III, 579  
*pleicephala*, F. v. M. B. fl., III, 580  
*chrysantha*, Benth. B. fl., III, 580  
*globosa*, Benth. B. fl., III, 580
- Chthonocephalus*, Steetz.  
*pseudoevax*, Steetz. B. fl., III, 582

COMPOSITE—*continued.*

- Ammobium, R. Br.  
   *alatum*, R. Br. B. fl., III, 583  
   *craspedioides*, Benth. B. fl., III, 584  
 Cassinia, R. Br.  
   *leptocephala*, F. v. M. B. fl., III, 585  
   *compacta*, F. v. M. B. fl., III, 585  
   *denticulata*, R. Br. B. fl., III, 586  
   *longifolia*, R. Br. B. fl., III, 586  
   *aurea*, R. Br. B. fl., III, 586  
   *aculeata*, R. Br. B. fl., III, 586  
   *laevis*, R. Br. B. fl., III, 587  
   *tenuifolia*, Benth. B. fl., III, 585  
   *quinquefaria*, R. Br. B. fl., III, 587  
   *arcuata*, R. Br. B. fl., III, 587  
   *subtropica*, F. v. M. B. fl., III, 588  
   *Theodori*, F. v. M. B. fl., III, 588  
 Humea, Sm.  
   *elegans*, Sm. B. fl., III, 589  
   *ozothamnoides*, F. v. M. B. fl., III, 590  
 Eriochlamys, Sond. & F. v. M.  
   *Behrii*, Sond. & F. v. M. B. fl., III, 591  
 Acomis, F. v. M.  
   *Rutidosis*, F. v. M. B. fl., III, 591  
 Toxanthus, Turcz.  
   *perpusillus*, Turcz. B. fl., III, 592  
 Rutidosis, DC.  
   *leptorrhynchoides*, F. v. M. B. fl., III, 593  
   *helichrysoides*, DC. B. fl., III, 594  
   *Pumilo*, Benth. B. fl., III, 595  
 Millotia, Cass.  
   *tenuifolia*, Cass. B. fl., III, 596  
   *Greevesii*, F. v. M. B. fl., III, 596  
 Ixiolana, Benth.  
   *brevicompta*, F. v. M. B. fl., III, 597  
   *leptolepis*, Benth. B. fl., III, 597  
   *tomentosa*, Sond. & F. v. M. B. fl., III, 598  
 Athrixia, Ker.  
   *tenella*, Benth. B. fl., III, 600  
 Podotheca, Cass.  
   *angustifolia*, Less. B. fl., III, 601  
 Podolepis, Labill.  
   *rhytidochlamys*, F. v. M. B. fl., III, 603  
   *longipedata*, A. Cunn. B. fl., III, 604  
   *acuminata*, R. Br. B. fl., III, 604  
   *canescens*, A. Cunn. B. fl., III, 605  
   *Lessoni*, Benth. B. fl., III, 606  
   *Siemssenia*, F. v. M. B. fl., III, 607  
 Leptorrhynchos, Less.  
   *squamatus*, Less. B. fl., III, 608  
   *panætioides*, Benth. B. fl., III, 609  
   *pulchellus*, F. v. M. B. fl., III, 610

COMPOSITÆ—*continued.*

- elongatus, DC. B. fl., III, 610  
 medius, A. Cunn. M. fr., XI, 85  
 Waitzia, Sond. B. fl., III, 610  
 nitidulus, DC. B. fl., III, 608 (L. linearis, Less.)  
 ambiguus, Benth. B. fl., III, 609 (Helichrysum ambiguum,  
 Turcz.)

## Helichrysum, Vaill.

- semifertile, F. v. M. B. fl., III, 617  
 Baxteri, A. Cunn. B. fl., III, 617  
 scorpioides, Labill. B. fl., III, 618  
 rutidolepis, DC. B. fl., III, 618  
 obtusifolium, Sond. & F. v. M. B. fl., III, 619  
 Calvertianum, F. v. M. M. fr., XI, 186  
 bracteatum, Willd. B. fl., III, 620 (H. lucidum, Henk.)  
 elatum, A. Cunn. B. fl., III, 621  
 glutinosum, Hk. B. fl., III, 621 (H. elatum, A. Cunn., var.)  
 leucopsidium, DC. B. fl., III, 622  
 Blandowskianum, Steetz. B. fl., III, 622  
 oxylepis, F. v. M. B. fl., III, 623  
 collinum, DC. B. fl., III, 623  
 podolepideum, F. v. M. B. fl., III, 624  
 apiculatum, DC. B. fl., III, 624  
 semipapposum, DC. B. fl., III, 625  
 Dockerii, F. v. M. B. fl., III, 626  
 obovatum, DC. B. fl., III, 627  
 Bidwillii, Benth. B. fl., III, 627  
 Becklerii, F. v. M. B. fl., III, 627  
 diotophyllum, F. v. M. B. fl., III, 628  
 diosmifolium, Don. B. fl., III, 628  
 adnatum, Benth. B. fl., III, 628 (H. retusum, F. v. M.)  
 decurrens, F. v. M. M. fr., VIII, 46  
 Cunninghamii, Benth. B. fl., III, 629  
 cinereum, F. v. M. B. fl., III, 629  
 rosmarinifolium, Less. B. fl., III, 631  
 ferrugineum, Less. B. fl., III, 631  
 obcordatum, F. v. M. B. fl., III, 632  
 baccharoides, F. v. M. B. fl., III, 633  
 pholidotum, F. v. M. B. fl., III, 634

## Waitzia, Wendl.

- corymbosa, Wendl. B. fl., III, 635

## Helipterum, DC.

- anthemoides, DC. B. fl., III, 641  
 polygalifolium, DC. B. fl., III, 641  
 floribundum, DC. B. fl., III, 642  
 incanum, DC. B. fl., III, 643  
 Cotula, DC. B. fl., III, 644  
 hyalospermum, F. v. M. B. fl., III, 644  
 polyphyllum, F. v. M. B. fl., III, 645  
 strictum, Benth. B. fl., III, 646  
 corymbiflorum, Schl. B. fl., III, 647  
 pygmæum, Benth. B. fl., III, 647

COMPOSITE—*continued*.

- moschatum, Benth. B. fl., III, 648  
 pterochætum, Benth. B. fl., III, 648  
 exiguum, F. v. M. B. fl., III, 649  
 Dimorpholepis, Benth. B. fl., III, 650  
 Tietkensii, F. v. M. M. fr., VIII, 227  
**Raoulia**, Hook. f.  
 Catipes, Hk. B. fl., III, 651 (Leontopodium Catipes, F. v. M.)  
**Antennaria**, Gærtn.  
 uniceps, F. v. M. B. fl., III, 652  
**Gnaphalium**, Linn.  
 luteo-album L. B. fl., III, 653  
 Japonicum, Thunb. B. fl., III, 653  
 collinum, Labill. B. fl., III, 654  
 purpureum, L. B. fl., III, 655  
 indicum, L. B. fl., III, 655  
 indutum, Hk. B. fl., III, 655  
 Traversii, Hk. B. fl., III, 656  
 \*purpureum, L.  
**Stuartina**, Sond.  
 Muelleri, Sond. B. fl., III, 657  
**Erechtites**, Rafn.  
 prenanthoides, DC. B. fl., III, 658  
 Atkinsoniæ, F. v. M. B. fl., III, 658  
 arguta, DC. B. fl., III, 659  
 mixta, DC. B. fl., III, 659  
 quadridentata, DC. B. fl., III, 660  
 hispidula, DC. B. fl., III, 660  
**Gynura**, Cass.  
 Pseudo-China, DC. B. fl., III, 661  
**Senecio**, Linn.  
 Gregorii, F. v. M. B. fl., III, 663  
 platylepis, DC. B. fl., III, 664  
 pectinatus, DC. B. fl., III, 664  
 spathulatus, A. Rich. B. fl., III, 665  
 magnificus, F. v. M. B. fl., III, 665  
 insularis, Benth. B. fl., III, 666  
 macranthus, A. Rich. B. fl., III, 666  
 Daltoni, F. v. M. M. fr., VI, 27  
 lautus, Forst. B. fl., III, 667  
 vagus, F. v. M. B. fl., III, 667  
 amygdalifolius, F. v. M. B. fl., III, 668  
 velleioides, A. Cunn. B. fl., III, 668  
 australis, A. Rich. B. fl., III, 668  
 Behrianus, Sond. & F. v. M. B. fl., III, 669  
 brachyglossus, F. v. M. B. fl., III, 669  
 Georgianus, DC. B. fl., III, 670  
 odoratus, Horn. B. fl., III, 671  
 Cunninghamii, DC. B. fl., III, 671  
 anethifolius, DC. B. fl., III, 672  
 \*scandens, DC.  
 \*vulgaris, L.



COMPOSITE—*continued*.

- Bedfordia, DC.  
 salicina, DC. B. fl., III, 673 (Senecio Bedfordii, F. v. M.)
- Cymbonotus, Cass.  
 Lawsonianus, Gaud. B. fl., III, 674
- Microseris, Don.  
 Forsteri, Hk. B. fl., III, 676
- \*Hypochoeris, Linn.  
 glabra, L. B. fl., III, 677  
 radiata, L.
- \*Picris, Linn.  
 hieracioides, L. B. fl., III, 678
- \*Crepis, Linn.  
 Japonica, Benth. B. fl., III, 679
- \*Sonchus, Linn.  
 oleraceus, L. B. fl., III, 679
- \*Carthamus, Linn.  
 tinctorius, L.
- \*Carduus, Linn.  
 marianus, L.
- \*Cirsium, DC.  
 arvense, Scop.
- \*Anthemis, Linn.  
 Cotula, L.
- \*Chrysanthemum, Linn.  
 segetum, L.  
 Parthenium, Pers.
- \*Leontodon, Linn.  
 hirtus, L.
- \*Tragopogon, Linn.  
 porrifolius, L.
- \*Onopordon, Linn.  
 acanthium, L.
- \*Cryptostemma, R. Br.  
 calendulacea, R. Br.
- \*Cichorium, Linn.  
 Intybus, L.
- \*Taraxacum, Hall.  
 dens-leonis, Desf.
- \*Tolpis, Adans.  
 barbata, Willd.

## STYLIDEE (Candolleaceæ.)

- Stylidium, Swartz. (Candollea).  
 graminifolia, Sw. B. fl., IV, 10  
 linearis, Sw. B. fl., IV, 11  
 debile, F. v. M. B. fl., IV, 15  
 laricifolium, Rich. B. fl., IV, 21  
 despectum, R. Br. B. fl., IV, 22  
 eglandulosum, F. v. M. B. fl., IV, 31
- Levenhookia, R. Br.  
 dubia, Sond. B. fl., IV, 34

## GOODENIACEÆ—

## Velleya, Sm.

- connata, F. v. M. B. fl., IV, 46
- perfoliata, R. Br. B. fl., IV, 46
- paradoxa, R. Br. B. fl., IV, 48
- lyrata, R. Br. B. fl., IV, 49
- macrocalyx, De Vr. B. fl., IV, 49
- spathulata, R. Br. B. fl., IV, 50
- montana, Hk. B. fl., IV, 50

## Goodenia, Sm.

- decurrens, R. Br. B. fl., IV, 58
- bellidifolia, Sm. B. fl., IV, 58
- stelligera, R. Br. B. fl., IV, 59
- ovata, Sm. B. fl., IV, 59
- varia, R. Br. B. fl., IV, 61
- barbata, R. Br. B. fl., IV, 61
- geniculata, R. Br. B. fl., IV, 62
- lanata, R. Br. B. fl., IV, 63 (G. geniculata, R. Br., var.)
- hederacea, Sm. B. fl., IV, 63
- heterophylla, Sm. B. fl., IV, 64
- glabra, R. Br. B. fl., IV, 64
- rotundifolia, R. Br. B. fl., IV, 65
- calcarata, F. v. M. B. fl., IV, 69
- grandiflora, Sims. B. fl., IV, 69
- cycloptera, R. Br. B. fl., IV, 74
- elongata, Labill. B. fl., IV, 74
- pinnatifida, Schl. B. fl., IV, 75
- heteromera, F. v. M. B. fl., IV, 76
- glauca, F. v. M. B. fl., IV, 76
- paniculata, Sm. B. fl., IV, 78
- humilis, R. Br. B. fl., IV, 79
- gracilis, R. Br. B. fl., IV, 79

## Selliera, Cav.

- radicans, Cav. B. fl., IV, 82

## Scævola, Linn.

- spinescens, R. Br. B. fl., IV, 87
- hispidula, Cav. B. fl., IV, 90
- Hookeri, F. v. M. B. fl., IV, 90
- suaveolens, R. Br. B. fl., IV, 95
- ovalifolia, R. Br. B. fl., IV, 96
- æmula, R. Br. B. fl., IV, 99
- microcarpa, Cav. B. fl., IV, 101

## Dampiera, R. Br.

- Brownii, F. v. M. B. fl., IV, 112
- lanceolata, F. v. M. B. fl., IV, 113
- marifolia, Benth. B. fl., IV, 114
- rosmarinifolia, Schl. B. fl., IV, 114
- stricta, R. Br. B. fl., IV, 115
- Scottiana, F. v. M. M. fr., XI, 120
- adpressa, A. Cunn. B. fl., IV, 119

## Brunonia, Sm.

- australis, Sm. B. fl., IV, 121

## CAMPANULACEÆ—

## Lobelia, Linn.

- Browniana. Roem and Schultes syst. veg. V, 71 (1819)  
 gibbosa, Labill. B. fl., IV, 124 (L. simplicicaulis, R. Br.)  
 microsperma, F. v. M. M. fr., X, 41  
 dentata, Cav. B. fl., IV, 125  
 gracilis, Andr. B. fl., IV, 125  
 trigonocaulis, F. v. M. B. fl., IV, 127  
 anceps, Thunb. B. fl., IV, 128  
 purpurascens, R. Br. B. fl., IV, 131  
 pratiioides, Benth. B. fl., IV, 131  
 \*erinus, L.

## Pratia, Grudich (Lobelia).

- gelida, Benth. B. fl., IV, 132  
 erecta, Gaud. B. fl., IV, 133 (L. concolor, R. Br.)  
 puberula, Benth. B. fl., VI, 133 (L. Benthami, F. v. M.)  
 pedunculata, R. Br. B. fl., IV, 133

## Isotoma, Lindl.

- axillaris, Lindl. B. fl., IV, 135  
 petræa, F. v. M. B. fl., IV, 135  
 fluviatilis, F. v. M. B. fl., IV, 136

## Wahlenbergia, Schrad.

- gracilis, DC. B. fl., IV, 137

## ERICACEÆ—

## Gaultheria, Linn.

- hispida, R. Br. B. fl., IV, 141

## EPACRIDÆE—

## Styphelia, Sm.

- longifolia, R. Br. B. fl., IV, 147  
 læta, R. Br. B. fl., IV, 147  
 triflora, Andr. B. fl., IV, 147  
 viridis, Andr. B. fl., IV, 148  
 tubiflora, Sm. B. fl., IV, 148

## Astroloma, R. Br. (Styphelia).

- humifusum, R. Br. B. fl., IV, 156  
 conostephioides, F. v. M. B. fl., IV, 158 (St. Sonderi, F. v. M.)  
 pinifolium, Benth. B. fl., IV, 159

## Melichrus R. Br. (Styphelia)

- urceolatus, R. Br. B. fl., IV, 162  
 rotatus, R. Br. B. fl., IV, 162 (St. procumbens, Pers.)

## Pentachondra R. Br. (Trochocarpa).

- pumila, R. Br. B. fl., IV, 164

## Trochocarpa, R. Br.

- laurina, R. Br. B. fl., IV, 166

## Brachyloma, Sond.

- ericoides, Sond. B. fl., IV, 172  
 daphnoides, Benth. B. fl., IV, 173

## Lissanthe, R. Br. (Styphelia).

- sapida, R. Br. B. fl., IV, 175  
 strigosa, R. Br. B. fl., IV, 175

EPACRIDÆ—*continued*.

## Leucopogon, R. Br. (Styphelia)

- amplexicaulis, R. Br. B. fl., IV, 184
- lanceolatus, R. Br. B. fl., IV, 185
- Richei, R. Br. B. fl., IV, 186
- australis, R. Br. B. fl., IV, 186
- collinus, R. Br. B. fl., IV, 191
- microphyllus, R. Br. B. fl., IV, 192
- virgatus, R. Br. B. fl., IV, 201
- Hookeri, Sond. B. fl., IV, 205 (St. montana, F. v. M.)
- Macraei, F. v. M. B. fl., IV, 206
- melaleucoides, A. Cunn. B. fl., IV, 207 (St. linifolia, F. v. M.)
- pluriloculatus, F. v. M. B. fl., IV, 207
- pleiospermus, F. v. M. B. fl., IV, 207
- attenuatus, A. Cunn. B. fl., IV, 208
- confertus, Benth. B. fl., IV, 208
- muticus, R. Br. B. fl., IV, 209
- ericoides, R. Br. B. fl., IV, 209
- margarodes, Spreng. B. fl., IV, 212
- esquamatus, R. Br. B. fl., IV, 213
- cordifolius, Lindl. B. fl., IV, 214
- biflorus, R. Br. B. fl., IV, 217
- setiger, R. Br. B. fl., IV, 217
- exolasius, F. v. M. B. fl., IV, 217
- Fraseri, A. Cunn. B. fl., IV, 218
- juniperinus, R. Br. B. fl., IV, 220
- rufus, Lindl. B. fl., IV, 220
- deformis, R. Br. B. fl., IV, 221
- appressus, R. Br. B. fl., IV, 223
- Neo-Anglicus, F. v. M. B. fl., IV, 223

## Acrotriche, R. Br. (Styphelia).

- divaricata, R. Br. B. fl., IV, 226
- aggregata, R. Br. B. fl., IV, 226
- serrulata, R. Br. B. fl., IV, 227

## Monotoca, R. Br. (Styphelia).

- elliptica, R. Br. B. fl., IV, 230
- scoparia, R. Br. B. fl., IV, 230
- ledifolia, A. Cunn. B. fl., IV, 231

## Epacris, Cav.

- longiflora, Cav. B. fl., IV, 234
- reclinata, A. Cunn. B. fl., IV, 234
- impressa, Labill. B. fl., IV, 235
- sparsa, R. Br. B. fl., IV, 235
- petrophila, Hk. B. fl., IV, 236
- rigida, Sieb. B. fl., IV, 236
- coriacea, A. Cunn. B. fl., IV, 236
- crassifolia, R. Br. B. fl., IV, 237
- robusta, Benth. B. fl., IV, 237
- obtusifolia, Sm. B. fl., IV, 237
- paludosa, R. Br. B. fl., IV, 239
- Calvertiana, F. v. M. M. fr., VIII, 53
- heteronema, Labill. B. fl., IV, 239
- serpillifolia, R. Br. B. fl., IV, 240

EPACRIDÆ—*continued.*

- microphylla*, R. Br. B. fl., IV, 240  
*apiculata*, A. Cunn. B. fl., IV, 241  
*pulchella*, Cav. B. fl., IV, 241  
*purpurascens*, R. Br. B. fl., IV, 241  
*Lysinema*, R. Br. (*Woollisia*)  
*pungens*, R. Br. B. fl., IV, 243  
*Sprengelia*, Sm.  
*incarnata*, Sm. B. fl., IV, 249  
*Ponceletia*, F. v. M. B. fl., IV, 248 (*Ponceletia sprengelioides*, R. Br.)  
*Ponceletioides*, Sond. B. fl., IV, 248 (*Ponceletia monticola*, A. Cunn.)  
*Dracophyllum*, Labill.  
*Fitz-Geraldi*, F. v. M. M. fr., X, 119  
*secundum*, R. Br. B. fl., IV, 262

## PLUMBAGINÆ—

- Plumbago*, Linn.  
*Zeylanica*, L. B. fl., IV, 267  
*Statice*, Linn.  
*australis*, Spreng. B. fl., IV, 267 (*St. Taxanthema*, Roem. & Schult.)

## PRIMULACÆ—

- Lysimachia*, Linn.  
*salicifolia*, F. v. M. B. fl., IV, 269  
*Japonica*, Thunb. B. fl., IV, 269  
*Samolus*, Linn.  
*Valerandi*, L. B. fl., IV, 271  
*repens*, Pers. B. fl., IV, 271  
*\* Anagallis*, Linn.  
*arvensis*, L. B. fl., IV, 270

## MYRSINÆ—

- Samara*, Linn.  
*Australiana*, F. v. M. B. fl., IV, 274  
*Myrsine*, Linn.  
*crassifolia*, R. Br. B. fl., IV, 275  
*platystigma*, F. v. M. M. fr., VIII, 48  
*variabilis*, R. Br. B. fl., IV, 275  
*Ardisia*, Linn.  
*Pseudo-Jambosa*, F. v. M. B. fl., IV, 276  
*Aegiceras*, Gærtn.  
*majus*, Gærtn. B. fl., IV, 277

## SAPOTACÆ—

- Chrysophyllum*, Linn. (*Niemeyera*)  
*pruniferum*, F. v. M. B. fl., IV, 278  
*Amorphospermum*, F. v. M.  
*antilogum*, F. v. M. M. fr., X, 119  
*Achras*, Linn. (*Sideroxylon*)  
*laurifolia*, F. v. M. B. fl., IV, 282 (*S. Richardi*, F. v. M.)  
*australis*, R. Br. B. fl., IV, 282  
*myssinoides*, A. Cunn. B. fl., IV, 283  
*Sideroxylon*, Dill.  
*Howeanum*, F. v. M. M. fr., IX, 72  
*costatum*, Endl. M. fr., IX, 72  
*Hormogyne*, A. DC.  
*cotinifolia*, DC. B. fl., IV, 284

## EBENACEÆ—

- Cargillia*, R. Br. (*Diospyros*)  
*mabacea*, F. v. M. B. fl., IV, 287  
*australis*, R. Br. B. fl., IV, 288 (*D. Cargillia*, F. v. M.)  
*pentamera*, F. v. M. B. fl., IV, 288  
*Maba*, Forst.  
*fasciculosa*, F. v. M. B. fl., IV, 290

## STYRACEÆ—

- Symplocos*, Linn.  
*spicata*, Roxb. B. fl., IV, 292 (*S. Stawellii*, F. v. M.)  
*Thwaitesii*, F. v. M. B. fl., IV, 293

## JASMINEÆ—

- Jasminum*, Linn.  
*didynum*, Forst. B. fl., IV, 294  
*lineare*, R. Br. B. fl., IV, 295  
*simplicifolium*, Forst. B. fl., IV, 296  
*suavissimum*, Lindl. B. fl., IV, 297  
*Olea*, Linn.  
*paniculata*, R. Br. B. fl., IV, 297  
*apetala*, Vahl. M. fr., VIII, 43  
*Notelæa*, Vent.  
*ovata*, R. Br. B. fl., IV, 299  
*longifolia*, Vent. B. fl., IV, 299  
*microcarpa*, R. Br. B. fl., IV, 300  
*ligustrina*, Vent. B. fl., IV, 300  
*linearis*, Bent. B. fl., IV, 300  
*Mayepea*, Aublet.  
*quadristaminea*, F. v. M. M. fr., XIII, 41

## APOCYNÆÆ—

- Chilocarpus*, Blume  
*australis*, F. v. M. B. fl., IV, 303  
*Melodinus*, Forst.  
*Baueri*, Endl. M. fr., IX, 169  
*Carissa*, Linn.  
*ovata*, R. Br. B. fl., IV, 305 (*C. Brownii*, F. v. M.)  
*Alyxia*, R. Br.  
*buxifolia*, R. Br. B. fl., IV, 307  
*ruscifolia*, R. Br. B. fl., IV, 308  
*squamulosa*, Ch. Moore & F. v. M. M. fr., VI, 117  
*gynopogon*, Roem. & Schutt. syst. veg., IV, 440  
*Lindii*, F. v. M. M. fr., VIII, 46  
*Ochrosia*, Juss.  
*Moorei*, F. v. M. B. fl., IV, 310  
*Tabernæmontana*, Linn.  
*orientalis*, R. Br. B. fl., IV, 311  
*Alstonia*, R. Br.  
*constricta*, F. v. M. B. fl., IV, 314  
*Parsonsia*, R. Br.  
*lanceolata*, R. Br. B. fl., IV, 318  
*velutina*, R. Br. B. fl., IV, 318  
*ventricosa*, F. v. M. B. fl., IV, 319

APOCYNÆE—*continued.*

## Lyonsia, R. Br.

- lilacina, F. v. M. B. fl., IV, 321
- induplicata, F. v. M. B. fl., IV, 321
- straminea, R. Br. B. fl., IV, 321
- reticulata, F. v. M. B. fl., IV, 321
- largiflorens, F. v. M. B. fl., IV, 322

## ASCLEPIADÆE—

## Secamone, R. Br.

- elliptica, R. Br. B. fl., IV, 327

## Sarcostemma, R. Br.

- australe, R. Br. B. fl., IV, 328

Pentatropis, R. Br. (*Dæmia*)

- quinquepartita, Benth. B. fl., IV, 328

## Vincetoxicum, Moench.

- elegans, Benth. B. fl., IV, 330
- carnosum, Benth. B. fl., IV, 331

## Tylophora, R. Br.

- grandiflora, R. Br. B. fl., IV, 334
- floribunda, Benth. B. fl., IV, 335
- barbata, R. Br. B. fl., IV, 335
- Woollii, Benth. B. fl., IV, 335
- paniculata, R. Br. B. fl., IV, 336
- enervis, F. v. M. M. fr., IX, 70
- biglandulosa, A. Gray. M. fr., IX, C9

## Marsdenia, R. Br.

- flavescens, A. Cunn. B. fl., IV, 337
- tubulosa, F. v. M. M. fr., IX, 71
- rostrata, R. Br. B. fl., IV, 339
- longiloba, Benth. B. fl., IV, 340
- suaveolens, R. Br. B. fl., IV, 340
- Leichhardtiana, F. v. M. B. fl., IV, 341
- viridiflora, R. Br. B. fl., IV, 341

## Hoya, R. Br.

- australis, R. Br. B. fl., IV, 346

## \*Gomphocarpus, R. Br.

- fruticosus, B. Br.

## \*Asclepias, Linn.

- curassavica, L.

## LOGANIACEÆ—

## Mitrasacme, Labill.

- serpillifolia, R. Br. B. fl., IV, 352
- paludosa, R. Br. B. fl., IV, 352
- pilosa, Labill. B. fl., IV, 352
- alsinoides, R. Br. B. fl., IV, 353
- polymorpha, R. Br. B. fl., IV, 353
- India, Wight. B. fl., IV, 356
- paradoxa, R. Br. B. fl., IV, 359

## Geniostoma, Forst.

- petiolosum, Ch. Moore & F. v. M. M. fr., IX, 193

**LOGANIACEÆ—continued.**

- Logania*, R. Br.  
*linifolia*, Schl. B. fl., IV, 363  
*floribunda*, R. Br. B. fl., IV, 364  
*nuda*, F. v. M. B. fl., IV, 365  
*pusilla*, R. Br. B. fl., IV, 366

**GENTIANEÆ—**

- Sebæa*, R. Br.  
*ovata*, R. Br. B. fl., IV, 371  
*Erythræa*, Pers.  
*australis*, R. Br. B. fl., IV, 371  
*Gentiana*, Linn.  
*montana*, Forst. B. fl., IV, 373 (*G. saxosa*, F. v. M.)  
*Villarsia*, Vent. (*Limnanthemum*).  
*reniformis*, R. Br. B. fl., IV, 376 (*L. exaltatum*, F. v. M.)  
*Limnanthemum*, Gmel.  
*Indicum*, Thwait. B. fl., IV, 378  
*crenatum*, F. v. M. B. fl., IV, 379  
*geminatum*, Griseb. B. fl., IV, 380

**BORAGINEÆ (ASPERIFOLIÆ)—**

- Ehretia*, Linn.  
*acuminata*, R. Br. B. fl., IV, 387  
*Heliotropium*, Linn.  
*curassavicum*, L. B. fl., IV, 393  
*Europæum*, L. B. fl., IV, 394  
*asperrimum*, R. Br. B. fl., IV, 394  
*vestitum*, Benth. B. fl., IV, 395  
*Halgania*, Gaudich.  
*cyanea*, Lindl. M. fr., VI, 115  
*Preissiana*, Lehm. B. fl., IV, 402  
*strigosa*, Schl. B. fl., IV, 402  
*lavandulacea*, Endl. B. fl., IV, 403  
*Trichodesma*, R. Br. (*Pollichia*)  
*Zeylanica*, F. v. M. B. fl., IV, 404  
*Myosotis*, Linn.  
*australis*, R. Br. B. fl., IV, 405  
*suaveolens*, Poir. B. fl., IV, 406  
*Eritrichium*, Schrad.  
*Australasicum*, DC. B. fl., IV, 406  
*Echinosperrimum*, Swartz. (*Lappula*)  
*conceavum*, F. v. M. B. fl., IV, 407  
*Rochelia*, Reichb.  
*Maccoya*, F. v. M. B. fl., IV, 408  
*Cynoglossum*, Linn.  
*latifolium*, R. Br. B. fl., IV, 408  
*suaveolens*, R. Br. B. fl., IV, 409  
*australe*, R. Br. B. fl., IV, 409  
\**Echium*, Linn.  
*violaceum*, L.



## CONVOLVULACEÆ—

## Ipomoea, Linn.

- bona nox, L. M. fr., IX, 74
- palmata, Forsk. B. fl., IV, 415
- \*purpurea, Roth. B. fl., IV, 417
- peltata, Chois. B. fl., IV, 418
- Pes-Capræ, Roth. B. fl., IV, 419
- sepiaria, Koen. B. fl., IV, 422

## Convolvulus, Linn.

- erubescens, Sims. B. fl., IV, 429
- marginatus, Poir. B. fl., IV, 430
- sepium, L. B. fl., IV, 430
- Soldanella, L. B. fl., IV, 431. (C. sepium, L.)

## Polymeria, R. Br.

- longifolia, Lindl. B. fl., IV, 432
- calycina, R. Br. B. fl., IV, 433

## Breweria, Linn.

- media, R. Br. B. fl., IV, 436

## Evolvulus, Linn.

- alsinoides, L. B. fl., IV, 437 (E. linifolius, L.)

## Cressa, Linn.

- Cretica, L. B. fl., IV, 437

## Dichondra, Forst.

- repens, Forst. B. fl., IV, 438

## Wilsonia, R. Br.

- humilis, R. Br. B. fl., IV, 439
- rotundifolia, Hk. B. fl., IV, 440
- Backhousi, Hk. B. fl., IV, 440

## Cuscuta, Linn.

- australis, R. Br. B. fl., IV, 441
- \*epithymum. Willd.

## SOLANÆÆ—

## Solanum, Linn.

- nigrum, L. B. fl., IV, 446
- vescum, F. v. M. in Transact. Vict. Inst. 69 (1855)
- aviculare, Forst. B. fl., IV, 447
- simile, F. v. M. B. fl., IV, 448
- Bauerianum, Endl. M. fr., IX, 74
- \*pseudo-capsicum, L. B. fl., IV, 448
- verbascifolium, L. B. fl., IV, 449
- discolor, R. Br. B. fl., IV, 450
- stelligerum, Sm. B. fl., IV, 450
- parvifolium, R. Br. B. fl., IV, 451
- ferocissimum, Lindl. B. fl., IV, 451
- violaceum, R. Br. B. fl., IV, 452
- amblymerum, Dun. B. fl., IV, 452 (S. violaceum, R. Br., var.)
- tetrathecum, F. v. M. B. fl., IV, 453
- oligacanthum, F. v. M. B. fl., IV, 454
- esuriale, Lindl. B. fl., IV, 454
- chenopodium, F. v. M. B. fl., IV, 454
- Sturtianum, F. v. M. B. fl., IV, 454
- densevestitum, F. v. M. B. fl., IV, 456

SOLANEE—*continued.*

- semiarmatum, F. v. M. B. fl., IV, 457  
 \*sodomæum, L. B. fl., IV, 458  
 armatum R. Br. B. fl., IV, 458  
 pungentium, R. Br. B. fl., IV, 459  
 eremophilum, F. v. M. B. fl., IV, 459  
 campanulatum, R. Br. B. fl., IV, 460  
 cinereum, R. Br. B. fl., IV., 460  
 lacunarium, F. v. M. B. fl., IV, 461  
 petrophilum, F. v. M. B. fl., IV, 461  
 ellipticum, R. Br. B. fl., IV, 464  
 \*Nicandra, Gært. n.  
   physaloides, Gært. n. B. fl., IV, 465  
 Physalis, Linn.  
   minima, L. B. fl., IV, 466  
   \*peruviana, L. B. fl., IV, 466  
 Lycium, Linn.  
   australe, F. v. M. B. fl., IV, 467  
 Nicotiana, Linn.  
   suaveolens, Lehm. B. fl., IV, 469  
 \*Datura, Linn.  
   Stramonium, L.  
   Tatula, L.

## SCROPHULARINEÆ (F. v. M. has transferred Duboisia and Anthocercis to SOLANEE)—

- Duboisia, R. Br.  
   myoporoides, R. Br. B. fl., IV, 474  
   Hopwoodi, F. v. M. B. fl., IV, 480  
   Leichhardtii, F. v. M. B. fl., IV, 480  
 Anthocercis, Labill.  
   myosotideæ, F. v. M. B. fl., IV, 478  
   scabrella, Benth. B. fl., IV, 479  
   albicans, A. Cunn. B. fl., IV, 479  
   Eadesii, F. v. M. B. fl., IV, 480  
 Mimulus, Linn.  
   gracilis, R. Br. B. fl., IV, 482  
   repens, R. Br. B. fl., IV, 482  
   prostratus, Benth. B. fl., IV, 483  
 Mazus, Lour.  
   Pumilio, R. Br. B. fl., IV, 484  
 Morgania, R. Br. (Stemodia).  
   floribunda, Benth. B. fl., IV, 488 } (St. Morgania, F. v. M.)  
   glabra, R. Br. B. fl., IV, 488 }  
 Herpestis, Gært. n. f. (Bramia).  
   Monnieria, H. B. & K. B. fl., IV, 491 (Br. Indica, Lam.)  
 Gratiola, Linn.  
   pedunculata, R. Br. B. fl., IV, 492  
   Peruviana, L. B. fl., IV, 493  
   nana, Benth. B. fl., IV, 493  
 Artanema, Don.  
   fimbriatum, Don. B. fl., IV, 495

**SCROPHULARINEÆ—continued.**

- Vandellia**, Linn. (*Lindernia*).  
*crustacea*, F. v. M. B. fl., IV, 496  
*alsinoides*, Benth. B. fl., IV, 497
- Peplidium**, Delile.  
*humifusum*, Delile. B. fl., IV, 500
- Glossostigma**, Arn.  
*elatinoides*, Benth. B. fl., IV, 502
- Limosella**, Linn.  
*aquatica*, L. B. fl., IV, 502  
*Curdieana*, F. v. M. M. fr., IX, 166
- Veronica**, Linn.  
*densifolia*, F. v. M. B. fl., IV, 505  
*perfoliata*, R. Br. B. fl., IV, 507  
*Derwentia*, Andr. B. fl., IV, 507  
*arenaria*, A. Cunn. B. fl., IV, 507  
*nivea*, Lindl. B. fl., IV, 508  
*gracilis*, R. Br. B. fl., IV, 508  
*arguta*, R. Br. B. fl., IV, 509 (*V. gracilis*, R. Br., var?)  
*calycina*, R. Br. B. fl., IV, 509  
*plebeia*, R. Br. B. fl., IV, 510  
*notabilis*, F. v. M. B. fl., IV, 511  
*serpillifolia*, L. B. fl., IV, 511  
*peregrina*, L. B. fl., IV, 511
- Centranthera**, R. Br.  
*hispidula*, R. Br. B. fl., IV, 513
- Buchnera**, Linn.  
*urticifolia*, R. Br. B. fl., IV, 514  
*gracilis*, R. Br. B. fl., IV, 515
- Euphrasia**, Linn.  
*speciosa*, R. Br. B. fl., IV, 519 }  
*collina*, R. Br. B. fl., IV, 520 } (E. *Brownii*, F. v. M.)  
*alpina*, R. Br. B. fl., IV, 521 }  
*scabra*, R. Br. B. fl., IV, 521 } (E. *scabra*, R. Br.)  
*arguta*, R. Br. B. fl., IV, 522 }  
*antarctica*, Benth. B. fl., IV, 522
- \***Celsia**, Linn.  
*cretica*, L.
- \***Verbascum**, Linn.  
*blattaria*, L.
- \***Linaria**, Pers.  
*elatine*, Mill.

**LENTIBULARINEÆ—**

- Utricularia**, Linn.  
*flexuosa*, Vahl. B. fl., IV, 525  
*exoleta*, R. Br. B. fl., IV, 526  
*cyanea*, R. Br. B. fl., IV, 527  
*lateriflora*, R. Br. B. fl., IV, 528  
*dichotoma*, Labill. B. fl., IV, 529  
*biloba*, R. Br. B. fl., IV, 531

**OROBANCHEÆ—**

- Orobanche**, Linn.  
*cernua*, Loefl. B. fl., IV, 533 (O. *Australiana*, F. v. M.)

## GESNERIACEÆ—

- Fieldia, A. Cunn.  
 australis, A. Cunn. B. fl., IV, 535  
 Negria, F. v. M.  
 rhabdothermoides, F. v. M. M. fr., VII, 152

## BIGNONIACEÆ—

- Tecoma, Juss.  
 australis, R. Br. B. fl., IV, 537  
 jasminoides, Lindl. B. fl., IV, 537

## ACANTHACEÆ—

- Ruellia, Linn.  
 australis, R. Br. B. fl., IV, 547  
 Justicia, Linn.  
 procumbens, L. B. fl., IV, 549  
 Bonneyana, F. v. M. M. fr., X, 73  
 eranthemoides, F. v. M. B. fl., IV, 551  
 Hypoestes, R. Br.  
 floribunda, R. Br. B. fl., IV, 553  
 Eranthemum, Linn.  
 variabile, R. Br. B. fl., IV, 555

## MYOPORINEÆ—

- Myoporum, Banks & Soland.  
 acuminatum, R. Br. B. fl., V, 3 (*M. tenuifolium*, Forst)  
 montanum, R. Br. M. fr., VI, 149 (*M. acuminatum*, R. Br., var.)  
 angustifolium, B. fl., V, 4  
 deserti, A. Cunn. B. fl., V, 5  
 serratum, R. Br. B. fl., V, 4 (*M. insulare*, R. Br.)  
 viscosum, R. Br. M. fr., VII, 109 (*M. serratum*, R. Br., var.)  
 glandulosum, B. fl., V, 5.  
 parvifolium, R. Br. B. fl., V, 6 (*M. humile*, R. Br.)  
 debile, R. Br. B. fl., V, 8  
 platycarpum, R. Br. B. fl., V, 7  
 Bateæ, F. v. M. M. fr., XI, 139  
 floribundum, A. Cunn. B. fl., V, 8  
 obscurum, Endl. Prodr. fl., Norfolk, 54 (1833)  
 Pholidia, R. Br. (*Eremophila*).  
 Dalyana, F. v. M. B. fl., V, 10  
 scoparia, R. Br. B. fl., V, 10  
 divaricata, F. v. M. B. fl., V, 14  
 Eremophila, R. Br.  
 Bowmani, F. v. M. B. fl., V, 18  
 oppositifolia, R. Br. B. fl., V, 20  
 Mitchelli, Benth. B. fl., V, 21  
 Sturtii, R. Br. B. fl., V, 21  
 Latrobei, F. v. M. B. fl., V, 22  
 longifolia, F. v. M. B. fl., V, 23  
 polyclada, F. v. M. B. fl., V, 24  
 bignoniflora, F. v. M. B. fl., V, 25  
 Freelingii, F. v. M. B. fl., V, 25  
 Goodwinii, F. v. M. B. fl., V, 25  
 Brownii, F. v. M. B. fl., V, 27  
 Duttonii, F. v. M. B. fl., V, 28

MYOPORINEÆ—*continued.*

- maculata, F. v. M. B. fl., V, 29  
 latifolia, F. v. M. B. fl., V, 30  
 alternifolia, R. Br. B. fl., V, 30

## VERBENACEÆ—

- \*Lantana, Linn.  
 Camara, L. B. fl., V, 34  
 Lippia, Linn.  
 nodiflora, Rich. B. fl., V, 35  
 Verbena, Linn.  
 officinalis, L. B. fl., V, 36  
 \*Bonariensis, L. B. fl., V, 36  
 \*venosa, G. & H.  
 Chloanthes, R. Br.  
 glandulosa, R. Br. B. fl., V, 45 (Chl. Stoechadis, R. Br., var.)  
 Stoechadis, R. Br. B. fl., V, 45  
 parviflora, Walp. B. fl., V, 46  
 Spartothamnus, A. Cunn.  
 junceus, A. Cunn. B. fl., V, 55  
 Callicarpa, Linn.  
 pedunculata, R. Br. B. fl., V, 57  
 Clerodendron, Linn.  
 inerme, R. Br. B. fl., V, 61  
 tomentosum, R. Br. B. fl., V, 62  
 floribundum, R. Br. B. fl., V, 63  
 Gmelina, Linn.  
 Leichhardtii, F. v. M. B. fl., V, 66  
 Vitex, Linn.  
 trifolia, L. B. fl., V, 66  
 Lignum vitæ, A. Cunn. B. fl., V, 67  
 glabrata, R. Br. B. fl., V, 68  
 Avicennia, Linn.  
 officinalis, L. B. fl., V, 69

## LABIATÆ—

- Moschosma, Reichb.  
 polystachya, Benth. B. fl., V, 75  
 Plectranthus, L'Hér.  
 parviflorus, Willd. B. fl., V, 78  
 Mentha, Linn.  
 laxiflora, Benth. B. fl., V, 82  
 grandiflora, Benth. B. fl., V, 82  
 australis, R. Br. B. fl., V, 83  
 gracilis, R. Br. B. fl., V, 83  
 saturejoides, R. Br. B. fl., V, 84  
 Lycopus, Linn.  
 australis, R. Br. B. fl., V, 85  
 Salvia, Linn.  
 plebeia, R. Br. B. fl., V, 85  
 Prunella, Linn. (Brunella).  
 vulgaris, DC. B. fl., V, 87  
 Scutellaria, Linn.  
 mollis, R. Br. B. fl., V, 88  
 humilis, R. Br. B. fl., V, 88

LABIATE—*continued.*

## Prostanthera, R. Br.

- lasianthos*, Labill. B. fl., V, 93  
*prunelloides*, R. Br. B. fl., V, 94  
*coerulea*, R. Br. B. fl., V, 94  
*ovalifolia*, R. Br. B. fl., V, 95  
*incisa*, R. Br. B. fl., V, 95  
*Sieberi*, Benth. B. fl., V, 96 (Pr. *incisa*, R. Br., var.)  
*rotundifolia*, R. Br. B. fl., V, 96  
*violacea*, R. Br. B. fl., V, 96  
*incana*, A. Cunn. B. fl., V, 97  
*hirtula*, F. v. M. B. fl., V, 97  
*denticulata*, R. Br. B. fl., V, 97  
*rugosa*, A. Cunn. B. fl., V, 98  
*marifolia*, R. Br. B. fl., V, 98  
*rhombea*, R. Br. B. fl., V, 99  
*spinosa*, F. v. M. B. fl., V, 99  
*cuneata*, Benth. B. fl., V, 99  
*linearis*, R. Br. B. fl., V, 100  
*phyllicifolia*, F. v. M. B. fl., V, 100  
*empetrifolia*, Sieb. B. fl., V, 101  
*Behriana*, Schl. B. fl., V, 102  
*nivea*, A. Cunn. B. fl., V, 103  
*striatiflora*, F. v. M. B. fl., V, 103  
*saxicola*, R. Br. B. fl., V, 104  
*euphrasioides*, Benth. B. fl., V, 104  
*staurophylla*, F. v. M. M. fr., IX, 73  
*cryptandroides*, A. Cunn. B. fl., V, 105  
*ringens*, Benth. B. fl., V, 106  
*Walteri*, F. v. M. M. fr., VII, 108  
*microphylla*, A. Cunn. B. fl., V, 106 } (Pr. *coccinea*, F. v. M.)  
*aspalathoides*, A. Cunn. B. fl., V, 107 }  
*chlorantha*, F. v. M. B. fl., V, 108.

## Hemigenia, R. Br.

- purpurea*, R. Br. B. fl., V, 118  
*cuneifolia*, Benth. B. fl., V, 118

## Westringia, Sm.

- rosmariniformis*, Sm. B. fl., V, 128  
*rigida*, R. Br. B. fl., V, 129  
*eremicola*, A. Cunn. B. fl., V, 130 (W. *longifolia*, R. Br.)  
*longifolia*, R. Br. B. fl., V, 131  
*glabra*, R. Br. B. fl., V, 131

## Teucrium, Linn.

- racemosum*, R. Br. B. fl., V, 132  
*corymbosum*, R. Br. B. fl., V, 133  
*sessiliflorum*, Benth. B. fl., V, 134  
*argutum*, R. Br. B. fl., V, 135

## Ajuga, Linn.

- australis*, R. Br. B. fl., V, 136  
*sinuata*, R. Br. B. fl., V, 137 (A. *australis*, R. Br.)

## Oncinocalyx, F. v. M.

- Betchei*, F. v. M. Wing's S. Sc. Record for March (1883).

## \*Origanum, Linn.

- vulgare*, L.

LABIATÆ—*continued.*

- \*Melissa, Linn.  
    *officinalis*, L.
- \*Marrubium, Linn.  
    *vulgare*, L.
- \*Stachys, Linn.  
    *arvensis*, L.  
    *palustris*, L.
- \*Molucella, Linn.  
    *lævis*, L.
- \*Leonotis, Pers.  
    *leonurus*, R. Br.

## PLANTAGINÆ—

- Plantago, Linn.  
    *debilis*, R. Br. B. fl., V, 139 (Pl. *varia*, R. Br., var.)
- varia*, R. Br. B. fl., V, 139
- stellaris*, F. v. M. M. fr., VIII, 148
- Gunnii*, Hk. B. fl., V, 142
- \**lanceolata*, L. B. fl., V, 138
- \**major*, L.

## SUB-CLASS III—MONOCHLAMYDÆ.

## PHYTOLACCÆ—

- Monococcus, F. v. M.  
    *echinophorus*, F. v. M. B. fl., V, 144
- Gyrostemon, Desf.  
    *cyclothea*, Benth. B. fl., V, 146 (*Didymothea pleiococca*, F. v. M.)
- Codonocarpus, A. Cunn.  
    *australis*, A. Cunn. B. fl., V, 148
- cotinifolius*, F. v. M. B. fl., V, 148
- \*Phytolacca, Linn.  
    *octandra*, L.

## CHENOPODIÆ (SALSOLÆ)—

- Rhagodia, R. Br.  
    *Billardieri*, R. Br. B. fl., V, 152
- parabolica*, R. Br. B. fl., V, 153
- Gaudichaudiana*, Moq. B. fl., V, 154
- crassifolia*, R. Br. B. fl., V, 154
- spinescens*, R. Br. B. fl., V, 155
- hastata*, R. Br. B. fl., V, 156
- nutans*, R. Br. B. fl., V, 156
- linifolia*, R. Br. B. fl., V, 157
- Chenopodium, Linn.  
    *nitrariaceum*, F. v. M. B. fl., V, 158
- auricomum*, Lindl. B. fl., V, 159
- \**album*, L. B. fl., V, 159
- triangulare*, R. Br. B. fl., V, 160
- microphyllum*, F. v. M. B. fl., B, 161
- \**glaucum*, L. B. fl., V, 161
- \**ambrosioides*, L. B. fl., V, 162

CHENOPODIACEÆ (SALSOLACEÆ)—*continued.*

- carinatum, R. Br. B. fl., V, 162  
 cristatum, F. v. M. B. fl., V, 163  
 atriplicinum, F. v. M. B. fl., V, 163  
 \*murale, L.
- Dysphania, R. Br.  
 myriocephala, Benth. B. fl., V, 165
- Atriplex, Linn.  
 stipitata, Benth. B. fl., V, 168  
 nummularia, L. B. fl., V, 170  
 cinerea, Poir. B. fl., V, 171  
 rhagodioides, F. v. M. B. fl., V, 172  
 vesicaria, Hen. B. fl., V, 172  
 \*patula, L. B. fl., V, 173  
 velutinella, F. v. M. B. fl., V, 174  
 angulata, Benth. B. fl., V, 174  
 semibaccata, R. Br. B. fl., V, 175  
 Muelleri, Benth. B. fl., V, 175  
 microcarpa, Benth. B. fl., V, 176  
 campanulata, Benth. B. fl., V, 177  
 leptocarpa, F. v. M. B. fl., V, 178  
 limbata, Benth. B. fl., V, 178  
 halimoides, Lindl. B. fl., V, 178  
 holocarpa, F. v. M. B. fl., V, 179  
 spongiosa, F. v. M. B. fl., V, 179  
 Billardieri, Hk. B. fl., V, 180  
 \*hortensis, L. (A. crystallina, Hk.)
- Enchylæna, R. Br.  
 tomentosa, R. Br. B. fl., V, 181  
 villosa, F. v. M. B. fl., V, 182  
 microphylla, F. v. M. B. fl., V, 181 (*Kochia microphylla*, Moq.)
- Kochia, Schrad.  
 lobiflora, F. v. M. B. fl., V, 184  
 lanosa, Lindl. B. fl., V, 184  
 triptera, Benth. B. fl., V, 185  
 oppositifolia, Benth. B. fl., V, 185  
 brevifolia, R. Br. B. fl., V, 185  
 pyramidata, Benth. B. fl., V, 186  
 eriantha, F. v. M. B. fl., V, 186  
 villosa, Lindl. B. fl., V, 186  
 sedifolia, F. v. M. B. fl., V, 187  
 humillima, F. v. M. M. fr., IX, 168  
 aphylla, R. Br. B. fl., V, 188 (*K. villosa*, Lindl., var.)  
 ciliata, F. v. M. B. fl., V, 188  
 brachyptera, F. v. M. B. fl., V, 189  
 stelligera, F. v. M. B. fl., V, 189
- Chenolea, Thunb. (Bassia)  
 Dallachyana, Benth. B. fl., V, 191  
 tricornis, Benth. B. fl., V, 191  
 scleronæoides, F. v. M. B. fl., V, 192
- Babbagia, F. v. M.  
 dipterocarpa, F. v. M. B. fl., V, 192



CENSUS OF THE PLANTS OF NEW SOUTH WALES.

ENOPODIACEÆ (SALSOLACEÆ)—*continued.*

- Sclerolœna*, R. Br. (*Bassia*)  
*diacantha*, Benth. B. fl., V, 194  
*lanicuspis*, F. v. M. B. fl., V, 195  
*bicornis*, Lindl. B. fl., V, 195  
*biflora*, R. Br. B. fl., V, 196  
*paradoxa*, R. Br. B. fl., V, 196  
*Threlkeldia*, R. Br.  
*diffusa*, R. Br. B. fl., V, 197  
*proceriflora*, F. v. M. M. fr., VIII, 38  
*salsuginosa*, F. v. M. B. fl., V, 197 } (*Bassia*)  
*brevicuspis*, F. v. M. B. fl., V, 198 }  
*Anisacantha*, R. Br. (*Bassia*)  
*muricata*, Moq. B. fl., V, 199 (*B. quinquecuspis*, F. v. M.)  
*divaricata*, R. Br. B. fl., V, 200  
*bicuspis*, F. v. M. B. fl., V, 200  
*echinopsila*, F. v. M. B. fl., V, 201  
*Salicornia*, Linn.  
*robusta*, F. v. M. B. fl., V, 202  
*arbuscula*, R. Br. B. fl., V, 203  
*leiostachya*, Benth. B. fl., V, 203  
*tenuis*, Benth. B. fl., V, 204  
*australis*, Sol. B. fl., V, 205  
*Suaeda*, Forsk.  
*maritima*, Dum. B. fl., V, 206  
*Salsola*, Linn.  
*Kali*, L. B. fl., V, 207

AMARANTACEÆ—

- Deeringia*, R. Br.  
*celosioides*, R. Br. B. fl., V, 209  
*altissima*, F. v. M. B. fl., V, 210  
*Hemichroa*, R. Br. (*Polynemon*).  
*pentandra*, R. Br. B. fl., V, 211  
*diandra*, R. Br. B. fl., V, 211  
*Amarantus*, Linn. (*Euxolus*).  
*Mitchellii*, Benth. B. fl., V, 214  
*viridis*, L. B. fl., V, 215  
*macrocarpus*, Benth. B. fl., V, 216  
*enervis*, F. v. M. B. fl., V, 216  
*tenuis*, Benth. B. fl., V, 216  
*\*paniculatus*, L. B. fl., V, 213  
*\*Blitum*, L. B. fl., V, 213  
*Trichinium* R. Br. (*Ptilotus*).  
*obovatum*, Gaud. B. fl., V, 220  
*parviflorum*, Lindl. B. fl., V, 222  
*alopecuroideum*, Lindl. B. fl., V, 224  
*nobile*, Lindl. B. fl., V, 224  
*macrocephalum*, R. Br. B. fl., V, 225  
*parvifolium*, F. v. M. B. fl., V, 241  
*exaltatum*, Benth. B. fl., V, 227 } (*Pt. exaltatum*, N  
*semilanatum*, Lindl. B. fl., V, 227 }  
*erubescens*, Moq. B. fl., V, 230  
*spathulatum*, R. Br. B. fl., V, 236  
*Fraseri*, A. Cunn. B. fl., V, 236

AMARANTACEÆ—*continued.*

Achyranthes, Linn.

*aspera*, L. B. fl., V, 246*arborescens*, R. Br. M. fr., IX, 169

Nyssanthes, R. Br.

*erecta*, R. Br. B. fl., V, 247*diffusa*, R. Br. B. fl., V, 247

Alternanthera, R. Br.

*nodiflora*, R. Br. B. fl., V, 249*denticulata*, R. Br. B. fl., V, 249 } (*A. triandra*, Lam.)*nana*, R. Br. B. fl., V, 250

## PARONYCHIACEÆ (transferred by F. v. M. to CARYOPHYLLÆE)—

Scleranthus, Linn.

*biflorus*, Hk. B. fl., V, 259*mniaroides*, F. v. M. B. fl., V, 259*diander*, R. Br. B. fl., V, 260*pungens*, R. Br. B. fl., V, 260

## POLYGONACEÆ—

Rumex, Linn.

*Brownii*, Campd. B. fl., V, 263*dumosus*, A. Cunn. B. fl., V, 264 (*R. flexuosus*, Sol.)*halophilus*, F. v. M. B. fl., V, 265 (\**R. maritimus*, L.)*bidens*, R. Br. B. fl., V, 265*crystallinus*, Lang. M. fr., IV, 148\**crispus*, L. B. fl., V, 263\**conglomeratus*, Murr. B. fl., V, 263\**acetosella*, L. B. fl., V, 265

Polygonum, Linn.

*plebeium*, R. Br. B. fl., V, 267*strigosum*, R. Br. B. fl., V, 268*prostratum*, R. Br. B. fl., V, 268*hydropiper*, L. B. fl., V, 269*minus*, Huds. B. fl., V, 269*subsessile*, R. Br. B. fl., V, 269*barbatum*, L. B. fl., V, 270*lapathifolium*, L. B. fl., V, 270*lanigerum*, R. Br. B. fl., V, 271 (*P. lapathifolium*, L. var.)*orientale*, L. B. fl., V, 271*attenuatum*, R. Br. B. fl., V, 272\**aviculare*, L. B. fl., V, 267

Muhlenbeckia, Meissn.

*adpressa*, Meissn. B. fl., V, 273*australis*, Meissn. M. fr., IX, 169*gracillima*, Meissn. B. fl., V, 274*rhyticarya*, F. v. M. B. fl., V, 274*axillaris*, Hk. B. fl., V, 275*polygonoides*, Hk. B. fl., V, 275*Cunninghamii*, F. v. M. B. fl., V, 276

## NYCTAGINEÆ—

Boerhaavia, Linn.

*diffusa*, L. B. fl., V, 277

Pisonia, Linn.

*aculeata*, L. B. fl., V, 279*Brunoniana*, Endl. B. fl., V, 280

## MONIMIACEÆ—

- Doryphora, Endl.  
 sassafras, Endl. B. fl., V, 283
- Atherosperma, Labill.  
 moschata, Labill. B. fl., V, 284
- Daphnandra, Benth.  
 micrantha, Benth. B. fl., V, 285
- Mollinedia, Ruiz y Pav.  
 Huegeliana, Tul. B. fl., V, 286
- Kibara, Endl. (Mollinedia)  
 macrophylla, Tul. B. fl., V, 288  
 pubescens, Benth. B. fl., V, 290
- Hedycarya, Forst.  
 angustifolia, A. Cunn. B. fl., V, 291 (H. Cunninghamsii, Tul.)
- Palmeria, F. v. M.  
 scandens, F. v. M. B. fl., V, 291
- Piptocalyx, Oliv.  
 Moorei, Oliv. B. fl., V, 292

## LAURINEÆ—

- Cryptocarya, R. Br.  
 patentinervis, F. v. M. B. fl., V, 296  
 obovata, R. Br. B. fl., V, 296  
 glaucescens, R. Br. B. fl., V, 297  
 triplinervis, R. Br. B. fl., V, 297  
 Meissneri, F. v. M. B. fl., V, 298  
 australis, Benth. B. fl., V, 299
- Nesodaphne, Hook. f. (Beilschmiedia)  
 obtusifolia, Benth. B. fl., V, 299
- Endiandra, R. Br.  
 discolor, Benth. B. fl., V, 301  
 Sieberi, Nees. B. fl., V, 301  
 virens, F. v. M. B. fl., V, 302  
 Muelleri, Meissn. B. fl., V, 302  
 pubens, Meissn. B. fl., V, 302
- Litsea, Juss.  
 dealbata, Nees. B. fl., V, 307
- Cassytha, Linn.  
 glabella, R. Br. B. fl., V, 309  
 pubescens, R. Br. B. fl., V, 310  
 phœolasia, F. v. M. B. fl., V, 310  
 paniculata, R. Br. B. fl., V, 311  
 melantha, R. Br. B. fl., V, 311

## PROTEACEÆ—

- Petrophila, R. Br.  
 pedunculata, R. Br. B. fl., V, 332  
 pulchella, R. Br. B. fl., V, 332  
 sessilis, Sieb. B. fl., V, 332
- Isopogon, R. Br.  
 anethifolius, R. Br. B. fl., V, 346  
 petiolaris, A. Cunn. B. fl., V, 347  
 anemonifolius, R. Br. B. fl., V, 347  
 ceratophyllus, R. Br. B. fl., V, 347

PROTEACEÆ—*continued.**Conospermum*, Sm.

- longifolium*, Sm. B. fl., V, 370  
*tenuifolium*, R. Br. B. fl., V, 370  
*patens*, Schl. B. fl., V, 371  
*taxifolium*, Sm. B. fl., V, 372  
*ericifolium*, Sm. B. fl., V, 372  
*ellipticum*, Sm. B. fl., V, 372  
*stoechadis*, Endl. B. fl., V, 374

*Symphyonema*, R. Br.

- montanum*, R. Br. B. fl., V, 377  
*paludosum*, R. Br. B. fl., V, 378

*Persoonia*, Sm.

- ferruginea*, Sm. B. fl., V, 391  
*media*, R. Br. B. fl., V, 391  
*cornifolia*, A. Cunn. B. fl., V, 392  
*marginata*, R. Br. B. fl., V, 392  
*sericea*, A. Cunn. B. fl., V, 393  
*Mitchelli*, Meissn. B. fl., V, 393  
*fastigiata*, R. Br. B. fl., V, 393  
*hirsuta*, Pers. B. fl., V, 394  
*Chamæpithys*, A. Cunn. B. fl., V, 394  
*salicina*, Pers. B. fl., V, 395  
*prostrata*, R. Br. B. fl., V, 395  
*lanceolata*, Andr. B. fl., V, 395  
*lucida*, R. Br. B. fl., V, 396  
*linearis*, Andr. B. fl., V, 397  
*pinifolia*, R. Br. B. fl., V, 397  
*Caleyi*, R. Br. B. fl., V, 398  
*ledifolia*, A. Cunn. B. fl., V, 398  
*revoluta*, Sieb. B. fl., V, 398  
*mollis*, R. Br. B. fl., V, 399  
*rigida*, R. Br. B. fl., V, 399  
*curvifolia*, R. Br. B. fl., V, 400  
*oblongata*, A. Cunn. B. fl., V, 400  
*Cunninghamii*, R. Br. B. fl., V, 400  
*myrtilloides*, Sieb. B. fl., V, 401  
*oxycoccoides*, Sieb. B. fl., V, 401  
*nutans*, R. Br. B. fl., V, 401  
*angulata*, R. Br. B. fl., V, 402  
*virgata*, R. Br. B. fl., V, 402  
*Chamæpeuce*, Lhotsky. B. fl., V, 402  
*juniperina*, Labill. B. fl., V, 403  
*tenuifolia*, R. Br. B. fl., V, 403  
*acerosa*, Sieb. B. fl., V, 403

*Helicia*, Lour.

- præalta*, F. v. M. B. fl., V, 404  
*glabriflora*, F. v. M. B. fl., V, 405  
*ferruginea*, F. v. M. B. fl., V, 405

*Macadamia*, F. v. M.

- Youngiana*, F. v. M. B. fl., V, 406 (*Helicia*)  
*ternifolia*, F. v. M. B. fl., V, 406

THYMELEÆ—*continued.*

- hirsuta*, Meissn. B. fl., VI, 32
- altior*, F. v. M. B. fl., VI, 32
- octophylla*, R. Br. B. fl., VI, 32
- petræa*, Meissn. B. fl., VI, 33
- phylicoides*, Meissn. B. fl., VI, 33
- Drapetes*, Lam.
  - Tasmanica*, Hk. B. fl., VI, 36
- Wickstroemia*, Endl.
  - Indica*, C. A. Mey. B. fl., VI, 37

## EUPHORBIACEÆ—

- Euphorbia*, Linn.
  - Sparmanni*, Boiss. B. fl., VI, 46
  - australis*, Boiss. B. fl., VI, 48 (*E. erythrantha*, F. v. M.)
  - Drummondii*, Boiss. B. fl., VI, 49
  - Macgillivrayi*, Boiss. B. fl., VI, 50
  - Norfolkiana*, Boiss. M. fr., IX, 169
  - eremophila*, A. Cunn. B. fl., VI, 52
  - obliqua*, Baur in Endl. prodr. fl. Norfolk, 85 (1833)
  - \**peplus*, L.
  - \**helioscopia*, Willd.
- Poranthera*, Rudge
  - ericifolia*, Rudge. B. fl., VI, 55
  - corymbosa*, Brong. B. fl., VI, 56
  - microphylla*, Brong. B. fl., VI, 56
- Micranthemum*, Desf.
  - ericoides*, Desf. B. fl., VI, 57
  - hexandrum*, Hk. B. fl., VI, 57
- Pseudanthus*, Sieb.
  - pimeloides*, Sieb. B. fl., VI, 59
  - ovalifolius*, F. v. M. B. fl., VI, 59
  - divaricatissimus*, Benth. B. fl., VI, 60
  - orientalis*, F. v. M. B. fl., VI, 60
- Beyeria*, Miq.
  - viscosa*, Miq. B. fl., VI, 64
  - lasiocarpa*, F. v. M. B. fl., VI, 65
  - opaca*, F. v. M. B. fl., VI, 65
- Ricinocarpus*, Desf.
  - pinifolius*, Desf. B. fl., VI, 70
  - Bowmanii*, F. v. M. B. fl., VI, 72
  - speciosus*, J. Muell. B. fl., VI, 73
- Bertya*, Planch.
  - gummifera*, Planch. B. fl., VI, 75
  - pinifolia*, Planch. B. fl., VI, 75
  - Cunninghamii*, Planch. B. fl., VI, 75
  - rosmarinifolia*, Planch. B. fl., VI, 76
  - Mitchelli*, J. Muell. B. fl., VI, 76
  - oleafolia*, Planch. B. fl., VI, 76
  - pomaderrrioides*, F. v. M. B. fl., VI, 77
  - Findleyi*, F. v. M. M. fr., VIII, 141
- Monotaxis*, Brongn.
  - macrophylla*, Benth. B. fl., VI, 79
  - linifolia*, Brong. B. fl., VI, 79

EUPHORBIACEÆ—*continued*.

- Ampera*, A. Juss.  
   *spartioides*, Brong. B. fl., VI, 84  
*Actephila*, Blume  
   *grandifolia*, Baill. B. fl., VI, 89  
   *Mooreana*, Baill. B. fl., VI, 89  
*Petalostigma*, F. v. M.  
   *quadriloculare*, F. v. M. B. fl., VI, 92  
*Phyllanthus*, Linn.  
   *Ferdinandi*, J. Muell. B. fl., VI, 96  
   *thesioides*, Benth. B. fl., VI, 98  
   *rigens*, J. Muell. B. fl., VI, 99  
   *ramosissimus*, J. Muell. B. fl., VI, 99  
   *Gastroemii*, J. Muell. B. fl., VI, 104  
   *subcrenulatus*, F. v. M. B. fl., VI, 104  
   *microcladus*, J. Muell. B. fl., VI, 106  
   *Fuernrohrii*, F. v. M. B. fl., VI, 107  
   *lacunarius*, F. v. M. B. fl., VI, 108  
   *trachyspermus*, F. v. M. B. fl., VI, 108  
   *australis*, Hk. B. fl., VI, 108  
   *thymoides*, Sieb. B. fl., VI, 109  
   *Gunnii*, Hk. B. fl., VI, 110  
   *flicaulis*, Benth. B. fl., VI, 111  
   *Tatei*, F. v. M. Wing's S. Sc. Record, 55 (1882)  
*Breynia*, Forst.  
   *oblongifolia*, J. Muell. B. fl., VI, 114  
*Hemicyclia*, Wight & Arn.  
   *Australasica*, J. Muell. B. fl., VI, 118  
*Bridelia*, Willd.  
   *exaltata*, F. v. M. B. fl., VI, 119  
*Cleistanthus*, Hook. f.  
   *Cunninghamii*, J. Muell. B. fl., VI, 122  
*Croton*, Linn.  
   *insularis*, Baill. B. fl., VI, 124  
   *phebaloides*, F. v. M. B. fl., VI, 125  
   *Verreauxii*, Baill. B. fl., VI, 126  
*Claoxylon*, A. Juss.  
   *australe*, Baill. B. fl., VI, 130  
*Acalypha*, Linn.  
   *nemorum*, F. v. M. B. fl., VI, 132  
   *capillipes*, F. v. M. B. fl., VI, 133  
*Adriana*, Gaudich.  
   *acerifolia*, Hk. B. fl., VI, 134 (A. *tomentosa*, Gaud.)  
*Alchornea*, Swartz.  
   *ilicifolia*, J. Muell. B. fl., VI, 136  
*Mallotus*, Lour.  
   *chlaoxyloides*, J. Muell. B. fl., VI, 140  
   *Philippinensis*, J. Muell. B. fl., VI, 141  
   *discolor*, F. v. M. B. fl., VI, 143  
*Macaranga*, Thou.  
   *Tanaria*, J. Muell. B. fl., VI, 146  
*Baloghia*, Endl.  
   *lucida*, Endl. B. fl., VI, 148

EUPHORBIACEÆ—*continued*.

## Carumbium, Reinw.

populifolium, Reinw. B. fl., VI, 150 (*Omalanthus populifolius*,  
Grah.)

stillingiæfolium, Baill. B. fl., VI, 150 (*Omalanthus stillingiæfolius*,  
F. v. M.)

## Excæcaria, Linn.

Agallocha, L. B. fl., VI, 152

## \*Ricinus, Linn.

communis, Willd.

## URTICÆÆ—

## Celtis, Linn.

paniculata, Planch. B. fl., VI, 156

amblyphylla, F. v. M. M. fr., IX, 76

## Trema, Lour.

aspera, Bl. B. fl., VI, 158

orientalis, Bl. B. fl., VI, 158 } (Tr. cannabina, Lour.)

## Aphananthe, Planch.

Philippinensis, Planch. B. fl., VI, 160

## Ficus Linn.

eugenioides, F. v. M. B. fl., VI, 166

Muelleri, Miq. B. fl., VI, 167

rubiginosa, Desf. B. fl., VI, 168

columnaris, F. v. M. & Ch. Moore. M. fr., VIII, 247

macrophylla, Desf. B. fl., VI, 170

pumila, L. B. fl., VI, 171

aspera, Forst. B. fl., VI, 174 (*F. scabra*, Forst.)

opposita, Miq. B. fl., VI, 175

## Cudrania, Trec.

Javanensis, Trecul. B. fl., VI, 179

## Malaisia, Blanco.

tortuosa, Blanco. B. fl., VI, 180

## Pseudomorus, Bureau.

Brunoniana, Bureau. B. fl., VI, 181

## Elatostemma, Forst.

reticulatum, Wedd. B. fl., VI, 183

stipitatum, Wedd. B. fl., VI, 184

## Procris, Commerson.

montana, Steud. M. fr., IX, 169

## Boehmeria, Jacq.

calophleba, Ch. Moore & F. v. M. B. fl., VI, 184

australis, Endl. M. fr., IX, 169

## Pipturus, Wedd.

argenteus, Wedd. B. fl., VI, 185 (*P. propinquus*, Wedd.)

## Pouzolsia, Gaudich.

quinquenervis, Benn. B. fl., VI, 187

## Parietaria, Linn.

debilis, Forst. B. fl., VI, 188

## Australina, Gaudich.

pusilla, Gaud. B. fl., VI, 189

## Urtica, Linn.

incisa, Poir. B. fl., VI, 190

\*urens, L. B. fl., VI, 191

\*dioica, L.

URTICEÆ—*continued.*

- Laportea, Gaudich.  
 gigas, Wedd. B. fl., VI, 191  
 photiniphylla, Wedd. B. fl., VI, 192  
 \*Cannabis, Linn.  
 sativa. Willd.

## CASUARINEÆ—

- Casuarina, Linn.  
 stricta, Ait. B. fl., VI, 195  
 lepidophloia, F. v. M. M. fr., X, 115  
 glauca, Sieb. B. fl., VI, 196  
 equisetifolia, Forst. B. fl., VI, 197  
 suberosa, Ott. & Dietr. B. fl., VI, 197  
 Cunninghamiana, Miq. B. fl., VI, 198  
 distyla, Vent. B. fl., VI, 198  
 nana, Sieb. B. fl., VI, 199  
 torulosa, Ait. B. fl., VI, 200  
 inophloia, F. v. M. M. fr., XII.

## PIPERACEÆ—

- Piper, Linn.  
 excelsum, Forst. B. fl., VI, 204  
 Novæ-Hollandiæ, Miq. B. fl., VI, 204  
 hederaceum, A. Cunn. B. fl., VI, 205  
 Peperomia, Ruiz. & Pav.  
 leptostachya, Hk. & Arn. B. fl., VI, 206  
 reflexa, A. Dietr. B. fl., VI, 206  
 Urvilleana, Rich. M. fr., IX, 76  
 Bauेरiana, Miq., in syst. piperaceæ, 120 (1843)

## ARISTOLOCHIACEÆ—

- Aristolochia, Linn.  
 prævenosa, F. v. M. B. fl., VI, 208  
 pubera, R. Br. B. fl., VI, 208

## CUPULIFERÆ—

- Fagus, Linn.  
 Moorei, F. v. M. B. fl., VI, 211 (F. Carroni, Moore)

## SANTALACEÆ—

- Thesium, Linn.  
 australe, R. Br. B. fl., VI, 212  
 Santalum, Linn.  
 lanceolatum, R. Br. B. fl., VI, 214  
 obtusifolium, R. Br. B. fl., VI, 215  
 Fusanus, Linn. (Santalum)  
 acuminatus, DC. B. fl., VI, 215  
 persicarius, F. v. M. B. fl., VI, 216  
 crassifolius, R. Br. B. fl., VI, 217  
 Choretrum, R. Br.  
 glomeratum, R. Br. B. fl., VI, 218  
 chrysanthum, F. v. M. M. fr., VIII, 11  
 spicatum, F. v. M. B. fl., VI, 218  
 lateriflorum, R. Br. B. fl., VI, 219  
 Candollei, F. v. M. B. fl., VI, 219



SANTALACEÆ—*continued*.

## Leptomeria, R. Br.

- acida, R. Br. B. fl., VI, 222  
 Billardieri, R. Br. B. fl., VI, 222  
 aphylla, R. Br. B. fl., VI, 222

## Omphacomeria, DC.

- acerba, DC. B. fl., VI, 225

## Exocarpus, Labill.

- latifolius, R. Br. B. fl., VI, 228  
 cupressiformis, Labill. B. fl., VI, 229  
 spartea, R. Br. B. fl., VI, 229  
 aphylla, R. Br. B. fl., VI, 230  
 homaloclada, Ch. Moore & F. v. M. B. fl., VI, 230  
 phyllanthoides, Endl. M. fr., IX, 169  
 stricta, R. Br. B. fl., VI, 230

## SUB-CLASS IV—GYMNOSPERMÆ.

## CONIFERÆ—

## Frenela, Mirb. (Callitris)

- Parlatorei, F. v. M. B. fl., VI, 235  
 Macleayana, F. v. M. B. fl., VI, 235  
 robusta, A. Cunn. B. fl., VI, 236 (C. verrucosa, R. Br.)  
 Muelleri, Parl. B. fl., VI, 237  
 rhomboidea, Endl. B. fl., VI, 237 (C. cupressiformis, Vent.)  
 Endlicheri, Parl. B. fl., VI, 238 (C. calcarata, R. Br.)

## Callitris, Vent.

- columellaris, F. v. M. M. fr., V, 198

## Araucaria, Juss.

- Cunninghamii, Ait. B. fl., VI, 243

## Pherosphæra, Archer.

- Fitzgeraldi, F. v. M. M. fr., XI, 102

## Podocarpus, L'Hér. (Nageia).

- elata, R. Br. B. fl., VI, 247  
 spinulosa, R. Br. B. fl., VI, 247  
 alpina, R. Br. B. fl., VI, 248

## CYCADEÆ—

## Macrozamia, Miq. (Encephalartos).

- Paulo-Guilielmi, F. v. M. B. fl., VI, 251  
 spiralis, Miq. B. fl., VI, 251  
 Miquelii, F. v. M. B. fl., VI, 253 (E. tridentatus, Lehm.)  
 Perowskiana, Miq. B. fl., VI, 253 (E. Denisonii, F. v. M.)  
 cylindrica, C. Moore. Roy. Soc. of N.S.W., Sept., 1883  
 secunda, C. Moore. Roy. Soc. of N.S.W., Sept., 1883  
 corallipes, Hk. Bot. Magaz., t. 5943  
 Fawcetti, C. Moore. Roy. Soc. of N.S.W., Sept., 1883  
 flexuosa, C. Moore. Roy. Soc. of N.S.W., Sept., 1883  
 heteromera, C. Moore. Roy. Soc. of N.S.W., Sept., 1883

## CLASS II—MONOCOTYLEDONS.

## HYDROCHARIDÆ—

- Ottelia, Pers.  
     *ovalifolia*, Rich. B. fl., VI, 257  
 Vallisneria, Linn.  
     *spiralis*, L. B. fl., VI, 259  
 Hydrilla, Rich.  
     *verticillata*, Carp. B. fl., VI, 259

## SCITAMINEÆ—

- Alpinia, Linn.  
     *coerulea*, Benth. B. fl., VI, 265

## ORCHIDÆ—

- Liparis, Rich. (*Sturmia*)  
     *reflexa*, Lindl. B. fl., VI, 272  
     *coelogyoides*, F. v. M. B. fl., VI, 273  
 Oberonia, Lindl.  
     *iridifolia*, Lindl. B. fl., VI, 274  
     *palmicola*, F. v. M. B. fl., VI, 274  
 Dendrobium, Swartz.  
     *speciosum*, Sm. B. fl., VI, 279  
     *falconirostre*, Fitzger. M. fr., XI, 87  
     *tetragonum*, A. Cunn. B. fl., VI, 279  
     *æmulum*, R. Br. B. fl., VI, 280  
     *Kingianum*, Bidw. B. fl., VI, 280  
     *brachypus*, Reichenb., in *Linnaea* XLI, 42 (1876)  
     *gracilicaule*, F. v. M. B. fl., VI, 281  
     *Moorei*, F. v. M. B. fl., VI, 281  
     *monophyllum*, F. v. M. B. fl., VI, 282  
     *cucumerinum*, Lindl. B. fl., VI, 283  
     *pugioniforme*, A. Cunn. B. fl., VI, 284  
     *linguiforme*, Sw. B. fl., VI, 284  
     *teretifolium*, R. Br. B. fl., VI, 285  
     *Fairfaxii*, Fitzg. & F. v. M. B. fl., VI, 285  
     *striolatum*, Reichb. B. fl., VI, 285  
     *Mortii*, F. v. M. B. fl., VI, 286  
     *Bowmannii*, Benth. B. fl., VI, 286 (D. Beckleri, F. v. M.)  
 Bulbophyllum, Thou.  
     *Shepherdii*, F. v. M. B. fl., VI, 288  
     *aurantiacum*, F. v. M. B. fl., VI, 288  
     *argyropus*, Reichb., in *Linnaea* XLI, 42 (1876)  
     *exiguum*, F. v. M. B. fl., VI, 288  
     *minutissima*, F. v. M. M. fr., V, 85  
     *Elisæ*, F. v. M. B. fl., VI, 289  
 Sarcochilus, R. Br.  
     *divitiflorus*, F. v. M. B. fl., VI, 292  
     *falcatus*, R. Br. B. fl., VI, 293  
     *Fitzgeraldi*, F. v. M. B. fl., VI, 293  
     *olivaceus*, Lindl. B. fl., VI, 293  
     *parviflorus*, Lindl. B. fl., VI, 294  
     *Hilli*, F. v. M. B. fl., VI, 295  
     *erectus*, Fitzg. M. fr., XI, 52

ORCHIDEE—*continued.*

- Cleisostoma, Blume (Sarcochilus)  
 tridentatum, Lindl. B. fl., VI, 296  
 Beckleri, F. v. M. B. fl., VI, 296
- Saccolabium, Lindl. (Ornithochilus)  
 Hillii, F. v. M. B. fl., VI, 298
- Dipodium, R. Br.  
 punctatum, R. Br. B. fl., VI, 301
- Cymbidium, Swartz.  
 canaliculatum, R. Br. B. fl., VI, 302  
 suave, R. Br. B. fl., VI, 303
- Phaius, Lour.  
 grandifolius, Lour. B. fl., VI, 304
- Calanthe, R. Br.  
 veratrifolia, R. Br. B. fl., VI, 305
- Galeola, Lour.  
 cassythoides, Reichb. B. fl., VI, 307  
 foliata, F. v. M. B. fl., VI, 307
- Epipogum, Gmel.  
 nutans, Lindl. B. fl., VI, 308
- Gastrodia, R. Br.  
 sesamoides, R. Br. B. fl., VI, 309
- Spiranthes, Rich.  
 australis, Lindl. B. fl., VI, 314
- Calochilus, R. Br.  
 campestris, R. Br. B. fl., VI, 315  
 paludosus, R. Br. B. fl., VI, 316
- Thelymitra, Forst.  
 ixioides, Sw. B. fl., VI, 317  
 circumsepta, Fitzg. Austr. Orchid, part 4 (1877)  
 aristata, Lindl. B. fl., VI, 319  
 longifolia, Forst. B. fl., VI, 319  
 carnea, R. Br. B. fl., VI, 321  
 venosa, R. Br. B. fl., VI, 323
- Diuris, Sm.  
 alba, R. Br. B. fl., VI, 325  
 punctata, Sm. B. fl., VI, 326  
 secundiflora, Fitzg. Austr. Orchid, part 4 (1877)  
 aurea, Sm. B. fl., VI, 327  
 maculata, Sm. B. fl., VI, 327  
 pedunculata, R. Br. B. fl., VI, 328  
 pallens, Benth. B. fl., VI, 329  
 abbreviata, F. v. M. B. fl., VI, 329  
 sulphurea, R. Br. B. fl., VI, 330  
 æqualis, F. v. M. M. fr., X, 65  
 dendrobioides, Fitzg. Austr. Orchid, part 7 (1882)
- Orthoceras, R. Br.  
 strictum, R. Br. B. fl., VI, 332
- Cryptostylis, R. Br.  
 longifolia, R. Br. B. fl., VI, 333  
 erecta, R. Br. B. fl., VI, 334  
 leptochila, F. v. M. B. fl., VI, 334

ORCHIDÆ—*continued.*

## Prasophyllum, R. Br.

- flavum, B. Br. B. fl., VI, 337  
 elatum, R. Br. B. fl., VI, 337  
 brevilabre, Hk. B. fl., VI, 338  
 patens, R. Br. B. fl., VI, 339  
 fuscum, R. Br. B. fl., VI, 339  
 striatum, R. Br. B. fl., VI, 342  
 nigricans, R. Br. B. fl., VI, 343  
 rufum, R. Br. B. fl., VI, 344  
 fimbriatum, R. Br. B. fl., VI, 345  
 Woollsii, F. v. M. B. fl., VI, 346

## Microtis, R. Br.

- porrifolia, Spreng. B. fl., VI, 347 }  
 parviflora, R. Br. B. fl., VI, 347 } (M. porrifolia, R. Br.)

## Corysanthes, R. Br.

- unguiculata, R. Br. B. fl., VI, 350  
 pruinosa, A. Cunn. M. fr., IX, 49  
 fimbriata, R. Br. B. fl., VI, 351  
 bicalcarata, R. Br. B. fl., VI, 351

## Pterostylis, R. Br.

- ophioglossa, R. Br. B. fl., VI, 354  
 concinna, R. Br. B. fl., VI, 355  
 curta, R. Br. B. fl., VI, 355  
 acuminata, R. Br. B. fl., VI, 355  
 nutans, R. Br. B. fl., VI, 356  
 pedaloglossa, Fitzg. Austr. Orchids, part III (1877)  
 pedunculata, R. Br. B. fl., VI, 356  
 grandiflora, R. Br. B. fl., VI, 358  
 truncata, Fitzg. Austr. Orchids, part IV (1878)  
 reflexa, R. Br. B. fl., VI, 359  
 præcox, Lindl. B. fl., VI, 359  
 obtusa, R. Br. B. fl., VI, 360  
 Daintreyana, F. v. M. B. fl., VI, 360  
 parviflora, R. Br. B. fl., VI, 361  
 barbata, Lindl. B. fl., VI, 362  
 mutica, R. Br. B. fl., VI, 362  
 rufa, R. Br. B. fl., VI, 363  
 longifolia, R. Br. B. fl., VI, 364

## Caleana, R. Br. (Caleya).

- major, R. Br. B. fl., VI, 365  
 minor, R. Br. B. fl., VI, 366

## Drakæa, Lindl.

- irritabilis, Reichb. B. fl., VI, 368

## Acianthus, R. Br.

- caudatus, R. Br. B. fl., VI, 369  
 fornicatus, R. Br. B. fl., VI, 370  
 exsertus, R. Br. B. fl., VI, 370

## Eriochilus, R. Br.

- autumnalis, R. Br. B. fl., VI, 372

## Lyperanthus, R. Br.

- nigricans, R. Br. B. fl., VI, 374  
 ellipticus, R. Br. B. fl., VI, 374

ORCHIDÆ—*continued.*

- Cyrtostylis, R. Br.  
 reniformis, R. Br. B. fl., VI, 376
- Caladenia, R. Br.  
 Nortoni, Fitzg. M. fr., X, 64  
 filamentosa, R. Br. B. fl., VI, 381 }  
 Patersoni, R. Br. B. fl., VI, 381 } (C. Patersoni, R. Br.)  
 clavigera, A. Bunn. B. fl., VI, 382 }  
 latifolia, R. Br. B. fl., VI, 384  
 suaveolens, Reichb. B. fl., VI, 385  
 carnea, R. Br. B. fl., VI, 386 } (C. carnea, R. Br.)  
 testacea, R. Br. B. fl., VI, 387 }  
 congesta, R. Br. B. fl., VI, 387  
 coerulca, R. Br. B. fl., VI, 388  
 deformis, R. Br. B. fl., VI, 388
- Chiloglottis, R. Br.  
 diphylla, R. Br. B. fl., VI, 390  
 trapeziformis, Fitzg. M. fr., X, 116  
 formicifera, Fitzg. M. fr., X, 116
- Glossodia, R. Br.  
 major, R. Br. B. fl., VI, 392  
 minor, R. Br. B. fl., VI, 392

## BURMANNIACEÆ—

- Burmannia, Linn.  
 disticha, L. B. fl., VI, 397

## IRIDÆ—

- Diplarrhena, Labill.  
 Moræa, Labill. B. fl., VI, 400
- Patersonia, R. Br.  
 glauca, R. Br. B. fl., VI, 402  
 sericea, R. Br. B. fl., VI, 406  
 longifolia, R. Br. B. fl., VI, 406 (P. sericea, R. Br., var.)  
 glabrata, R. Br. B. fl., VI, 407
- Moræa, Linn (Iris).  
 Robinsoniana, F. v. M. B. fl., VI, 409
- \*Sisyrinchium, Linn.  
 Bermudiana, L. B. fl., VI, 412  
 micranthum, Cav. B. fl., VI, 412
- Libertia, Spreng. (Sisyrinchium)  
 paniculata, Spreng. B. fl., VI, 413  
 pulchella, Spreng. B. fl., VI, 413
- \*Trichonema, Ker.  
 bulbocodium, H. K.
- \*Sparaxis, Ker.  
 tricolor, H. K.

## AMARYLLIDÆ—

- Hæmodorum, Sm.  
 planifolium, R. Br. B. fl., VI, 422  
 teretifolium, R. Br. B. fl., VI, 422
- Curculigo, Gærtn.  
 ensifolia, R. Br. B. fl. VI, 448

AMARYLLIDÆ—*continued.*

- Hypoxis*, Linn.  
*hygrometrica*, Labill. B. fl., VI, 449  
*glabella*, R. Br. B. fl., VI, 450  
*Doryanthes*, Correa.  
*excelsa*, Correa. B. fl., VI, 452  
*Crinum*, Linn.  
*flaccidum*, Herb. B. fl., VI, 454  
*pedunculatum*, R. Br. B. fl., VI, 455  
*Eurycles*, Salisb.  
*Cunninghamii*, Ait. B. fl., VI, 456  
*Calostemma*, R. Br.  
*purpureum*, R. Br. B. fl., VI, 457  
*luteum*, Sims. B. fl., VI, 457

## DIOSCORIDÆ—

- Dioscorea*, Linn.  
*transversa*, R. Br. B. fl., VI, 460  
*Petermannia*, F. v. M.  
*cirrosa*, F. v. M. B. fl., VI, 462

## LILIACÆ—

- Smilax*, Linn.  
*glycyphylla*, Sm. B. fl., VII, 7  
*australis*, R. Br. B. fl., VII, 7  
*purpurata*, Forst., in florul. ins. Austr. prodr., 70 (1786)  
*Rhipogonum*, Forst.  
*album*, R. Br. B. fl., VII, 9  
*discolor*, F. v. M. B. fl., VII, 9  
*Fawcettianum*, F. v. M. B. fl., VII, 9  
*Elseyanum*, F. v. M. B. fl., VII, 10  
*Flagellaria*, Linn.  
*Indica*, L. B. fl., VII, 10  
*Astelia*, Banks.  
*alpina*, R. Br. B. fl., VII, 11  
*Drymophila*, R. Br.  
*cyanocarpa*, R. Br. B. fl., VII, 12  
*Moorei*, Baker. B. fl., VII, 13  
*Dianella*, Lam.  
*Tasmanica*, Hk. B. fl., VII, 14  
*lævis*, R. Br. B. fl., VII, 14 (*D. longifolia*, R. Br.)  
*revoluta*, R. Br. B. fl., VII, 15  
*coerulea*, Sims. B. fl., VII, 16  
*Eustrephus*, R. Br.  
*latifolius*, R. Br. B. fl., VII, 18 (*E. Brownii*, F. v. M.)  
*Geitonoplesium*, A. Cunn.  
*cymosum*, A. Cunn. B. fl., VII, 19  
*Cordyline*, Comm.  
*terminalis*, Kunth. B. fl., VII, 21  
*stricta*, Endl. B. fl., VII, 22  
*Baueri*, Hk. Gardener's Chronicle, II, 155 (1860)  
*Blandfordia*, Sm.  
*grandiflora*, R. Br. B. fl., VII, 23  
*nobilis*, Sm. B. fl., VII, 24  
*flammea*, Hk. B. fl., VII, 24

LILIACEÆ—*continued.*

- Anguillaria, R. Br. (Wurmbea).  
     dioica, R. Br. B. fl., VII, 29  
 Schelhammera, R. Br.  
     undulata, R. Br. B. fl., VII, 31  
 Kreyssigia, Reichb.  
     multiflora, Reichb. B. fl., VII, 32 (Kr. Cunninghami, F. v. M.)  
 Burchardia, R. Br.  
     umbellata, R. Br. B. fl., VII, 33  
 Bulbine, Linn.  
     bulbosa, Haw. B. fl., VII, 34  
     semibarbata, Haw. B. fl., VII, 35  
 Thysanotus, R. Br.  
     tuberosus, R. Br. B. fl., VII, 41  
     Bauceri, R. Br. B. fl., VII, 42  
     Patersoni, R. Br. B. fl., VII, 43  
     junceus, R. Br. B. fl., VII, 43  
 Cæsia, R. Br.  
     vittata, R. Br. B. fl., VII, 46  
     parviflora, R. Br. B. fl., VII, 47  
 Chamæscilla, F. v. M.  
     corymbosa, F. v. M. B. fl., VII, 48  
 Corynotheca, F. v. M.  
     lateriflora, F. v. M. B. fl., VII, 49  
 Tricorync, R. Br.  
     elatior, R. Br. B. fl., VII, 52  
     simplex, R. Br. B. fl., VII, 52  
 Stypandra, R. Br.  
     glaucæ, R. Br. B. fl., VII, 53  
     cæspitosa, R. Br. B. fl., VII, 54  
     umbellata, R. Br. B. fl., VII, 55 (cæspitosa, R. Br., var.)  
 Arthropodium, R. Br.  
     paniculatum, R. Br. B. fl., VII, 56  
     minus, R. Br. B. fl., VII, 56  
 Dichopogon, Kunth. (Arthropodium)  
     strictus, Baker. B. fl., VII, 58  
     Sieberianus, Kunth. B. fl., VII, 59 (A. laxum, Sieb.)  
 Herpolirion, Hook. f.  
     Novæ-Zelandiæ, Hk. B. fl., VII, 61  
 Soverbæa, Sm.  
     juncea, Sm. B. fl., VII, 61  
 Alania, Endl.  
     Endlicheri, Kunth. B. fl., VII, 63  
 Laxmannia, R. Br. (Bartlingia)  
     gracilis, F. v. M. B. fl., VII, 65  
     sessiliflora, Dcne. B. fl., VII, 66  
 \*Allium, Linn.  
     fragrans, Vent.

## PHILYDRACEÆ—

- Philydrum, Banks.  
     lanuginosum, Bks. B. fl., VII, 74  
 Helmholtzia, F. v. M.  
     acrifolia, A. Cunn. B. fl., VII, 75

## XYRIDÆ—

## Xyris, Linn.

- complanata, R. Br. B. fl., VII, 77  
 gracilis, R. Br. B. fl., VII, 79  
 operculata, Labill. B. fl., VII, 79

## COMMELYNACEÆ—

## Commelyna, Linn.

- ensifolia, R. Br. B. fl., VII, 83  
 cyanea, R. Br. B. fl., VII, 84

## Aneilema, R. Br.

- acuminatum, R. Br. B. fl., VII, 85  
 biflorum, R. Br. B. fl., VII, 86  
 gramineum, R. Br. B. fl., VII, 87

## Pollia, Thunb.

- crispata, Benth. B. fl., VII, 90 (P. cyanococca, F. v. M.)

## JUNCACEÆ (the Genera Xerotes and Xanthorrhoea are transferred by F. v. M. to LILIACEÆ)—

## Xerotes, Banks.

- longifolia, R. Br. B. fl., VII, 97  
 multiflora, R. Br. B. fl., VII, 100 (X. Brownii, F. v. M.)  
 sororia, F. v. M. B. fl., VII, 100  
 effusa, Lindl. B. fl., VII, 102  
 micrantha, Endl. B. fl., VII, 103  
 filiformis, R. Br. B. fl., VII, 103 (X. Thunbergii, F. v. M.)  
 flexifolia, R. Br. B. fl., VII, 105  
 glauca, R. Br. B. fl., VII, 105  
 elongata, Benth. B. fl., VII, 106  
 leucocephala, R. Br. B. fl., VII, 109

## Xanthorrhoea, Sm.

- macronema, F. v. M. B. fl., VII, 113  
 minor, R. Br. B. fl., VII, 114  
 hastilis, R. Br. B. fl., VII, 115  
 arborea, R. Br. B. fl., VII, 115  
 bracteata, R. Br. B. fl., VII, 116

## Luzula, DC.

- campestris, DC. B. fl., VII, 123  
 longiflora, Benth. B. fl., VII, 123

## Juncus, Linn.

- planifolius, R. Br. B. fl., VII, 125  
 cæspititius, E. Mey. B. fl., VII, 126  
 falcatus, E. Mey. B. fl., VII, 126  
 bufonius, L. B. fl., VII, 127  
 homalocaulis, F. v. M. B. fl., VII, 128  
 revolutus, R. Br. B. fl., VII, 128 (J. Brownii, F. v. M.)  
 communis, E. Mey. B. fl., VII, 128  
 vaginatus, R. Br. B. fl., VII, 129  
 pauciflorus, R. Br. B. fl., VII, 129  
 pallidus, R. Br. B. fl., VII, 130  
 maritimus, Lam. B. fl., VII, 130  
 prismatocarpus, R. Br. B. fl., VII, 131  
 capillaceus, Hk. B. fl., VII, 132 (J. pusillus, Buch.)



## PALMÆ—

- Calamus, Linn.  
 Muelleri, Wendl. B. fl., VII, 135
- Kentia, Blume.  
 monostachya, F. v. M. B. fl., VII, 136 (*Bacularia*)  
 Belmoreana, Ch. Moore & F. v. M. B. fl., VII, 137  
 Forsteriana, Ch. Moore & F. v. M. M. fr., VII, 100  
 Baueri, Seem. M. fr., VII, 102  
 Canterburyana, Ch. Moore & F. v. M. B. fl., VII, 138
- Clinostigma, Wendl.  
 Mooreanum, F. v. M. B. fl., VII, 139
- Ptychosperma, Labill.  
 Cunninghamii, Herm. B. fl., VII, 141
- Livistona, R. Br.  
 australis, Mart. B. fl., VII, 146

## PANDANÆ—

- Pandanus, Linn.  
 pedunculatus, R. Br. B. fl., VII, 149  
 Forsteri, Ch. Moore & F. v. M. B. fl., VII, 149  
 Moorei, F. v. M. (ined.)
- Freycinetia, Gaudich.  
 Baueriana, Endl. prodr. fl. insul. Norf., 25 (1833)

## AROIDEÆ—

- Typhonium, Schott.  
 Brownii, Schott. B. fl., VII, 154
- Colocasia, Schott.  
 macrorrhiza, Schott. B. fl., VII, 155
- Gymnostachys, R. Br.  
 anceps, R. Br. B. fl., VII, 157
- Pothos, Linn.  
 Loureiri, Hk. & Arn. B. fl., VII, 158

## TYPHACEÆ—

- Typha, Linn.  
 angustifolia, L. B. fl., VII, 159
- Sparganium, Linn.  
 angustifolium, R. Br. B. fl., VII, 160

## LEMNACEÆ—

- Wolffia, Horkel.  
 arrhiza, Wimm. B. fl., VII, 162 (*W. Michelii*, Schl.)
- Lemna, Linn.  
 trisulca, L. B. fl., VII, 162  
 minor, L. B. fl., VII, 163  
 oligorrhiza, Kurz. B. fl., VII, 163  
 polyrrhiza, L. B. fl., VII, 164

## NAIADEÆ (FLUVIALES)—

- Triglochin, Linn.  
 striata, Ruiz et Pav. B. fl., VII, 166  
 centrocarpa, Hk. B. fl., VII, 167  
 procera, R. Br. B. fl., VII, 168
- Maundii, F. v. M. B. fl., VII, 169

**NAIDEÆ (FLUVIALES)—continued.****Potamogeton, Linn.**

natans, L. B. fl., VII, 170

perfoliatus, L. B. fl., VII, 172

crispus, L. B. fl., VII, 172

obtusifolius, Mertens &amp; Koch. B. fl., VII, 172

acutifolius, Link. B. fl., VII, 173

**Ruppia, Linn.**

maritima, L. B. fl., VII, 174

**Zostera Linn.**

nana, Mert. B. fl., VII, 176

**Naias, Linn.**

tenuifolia, R. Br. B. fl., VII, 181

**Halophila, Thou.**ovalis, Hk. B. fl., VII, 182 (transferred by F. v. M. to  
HYDROCHARIDEÆ)**ALISMACEÆ—****Alisma, Linn.**

Plantago, L. B. fl., VII, 185

**Damasonium, Juss.**

australe, Salisb. B. fl., VII, 186

**Aponogeton, Thunb.**elongatus, F. v. M. B. fl., VII, 188 (transferred by F. v. M. to  
NAIADEÆ)**ERIOCAULEÆ—****Eriocaulon, Linn.**

australe, R. Br. B. fl., VII, 192

Smithii, R. Br. B. fl., VII, 192

lividum, F. v. M. B. fl., VII, 195

**CENTROLEPIDEÆ (transferred by F. v. M. to RESTIACEÆ)—****Trithuria, Hook. f.**

submersa, Hk. B. fl., VII, 199

**Aphelia, R. Br.**

gracilis, Sond. B. fl., VII, 201

pumilio, F. v. M. B. fl., VII, 201

**Centrolepis, Labill.**

polygyna, Hier. B. fl., VII, 203

glabra, F. v. M. B. fl., VII, 204

aristata, Roem. &amp; Schult. B. fl., VII, 206

fascicularis, Labill. B. fl., VII, 207

strigosa, Roem. &amp; Schult. B. fl., VII, 207

**RESTIACEÆ—****Lepyrodia, R. Br.**

scariosa, R. Br. B. fl., VII, 215

Muelleri, Benth. B. fl., VII, 215

anarthria, F. v. M. B. fl., VII, 216

gracilis, R. Br. B. fl., VII, 216

interrupta, F. v. M. B. fl., VII, 217

**Restio, Linn.**

fastigiatus, R. Br. B. fl., VII, 222

dimorphus, R. Br. B. fl., VII, 224

RESTIACEÆ—*continued.*

- australis*, R. Br. B. fl., VII, 227  
*gracilis*, R. Br. B. fl., VII, 227  
*complanatus*, R. Br. B. fl., VII, 228  
*tetraphyllus*, Labill. B. fl., VII, 228  
*Leptocarpus*, R. Br.  
*tenax*, R. Br. B. fl., VII, 232  
*Brownii*, Hk. B. fl., VII, 233  
*Hypolæna*, R. Br. (*Calostrophus*)  
*lateriflora*, Benth. B. fl., VII, 238  
*fastigiata*, R. Br. B. fl., VII, 239

## CYPERACEÆ—

- Kyllingia*, Rottb.  
*intermedia*, R. Br. B. fl., VII, 251  
*monocephala*, Rottb. B. fl., VII, 251  
*cylindrica*, Nees. B. fl., VII, 252  
*Cyperus*, Linn.  
*Eragrostis*, Vahl. B. fl., VII, 258  
*flavescens*, L. B. fl., VII, 259  
*unioloides*, R. Br. B. fl., VII, 260  
*polystachius*, Rottb. B. fl., VII, 261  
*pygmaeus*, Rottb. B. fl., VII, 262  
*platystylis*, R. Br. B. fl., VII, 264  
*tenellus*, L. B. fl., VII, 265  
*gracilis*, R. Br. B. fl., VII, 265  
*enervis*, R. Br. B. fl., VII, 266  
*debilis*, R. Br. B. fl., VII, 266  
*lævis*, R. Br. B. fl., VII, 267 (*C. trinervis*, R. Br., var.)  
*difformis*, L. B. fl., VII, 268  
*tetraphyllus*, R. Br. B. fl., VII, 269  
*trinervis*, R. Br. B. fl., VII, 269  
*Haspan*, L. B. fl., VII, 270  
*concinus*, R. Br. B. fl., VII, 271  
*filipes*, Benth. B. fl., VII, 271  
*vaginatus*, R. Br. B. fl., VII, 272  
*dactylotes*, Benth. B. fl., VII, 273  
*Gilesii*, Benth. B. fl., VII, 274  
*fulvus*, R. Br. B. fl., V, 274  
*carinatus*, R. Br. B. fl., VII, 274  
*pilosus*, Vahl. B. fl., VII, 275  
*ornatus*, R. Br. B. fl., VII, 276  
*Iria*, L. B. fl., VII, 276  
*rotundus*, L. B. fl., VII, 279  
*congestus*, Vahl. B. fl., VII, 280  
*subulatus*, R. Br. B. fl., VII, 281  
*Gunii*, Hk. B. fl., VII, 283  
*lucidus*, R. Br. B. fl., VII, 283 } (*C. lucidus*, R. Br.)  
*exaltatus*, Retz. B. fl., VII, 285  
*hæmatodes*, Endl. B. fl., VII, 285  
*Bowmanni*, F. v M. B. fl., VII, 287  
*leiocaulon*, Benth. B. fl., VII, 287

CYPERACEÆ—*continued.**Heleocharis*, R. Br.

- sphacelata*, R. Br. B. fl., VII, 292  
*variegata*, Kunth. B. fl., VII, 293 (*H. compacta*, R. Br.)  
*tetraquetra*, Nees. B. fl., VII, 294  
*cylindrostachys*, Boeckel. B. fl., VII, 294  
*acuta*, R. Br. B. fl., VII, 294  
*atricha*, R. Br. B. fl., VII, 295  
*multicaulis*, Sm. B. fl., VII, 295  
*atropurpurea*, Kunth. B. fl., VII, 296  
*acicularis*, R. Br. B. fl., VII, 297  
*pusilla*, R. Br. B. fl., VII, 297 (*H. acicularis*, R. Br., var.)

*Fimbristylis*, Vahl.

- acuminata*, Vahl. B. fl., VII, 301  
*nutans*, Vahl. B. fl., VII, 303  
*monostachya*, Hassk. B. fl., VII, 308  
*velata*, R. Br. B. fl., VII, 309  
*æstivalis*, Vahl. B. fl., VII, 310  
*dichotoma*, Vahl. B. fl., VII, 310,  
*diphylla*, Vahl. B. fl., VII, 311 (*F. communis*, Kunth.)  
*ferruginea*, Vahl. B. fl., VII, 312  
*cyperoides*, R. Br. B. fl., VII, 317  
*Neilsoni*, F. v. M. B. fl., VII, 320  
*barbata*, Benth. B. fl., VII, 321

*Scirpus*, Linn.

- fluitans*, Sm. B. fl., VII, 325  
*lenticularis*, Spr. B. fl., VII, 326  
*crassiuscuius*, Hk. B. fl., VII, 326  
*setaceus*, L. B. fl., VII, 327  
*riparius*, Spr. B. fl., VII, 327  
*cartilagineus*, Spr. B. fl., VII, 328  
*inundatus*, Spr. B. fl., VII, 329  
*prolifer*, Rottb. B. fl., VII, 330  
*supinus*, L. B. fl., VII, 330  
*nodosus*, Rottb. B. fl., VII, 331  
*mucronatus*, L. B. fl., VII, 332  
*pungens*, Vahl. B. fl., VII, 333  
*lacustris*, L. B. fl., VII, 333  
*litoralis*, Schrad. B. fl., VII, 334  
*maritimus*, L. B. fl., VII, 335  
*polystachius*, F. v. M. B. fl., VII, 335

*Lipocarpa*, R. Br.

- microcephala*, R. Br. B. fl., VII, 337

*Fuirena*, Linn.

- glomerata*, Lam. B. fl., VII, 338

*Exocarya*, Benth.

- scleroides*, Benth. B. fl., VII, 339

*Lepironia*, Reichb.

- mucronata*, Reichb. B. fl., VII, 342

*Chorizandra*, R. Br.

- sphærocephala*, R. Br. B. fl., VII, 344  
*enodis*, Nees. B. fl., VII, 344  
*cymbaria*, R. Br. B. fl., VII, 345

CYPERACEÆ—*continued.*

- Oreobolus, R. Br.  
 pumilis, R. Br. B. fl., VII, 346
- Rhynchospora, Vahl.  
 glauca, Vahl. B. fl., VII, 349
- Cyathochæte, Nees.  
 diandra, Nees. B. fl., VII, 352
- Schoenus, Linn.  
 turbinatus, Poir. B. fl., VII, 359  
 aphyllus, Boeckel. B. fl., VII, 361  
 imberbis, R. Br. B. fl., VII, 361  
 nitens, Poir. B. fl., VII, 362  
 ericetorum, R. Br. B. fl., VII, 362  
 tenuissimus, Benth. B. fl., VII, 365 (*Lepidospora tenuissima*,  
 F. v. M.)  
 Moorei, Benth. B. fl., VII, 367  
 villosus, R. Br. B. fl., VII, 367  
 calostachyus, Poir. B. fl., VII, 368  
 brevifolius, R. Br. B. fl., VII, 370  
 melanostachys, R. Br. B. fl., VII, 370  
 vaginatus, F. v. M. B. fl., VII, 371  
 Brownii, Hk. B. fl., VII, 373 (*Sch. apogon*, Roem.)  
 axillaris, Poir. B. fl., VII, 375
- Mesomelana, Nees.  
 deusta, Benth. B. fl. VII, 379 (*Schoenus deustus*, F. v. M.)  
 sphaerocephala, Benth. B. fl., VII, 390 (*Schoenus sphaerocephalus*,  
 Poir.)
- Carpha, R. Br.  
 alpina, R. Br. B. fl., VII, 381
- Tricostularia, Nees.  
 paludosa, Benth. B. fl., VII, 382 (*Schoenus paludosus*, Poir.)
- Lepidosperma, Labill.  
 gladiatum, Labill. B. fl., VII, 387  
 exaltatum, R. Br. B. fl., VII, 389  
 longitudinale, Labill. B. fl., VII, 389  
 concavum, R. Br. B. fl., VII, 390  
 viscidum, R. Br. B. fl., VII, 393  
 laterale, R. Br. B. fl., VII, 393  
 lineare, R. Br. B. fl., VII, 395  
 canescens, Boeckel. B. fl., VII, 396  
 flexuosum, R. Br. B. fl., VII, 398  
 filiforme, Labill. B. fl., VII, 398  
 Neesii, Kunth. B. fl., VII, 399
- Cladium, R. Br.  
 Mariscus R. Br. B. fl., VII, 402  
 insulare, Benth. B. fl., VII, 403  
 articulatum, R. Br. B. fl., VII, 403  
 glomeratum, R. Br. B. fl., VII, 404  
 teretifolium, R. Br. B. fl., VII, 406  
 tetraquetrum, Hk. B. fl., VII, 406  
 schoenoides, R. Br. B. fl., VII, 407  
 Gunnii, Hk. B. fl., VII, 407  
 junceum, R. Br. B. fl., VII, 408

CYPERACEÆ—*continued.**Gahnia*, Forst. (*Cladium*).

- aspera*, Spreng. B. fl., VII, 412
- trifida*, Labill. B. fl., VII, 413
- melanocarpa*, R. Br. B. fl., VII, 413
- Sieberi*, Boeckel. B. fl., VII, 414
- microstachya*, Benth. B. fl., VII, 414
- xanthocarpa*, Hk. B. fl., VII, 418
- psittacorum*, Labill. B. fl., VII, 418

*Caustis*, R. Br.

- pentandra*, R. Br. B. fl., VII, 420
- flexuosa*, R. Br. B. fl., VII, 421
- recurvata*, R. Br. B. fl., VII, 421
- restiacea*, F. v. M. B. fl., VII, 421

*Scleria*, Berg.

- hebecarpa*, Nees. B. fl., VII, 431
- sphacelata*, F. v. M. B. fl., VII, 432

*Uncinia*, Pers.

- riparia*, R. Br. B. fl., VII, 434
- debilior*, F. v. M. B. fl., VII, 435

*Carex*, Linn.

- cephalotes*, F. v. M. B. fl., VII, 437
- acicularis*, Boott. B. fl., VII, 437
- capillacea*, Boott. B. fl., VII, 438
- inversa*, R. Br. B. fl., VII, 438
- canescens*, L. B. fl., VII, 439
- echinata*, Murr. B. fl., VII, 439
- hypandra*, F. v. M. B. fl., VII, 439
- chlorantha*, R. Br. B. fl., VII, 440
- paniculata*, L. B. fl., VII, 440
- declinata*, Boott. B. fl., VII, 441
- tereticaulis*, F. v. M. B. fl., VII, 441
- gracilis*, R. Br. B. fl., VII, 442
- contracta*, F. v. M. B. fl., VII, 442
- vulgaris*, Fries. B. fl., VII, 442 (*C. Gaudichaudiana*, Kunth.)
- acuta*, L. B. fl., VII, 443
- lobolepis*, F. v. M. B. fl., VII, 443
- Buxbaumii*, Vahl. B. fl., VII, 444
- pumila*, Thunb. B. fl., VII, 445
- breviculmis*, R. Br. B. fl., VII, 445
- Gunniana*, Boott. B. fl., VII, 446
- maculata*, Boott. B. fl., VII, 447
- Brownii*, Tuckerm. B. fl., VII, 447
- longifolia*, R. Br. B. fl., VII, 448
- Pseudo-Cyperus*, L. B. fl., VII, 448

## GRAMINEÆ—

*Paspalum*, Linn.

- scrobiculatum*, L. B. fl., VII, 460
- distichum*, L. B. fl., VII, 460
- brevifolium*, Flügge. B. fl., VII, 461

*Eriochloa*, H. & K.

- punctata*, Hamilt. B. fl., VII, 462
- annulata*, Kunth. B. fl., VII, 463

GRAMINEÆ—*continued.**Panicum*, Linn.

- coenicolum*, F. v. M. B. fl., VII, 467  
*divaricatissimum*, R. Br. B. fl., VII, 467  
*macractinium*, Benth. B. fl., VII, 468  
*sanguinale*, L. B. fl., VII, 469  
*tenuissimum*, Benth. B. fl., VII, 470  
*parviflorum*, R. Br. B. fl., VII, 470  
*Baileyi*, Benth. B. fl., VII, 471  
*leucophæum*, Humb & Bonpl. B. fl., VII, 472  
*semialatum*, R. Br. B. fl., VII, 472  
*flavidum*, Retz. B. fl., VII, 474  
*gracile*, R. Br. B. fl., VII, 475  
*helopus*, Trin. B. fl., VII, 476  
*distachyon*, L. B. fl., VII, 478  
*reversum*, F. v. M. B. fl., VII, 478  
*Crus-Galli*, L. B. fl., VII, 479  
*Indicum*, L. B. fl., VII, 480  
*foliosum*, R. Br. B. fl., VII, 481  
*adpersum*, Trin. B. fl., VII, 481  
*uncinulatum*, R. Br. B. fl., VII, 482  
*repens*, L. B. fl., VII, 484  
*pygmæum*, R. Br. B. fl., VII, 484  
*marginatum*, R. Br. B. fl., VII, 485  
*obseptum*, Trin. B. fl., VII, 486  
*bicolor*, R. Br. B. fl., VII, 487  
*melananthum*, F. v. M. B. fl., VII, 488  
*effusum*, R. Br. B. fl., VII, 488  
*Mitchelli*, Benth. B. fl., VII, 489  
*decompositum*, R. Br. B. fl., VII, 489  
*trachyrhachis*, Benth. B. fl., VII, 490  
*prolutum*, F. v. M. B. fl., VII, 490

*Oplismenus*, Beauv.

- compositus*, Beauv. B. fl., VII, 491 } (*Opl. compositus*,  
*setarius*, Roem. & Schutt. B. fl., VII, 492 } Palisot.)

*Setaria*, Beauv.

- glauca*, Palis. B. fl., VII, 492  
*macrostachya*, H. B. & K. B. fl., VII, 493

*Pennisetum*, Rich.

- compressum*, R. Br. B. fl., VII, 495

*Cenchrus*, Linn.

- australis*, R. Br. B. fl., VII, 497

*Chamæraphis*, R. Br. (*Panicum*)

- spinescens*, Poir. B. fl., VII, 498  
*paradoxa*, Poir. B. fl., VII, 499

*Spinifex*, Linn.

- hirsutus*, Labill. B. fl., VII, 503  
*paradoxus*, Benth. B. fl., VII, 504

*Zoysia*, Willd.

- pungens*, Willd. B. fl., VII, 506

*Lappago*, Schreb.

- racemosa*, Willd. B. fl., VII, 506 (*Tragus racemosus*, Hall.)

**GRAMINEÆ—continued.**

- Neurachne, R. Br.**  
*alopecurioides*, R. Br. B. fl. VII, 507  
*Mitchelliana*, Nees. B. fl. VII, 508  
*Munroi*, F. v. M. B. fl. VII, 508
- Perotis, Ait.**  
*rara*, R. Br. B. fl. VII, 509
- Hemarthria, R. Br.**  
*compressa*, R. Br. B. fl. VII, 510
- Heteropogon, Pers.**  
*contortus*, Roem. B. fl. VII, 517 (*Andropogon contortus*, L.)
- Ischaemum, Linn.**  
*triticeum*, R. Br. B. fl. VII, 519  
*australe*, R. Br. B. fl. VII, 519  
*ciliare*, Retz. B. fl. VII, 520  
*pectinatum*, Trin. B. fl. VII, 521
- Arthraxon, Beauv.**  
*ciliare*, Palis. B. fl., VII, 524
- Pollinia, Trin.**  
*fulva*, Benth. B. fl., VII, 526 (*Erianthus fulvus*, Kunth.)
- Andropogon, Linn.**  
*erianthoides*, F. v. M. B. fl., VII, 529  
*sericeus*, R. Br. B. fl., VII, 529  
*affinis*, R. Br. B. fl., VII, 530  
*pertusus*, Willd. B. fl., VII, 530  
*intermedius*, R. Br. B. fl., VII, 531  
*bombycinus*, R. Br. B. fl., VII, 533  
*refractus*, R. Br. B. fl., VII, 534  
*laehnatherus*, Benth. B. fl., VII, 534
- Imperata, Cyr.**  
*arundinacea*, Cyr. B. fl., VII, 536
- Chrysopogon, Trin.**  
*Gryllus*, Trin. B. fl., VII, 537 (*Andropogon Gryllus*, L.)  
*parviflorus*, Benth. B. fl., VII, 537 (*Andropogon montauus*, Roxb.)
- Sorghum, Pers.**  
*halpense*, Pers. B. fl., VII, 540 (*Andropogon Halpensis*, Sibth.)  
*plumosum*, Beauv. B. fl., VII, 540 (*Andropogon australis*, Spreng.)
- Anthistiria, Linn.**  
*ciliata*, L. B. fl. VII, 542  
*avenacea*, F. v. M. B. fl., VII, 543  
*membranacea*, Lindl. B. fl., VII, 543
- Apluda, Linn.**  
*mutica*, L. B. fl., VII, 544
- Arundinella, Raddi.**  
*Nepalensis*, Trin. B. fl., VII, 545
- \***Polypogon, Desf.**  
*monspeliensis*, Desf. B. fl., VII, 546
- Leersia, Swartz.**  
*hexandra*, Sw. B. fl., VII, 549
- Potamophila, R. Br.**  
*parviflora*, R. Br. B. fl., VII, 550
- Microlæna, R. Br.**  
*stipoides*, R. Br. B. fl., VII, 552 (*Ehrharta stipoides*, Labill.)



## GRAMINEÆ—continued.

- Tetrarrhena, R. Br.  
 juncea, R. Br. B. fl., VII, 554 (Ehrharta juncea, Spreng.)
- Alopecurus, Linn.  
 geniculatus, L. B. fl., VII, 555
- \*Antboxanthum, Linn.  
 odoratum, L. B. fl., VII, 557
- Hierochloc, Gmel.  
 redolens, R. Br. B. fl., VII, 558  
 rariflora, Hk. B. fl., VII, 559
- Aristida, Linn.  
 stipoides, R. Br. B. fl., VII, 561  
 arenaria, Gaud. B. fl., VII, 561  
 Behriana, F. v. M. B. fl., VII, 562  
 leptopoda, Benth. B. fl., VII, 562  
 vagans, Cav. B. fl., VII, 562  
 ramosa, R. Br. B. fl., VII, 563  
 calycina, R. Br. B. fl., VII, 563  
 depressa, Retz. B. fl., VII, 563
- Stipa, Linn.  
 elegantissima, Labill. B. fl., VII, 565  
 Tuckeri, F. v. M. M. fr., XI, 129  
 micrantha, Cav. B. fl., VII, 566 (St. verticillata, Nees.)  
 flavescens, Labill. B. fl., VII, 566  
 setacea, R. Br. B. fl., VII, 568  
 semibarbata, R. Br. B. fl., VII, 568  
 pubescens, R. Br. B. fl., VII, 569  
 aristiglumis, F. v. M. B. fl., VII, 570  
 scabra, Lindl. B. fl., VII, 570
- Pentapogon, R. Br.  
 Billardieri, R. Br. B. fl., VII, 572
- Dichelachne, Endl.  
 crinita, Hk. B. fl., VII, 574  
 sciurea, Hk. B. fl., VII, 574
- Agrostis, Linn.  
 Muelleri, Benth. B. fl., VII, 576  
 scabra, Willd. B. fl., VII, 576  
 venusta, Trin. B. fl., VII, 576
- Deyeuxia, Clarion. (Agrostis)  
 Forsteri, Kunth. B. fl., VII, 579 (A. Solandri, F. v. M.)  
 Billardieri, Kunth. B. fl., VII, 580  
 plebeia, Benth. B. fl., VII, 580  
 montana, Benth. B. fl., VII, 581  
 quadriseta, Benth. B. fl., VII, 581  
 frigida, F. v. M. B. fl., VII, 583  
 scabra, Benth. B. fl., VII, 583  
 nivalis, Benth. B. fl., VII, 583  
 breviglumis, Benth. B. fl., VII, 584
- \*Holcus, Linn.  
 lanatus, L. B. fl., VII, 586
- Deschampsia, Beauv.  
 cæspitosa, Beauv. B. fl., VII, 587 (Aira cæspitosa, L.)
- Trisetum, Beauv.  
 subspicatum, Palis. B. fl., VII, 588

GRAMINEÆ—*continued.*

- Amphibromus, Nees.  
*Neesii*, Steud. B. fl., VII, 589 (*Danthonia nervosa*, Hk.)
- Anisopogon, R. Br.  
*avenaceus*, R. Br. B. fl., VII, 590
- Danthonia, DC.  
*paradoxa*, R. Br. B. fl., VII, 591  
*bipartita*, F. v. M. B. fl., VII, 592  
*carphoides*, F. v. M. B. fl., VII, 592  
*pallida*, R. Br. B. fl., VII, 592  
*longifolia*, R. Br. B. fl., VII, 593  
*racemosa*, R. Br. B. fl., VII, 594  
*pilosa*, R. Br. B. fl., VII, 594  
*semiannularis*, R. Br. B. fl., VII, 595  
*robusta*, F. v. M. B. fl., VII, 593  
*pauciflora*, R. Br. B. fl., VII, 596
- Amphipogon, R. Br.  
*strictus*, R. Br. B. fl., VII, 597
- Echinopogon, Beauv.  
*ovatus*, Palis. B. fl., VII, 599
- Pappophorum, Schreb.  
*nigricans*, R. Br. B. fl., VII, 600  
*avenaceum*, Lindl. B. fl., VII, 601
- Astrebla, F. v. M.  
*pectinata*, F. v. M. B. fl., VII, 602  
*triticoides*, F. v. M. B. fl., VII, 602
- Triraphis, R. Br.  
*mollis*, R. Br. B. fl., VII, 603  
*microdon*, Benth. B. fl., VII, 605 (*Triodia microdon*, F. v. M.)
- Triodia, R. Br.  
*Mitchelli*, Benth. B. fl., VII, 606  
*irritans*, R. Br. B. fl., VII, 607
- Cynodon, Pers.  
*Dactylon*, L. C. Rich. B. fl., VII, 609
- Chloris, Linn.  
*acicularis*, Lindl. B. fl., VII, 612  
*truncata*, R. Br. B. fl., VII, 612  
*ventricosa*, R. Br. B. fl., VII, 613
- Eleusine, Gærtn.  
*Aegyptica*, Pers. B. fl., VII, 615  
*Indica*, Gærtn. B. fl., VII, 615
- Leptochloa, Beauv. (Eleusine).  
*subdigitata*, Trin. B. fl., VII, 617  
*Chinensis*, Nees. B. fl., VII, 617
- Diplachne, Beauv.  
*loliiformis*, F. v. M. B. fl., VII, 618  
*fusca*, Palis. B. fl., VII, 619
- Sporobolus, R. Br.  
*Virginicus*, Humb & Kunth. B. fl., VII, 621  
*Indicus*, R. Br. B. fl., VII, 622  
*diander*, Palisot. B. fl., VII, 622  
*pulchellus*, R. Br. B. fl., VII, 623  
*Lindleyi*, Benth. B. fl., VII, 623  
*actinocladius*, F. v. M. B. fl., VII, 623

GRAMINEÆ—*continued.*

- Isachne*, R. Br.  
     *australis*, R. Br. B. fl., VII, 625 (*Panicum atrovirens*, Trin.)  
*Eriachne*, R. Br.  
     *aristidea*, F. v. M. B. fl., VII, 629  
     *obtusa*, R. Br. B. fl., VII, 632  
*Ectrosia*, R. Br.  
     *leporina*, R. Br. B. fl., VII, 633  
 \**Lamarckia*, Moench.  
     *aurea*, Moench. B. fl., VII, 636  
*Phragmites*, Trin.  
     *communis*, Trin. B. fl., VII, 636 (*Arundo Phragmites*, Dod.)  
*Distichlis*, Rafin.  
     *maritima*, Rafin. B. fl., VII, 637  
*Elythrophorus*, Beauv.  
     *articulatus*, Palis. B. fl., VII, 638  
 \**Koeleria*, Pers.  
     *cristata*, Pers. B. fl., VII, 639  
     *phleoides*, Pers. B. fl., VII, 639  
 \**Dactylis*, Linn.  
     *glomerata*, L. B. fl., VII, 640  
*Eragrostis*, Beauv.  
     *tenella*, Palisot. B. fl., VII, 643  
     *nigra*, Nees. B. fl., VII, 643  
     *megalosperma*, F. v. M. B. fl., VII, 644  
     *pilosa*, Palisot. B. fl., VII, 645  
     *leptostachya*, Steud. B. fl., VII, 645  
     *diandra*, Steud. B. fl., VII, 646  
     *Brownii*, Nees. B. fl., VII, 646  
     *laniflora*, Benth. B. fl., VII, 648  
     *eriopoda*, Benth. B. fl., VII, 648  
     *chatophylla*, Steud. B. fl., VII, 648 (*E. setifolia*, Nees.)  
     *lacunaria*, F. v. M. B. fl., VII, 649  
     *falcata*, Gaud. B. fl., VII, 649  
*Poa*, Linn.  
     *cæspitosa*, Forst. B. fl., VII, 651  
     *nodosa*, Nees. B. fl., VII, 653  
     \**annua*, L. B. fl., VII, 654  
     *lepida*, F. v. M. B. fl., VII, 654  
     \**glauca*, E. B.  
     \**pratensis*, Willd.  
*Schedonorus*, Beauv.  
     *litoralis*, Beauv. B. fl., VII, 655 (*Festuca litoralis*, Labill.)  
     *Hookerianus*, Benth. B. fl., VII, 656 (*Festuca Hookeriana*, F. v. M.)  
*Glyceria*, R. Br. (Poa).  
     *Fordeana*, F. v. M. B. fl., VII, 657  
     *fluitans*, R. Br. B. fl., VII, 657  
     *latispicea*, F. v. M. B. fl., VII, 658  
     *ramigera*, F. v. M. B. fl., VII, 659  
 \**Briza*, Linn.  
     *minor*, L. B. fl., VII, 660  
     *maxima*, L. B. fl., VII, 660

GRAMINEÆ—*continued.*

- Bromus, Linn.  
 arenarius, Labill. B. fl., VII, 661  
 \*mollis, L. B. fl., VII, 661  
 \*sterilis, L. B. fl., VII, 662  
 \*Ceratochloa, Beauv. & DC.  
 unioloides, DC. B. fl., VII, 662  
 Festuca, Linn.  
 duriuscula, L. B. fl., VII, 663  
 \*bromoides, L. B. fl., VII, 663  
 \*rigida, Mert. & Koch. B. fl., VII, 664  
 Agropyron, Beauv.  
 scabrum, Palisot. B. fl., VII, 665  
 velutinum, Nees. B. fl., VII, 665  
 pectinatum, Palis. B. fl., VII, 666  
 \*Lolium, Linn.  
 perenne, L. B. fl., VII, 666  
 temulentum, L. B. fl., VII, 667  
 Lepturus, R. Br.  
 incurvatus, Trin. B. fl., VII, 668  
 cylindricus, Trin. B. fl., VII, 668  
 \*Hordeum, Linn.  
 murinum, L. B. fl., VII, 669  
 nodosum, L. B. fl., VII, 669  
 \*Stenotaphrum, Trin.  
 americanum, Schr. B. fl., VII, 500  
 \*Phalaris, Linn.  
 canariensis, L.  
 \*Avena, Linn.  
 fatua, L.

## CLASS III—ACOTYLEDONES.

## LYCOPODIACEÆ—

- Phylloglossum, Kunze.  
 Drummondii, Kunze. B. fl., VII, 672  
 Lycopodium, Linn.  
 Selago L. B. fl., VII, 674  
 varium, R. Br. B. fl., VII, 674 (L. Selago, L., var.)  
 clavatum, R. Br. B. fl., VII, 675  
 Carolinianum, L. B. fl., VII, 675  
 laterale, R. Br. B. fl., VII, 675  
 densum, Labill. B. fl., VII, 676  
 Selaginella, Spring.  
 Preissiana, Spring. B. fl., VII, 677  
 uliginosa, Spring. B. fl., VII, 678  
 Belangeri, Spring. B. fl., VII, 679  
 Azolla, Linn. (transferred by F. v. M. to Rhizospermæ.)  
 pinnata, R. Br. B. fl., VII, 679  
 rubra, R. Br. B. fl., VII, 680 (A. filiculoides, Lam.)

LYCOPODIACEÆ—*continued*.

- Tmesipteris*, Bernh.  
*Tannensis*, Bernh. B. fl., VII, 680  
*Psilotum*, Swartz.  
*triquetrum*, Swartz. B. fl., VII, 681

## MARSILEACEÆ (RHIZOSPERMÆ)—

- Marsilea*, Linn.  
*quadrifolia*, L. B. fl., VII, 683  
*hirsuta*, R. Br. B. fl., VII, 683 (*M. quadrifolia*, L., var.)  
*Drummondii*, A. Br. B. fl., VII, 684 (*M. quadrifolia*, L., var.)  
*Pilularia*, Linn.  
*globulifera*, L. B. fl., VII, 684

## FILICES—

- Ophioglossum*, Linn.  
*vulgatum*, L. B. fl., VII, 688  
*pendulum*, L. B. fl., VII, 689  
*Botrychium*, Swartz.  
*Lunaria*, Swartz. B. fl., VII, 690  
*ternatum*, Sw. B. fl., VII, 690  
*Lygodium*, Swartz.  
*scandens*, Swartz. B. fl., VII, 691  
*Schizæa*, Sm.  
*bifida*, Swartz. B. fl., VII, 693 (*Sch. dichotoma*, Swartz, var.)  
*rupestris*, R. Br. B. fl., VII, 693  
*dichotoma*, Swartz. B. fl., VII, 694  
*Marattia*, Sm.  
*fraxinea*, Sm. B. fl., VII, 695  
*Platyzoma*, R. Br.  
*microphyllum*, R. Br. B. fl., VII, 696 (*Gleichenia platyzoma*,  
 F. v. M.)  
*Gleichenia*, Sm.  
*circinata*, Sw. B. fl., VII, 697  
*dicarpa*, R. Br. B. fl., VII, 698  
*flabellata*, R. Br. B. fl., VII, 698  
*dichotoma*, Hk. B. fl., VII, 698 (*Gl. Hermannii*, R. Br.)  
*Todea*, Willd. (*Osmunda*)  
*barbara*, T. Moore. B. fl., VII, 699  
*Fraseri*, Hk. B. fl., VII, 700  
*Moorei*, Bak. B. fl., VII, 700  
*Trichomanes*, Linn.  
*Vitiense*, Bak. B. fl., VII, 701  
*parvulum*, Poir. B. fl., VII, 701  
*digitatum*, Sw. B. fl., VII, 702  
*venosum*, R. Br. B. fl., VII, 702  
*rigidum*, Sw. B. fl., VII, 702  
*humile*, Forst. florul. ins. Austr. prodr., 84 (1876)  
*caudatum*, Brackenr. B. fl., VII, 703  
*apiifolium*, Presl. B. fl., VII, 703 (*Tr. Bauerianum*, Endl.)  
*Hymenophyllum*, Sm.  
*marginatum*, Hk. & Grev. B. fl., VII, 705  
*flabellatum*, Labill. B. fl., VII, 705 (*H. nitens*, R. Br.)

FILICES—*continued.*

- Javanicum*, Spreng. B. fl., VII, 705  
*minimum*, A. Rich. B. fl., VII, 706  
*pumilum*, A. Rich. B. fl., VII, 706  
*Tunbridgense*, Sm. B. fl., VII, 706  
*multifidum*, Sw. B. fl., VII, 707
- } (H. Tunbridgense, Sm.)
- Cyathea*, Sm.  
*Lindseyana*, Hk. B. fl., VII, 708  
*Macarthurii*, F. v. M. B. fl., VII, 708  
*medullaris*, Sw. B. fl., VII, 708  
*brevipinna*, Hk. B. fl., VII, 709
- Hemitelia*, R. Br. (*Cyathea*)  
*Moorei*, Bak. B. fl., 709
- Alsophila* R. Br.  
*Loddigesii*, Kunze. B. fl., VII, 710  
*australis*, R. Br. B. fl., VII, 710  
*excelsa*, R. Br., *prodr.*, 158 (1865)  
*Leichhardtiana*, F. v. M. B. fl., VII, 711
- Dicksonia*, L' Hér.  
*antarctica*, Labill. B. fl., VII, 712  
*Youngia*, Ch. Moore. B. fl., VII, 713  
*davallioides*, R. Br. B. fl., VII, 713
- Deparia*, Hook & Grev. (*Dicksonia*)  
*nephrodioides*, Baker. B. fl., VII, 714
- Davallia*, Sm.  
*pyxidata*, Cav. B. fl., VII, 716  
*dubia*, R. Br. B. fl., VII, 716
- Vittaria*, Sm.  
*elongata*, Sw. B. fl., VII, 718
- Lindsaya*, Dryand.  
*linearis*, Sw. B. fl., VII, 719  
*microphylla*, Sw. B. fl., VII, 721
- Adiantum*, Linn.  
*Aethiopicum*, L. B. fl., VII, 724  
*formosum*, R. Br. B. fl., VII, 724  
*affine*, Willd. B. fl., VII, 724  
*diaphanum*, Blume. B. fl., VII, 725  
*hispidulum*, Sw. B. fl., VII, 725
- Hypolepis*, Bernh.  
*tenuifolia*, Bernh. B. fl., VII, 726
- Cheilanthes*, Swartz.  
*tenuifolia*, Sw. B. fl., VII, 726
- Pteris*, Linn.  
*geraniifolia*, Raddi. B. fl., VII, 728  
*paradoxa*, Bak. B. fl., VII, 729  
*falcata*, R. Br. B. fl., VII, 729  
*longifolia*, L. B. fl., VII, 730  
*umbrosa*, R. Br. B. fl., VII, 730  
*tremula*, R. Br. B. fl., VII, 731 (*Pt. arguta*, Ait.)  
*aquilina*, L. B. fl., VII, 731  
*incisa*, Thunb. B. fl., VII, 732  
*comans*, Forst. B. fl., VII, 733

FILICES—*continued.**Lomaria*, Willd.

- Patersoni*, Spreng. B. fl., VII, 734  
*discolor*, Willd. B. fl., VII, 735  
*lanceolata*, Spreng. B. fl., VII, 735  
*attenuata*, Willd. B. fl., VII, 736  
*alpina*, Spreng. B. fl., VII, 736  
*fluviatilis*, Spreng. B. fl., VII, 736  
*Fullageri*, F. v. M. B. fl., VII, 737  
*Capensis*, Willd. B. fl., VII, 737

*Blechnum*, Linn.

- cartilagineum*, Sw. B. fl., VII, 738  
*laevigatum*, Cav. B. fl., VII, 739  
*serrulatum*, Rich. B. fl., VII, 739

*Doodia*, R. Br. (*Woodwardia*)

- aspera*, Mett. B. fl., VII, 741  
*blechnoides*, A. Cunn. B. fl., VII, 741 (*D. aspera*, Mett., var.)  
*caudata*, R. Br. B. fl., VII, 742

*Asplenium*, Linn.

- Nidus*, L. B. fl., VII, 744  
*attenuatum*, R. Br. B. fl., VII, 745  
*Trichomanes*, L. B. fl., VII, 745  
*flabellifolium*, Cav. B. fl., VII, 745  
*falcatum*, Cav. B. fl., VII, 746  
*Hookerianum*, Colens. B. fl., VII, 747  
*furcatum*, Thunb. B. fl., VII, 747  
*bulbiferum*, Forst. B. fl., VII, 748  
*obtusatum*, Forst. B. fl., VII, 747 } (*A. marinum*, L.)  
*flaccidum*, Forst. B. fl., VII, 749 }  
*pteridioides*, Baker. B. fl., VII, 749  
*umbrosum*, J. Sm. B. fl., VII, 749  
*maximum*, Don. B. fl., VII, 751  
*melanochlamys*, Hk. B. fl., VII, 751

*Aspidium*, Swartz.

- cordifolium*, Sw. B. fl., VII, 754  
*ramosum*, Palisot. B. fl., VII, 754  
*unitum*, Sw. B. fl., VII, 755  
*molle*, Sw. B. fl., VII, 756  
*truncatum*, Gaud. B. fl., VII, 756  
*aculeatum*, Sw. B. fl., VII, 757  
*aristatum*, Sw. B. fl., VII, 757  
*Capense*, Willd. B. fl., VII, 758  
*apicale*, Baker. B. fl., VII, 758  
*decompositum*, Spreng. B. fl., VII, 758  
*tenerum*, Spreng. B. fl., VII, 759  
*tericaule*, Thw. B. fl., VII, 759 (*Asp. uliginosum*, Kunze.)

*Polypodium*, Linn.

- australe*, Mett. B. fl., VII, 762  
*Hookeri*, Brackenr. B. fl., VII, 763  
*grammitidis*, R. Br. B. fl., VII, 764  
*tenellum*, Forst. B. fl., VII, 764  
*punctatum*, Thunb. B. fl., VII, 764

FILICES—*continued.*

- proliferum, Roxb. B. fl., VII, 765
- serpens, Forst. B. fl., VII, 767
- confluens, R. Br. B. fl., VII, 767
- attenuatum, R. Br. B. fl., VII, 768
- pustulatum, Forst. B. fl., VII, 769
- scandens, Forst. B. fl., VII, 770
- rigidulum, Sw. B. fl., VII, 771
- Notholæna, R. Br.
  - vellea, R. Br. B. fl., VII, 773 (Cheilanthes vellea, F. v. M.)
  - distans, R. Br. B. fl., VII, 774 (Cheilanthes distans, A. Br.)
- Grammitis, Swartz.
  - rutæfolia, R. Br. B. fl., VII, 775
  - leptophylla, Sw. B. fl., VII, 776
- Acrostichum, Linn.
  - aureum, L. B. fl., VII, 779
  - spicatum, L. B. fl., VII, 780
- Platycterium, Desv.
  - albicorne, Desv. B. fl., VII, 780
  - grande, J. Sm. B. fl., VII, 781





## INDEX OF ORDERS AND GENERA.

Page		Page		Page
23	Abrophyllum .....	63	Ampera .....	31
7	Abutilon .....	83	Amphibromus .....	11
21	Acacia .....	83	Amphipogon .....	14
23	Acæna .....	14	Anacardiaceæ .....	58
63	Acalypha .....	44	Anagallis .....	37
51	Acanthaceæ .....	2	Ancana .....	31
44	Achras .....	81	Andropogon .....	55
57	Achyranthes .....	73	Aneilema .....	64
69	Acianthus .....	30	Anethum .....	85
28	Acicalyptus .....	36	Angianthus .....	52
30	Aciphylla .....	26	Angophora .....	85
23	Ackama .....	72	Anguillaria .....	
37	Acomis .....	56	Anisacantha .....	55
11	Acronychia .....	83	Anisopogon .....	23
23	Acrophyllum .....	2	Anonaceæ .....	74
89	Acrostichum .....	23	Anopterus .....	25
43	Acrotriche .....	39	Antennaria .....	63
63	Actephila .....	40	Anthemis .....	61
30	Actinotus .....	81	Anthistiria .....	2
33	Adenostemma .....	49	Anthocercis .....	20
87	Adiantum .....	82	Anthoxanthum .....	72
1	Adrastea .....	16	Aotus .....	55, 56
63	Adriana .....	64	Aphananthe .....	24
44	Aegiceras .....	23	Aphanopetalum .....	20
19	Aeschynomene .....	75	Aphelia .....	40
23	Agrimonia .....	30	Apium .....	58
85	Agropyron .....	81	Apluda .....	6
82	Agrostis .....	45	Apocynææ .....	62
11	Ailanthus .....	75	Aponogeton .....	62
82	Aira .....	4	Apophyllum .....	35
29	Aizoon .....	2	Arabis .....	51
53	Ajuga .....	31	Araliaceæ .....	5
14	Akania .....	66	Araucaria .....	4
72	Alania .....	44	Ardisia .....	71
22	Albizzia .....	2	Argemone .....	88
23	Alchemilla .....	23	Argophyllum .....	3
63	Alchornea .....	82	Aristida .....	64
75	Alisma .....	65	Aristolochia .....	57
75	Alismaceæ .....	65	Aristolochiaceæ .....	47
72	Allium .....	8	Aristotelia .....	9
82	Alopecurus .....	74	Aroideæ .....	10
12	Alphitonia .....	49	Artanema .....	17
67	Alpinia .....	81	Arthraxon .....	86
87	Alsophila .....	72	Arthropodium .....	10
45	Alstonia .....	81	Arundinella .....	7
57	Alternanthera .....	84	Arundo .....	34
3	Alyssum .....	46	Asclepiadææ .....	42
45	Alyxia .....	46	Asclepias .....	49
56	Amarantaceæ .....	47	Asperifoliæ .....	2
56	Amarantus .....	32	Asperula .....	3
70	Amaryllidææ .....	88	Aspidium .....	48
28	Ammannia .....	88	Asplenium .....	63
30	Ammi .....	71	Astelia .....	63
37	Ammobium .....	33, 34	Aster .....	84
12	Amoora .....	10	Asterolasia .....	85
44	Amorphospermum .....	83	Astrebla .....	52
13	Ampelidææ .....	42	Astroloma .....	41
			Astrotricha .....	
			Atalantia .....	
			Atalaya .....	
			Atherosperma .....	
			Athrixia .....	
			Atkinsonia .....	
			Atriplex .....	
			Australina .....	
			Avena .....	
			Avicennia .....	
			Azolla .....	
			Babbagia .....	
			Backhousia .....	
			Bacularia .....	
			Bæckea .....	
			Baloghia .....	
			Banksia .....	
			Barbarea .....	
			Barklya .....	
			Bartlingia .....	
			Bassia .....	
			Bauera .....	
			Bauhinia .....	
			Bedfordia .....	
			Beilschmiedia .....	
			Bergia .....	
			Bertya .....	
			Beyeria .....	
			Bidens .....	
			Bignoniaceæ .....	
			Billardiera .....	
			Bixineæ .....	
			Blandfordia .....	
			Blechnum .....	
			Blenndia .....	
			Boehmeria .....	
			Boerhaavia .....	
			Boraginææ .....	
			Boronia .....	
			Bosistoa .....	
			Bossiaæ .....	
			Botrychium .....	
			Bouchardatia .....	
			Brachychiton .....	
			Brachycome .....	
			Brachyloma .....	
			Bramia .....	
			Brasenia .....	
			Brassica .....	
			Breweria .....	
			Breynia .....	
			Bridelia .....	
			Briza .....	
			Bromus .....	
			Brunella .....	
			Brunonia .....	

	Page		Page		Page
Bryonia .....	29	Cedrela .....	12	Conyza .....	34
Bryonopsis .....	29	Celastrineæ .....	12	Coprosma .....	32
Buchnera .....	50	Celastrus .....	12	Corchorus .....	8
Bulbine .....	72	Celmisia .....	34	Cordyline .....	71
Bulbophyllum .....	67	Celsia .....	50	Cornaceæ .....	31
Bupleurum .....	30	Celtis .....	64	Correa .....	10
Burchardia .....	72	Cenchrus .....	80	Corynotheca .....	72
Burmannia .....	70	Centaurea .....	33	Corysanthes .....	69
Burmanniaceæ .....	70	Centipeda .....	36	Cotula .....	36
Bursaria .....	4	Centranthera .....	50	Craspedia .....	36
		Centratherum .....	33	Crasulaceæ .....	24
Cabomba .....	2	Centrolepideæ .....	75	Crantzia .....	30
Cadellia .....	11	Centrolepis .....	75	Crepis .....	40
Cæsalpina .....	20	Cerastium .....	5	Cressa .....	48
Cæsalpinieæ .....	20	Ceratochloa .....	85	Crinum .....	71
Cæsia .....	72	Ceratopetalum .....	23	Cristaria .....	7
Cakile .....	3	Ceratophyllum .....	25	Crotalaria .....	17
Caladenia .....	70	Chamæraphis .....	80	Croton .....	63
Calamus .....	74	Chamæscilla .....	72	Crowea .....	10
Calandrinia .....	6	Cheilanthes .....	87, 89	Crucifere .....	2
Calanthe .....	68	Cheiranthra .....	5	Cryptandra .....	13
Caleana .....	69	Chenolea .....	55	Cryptocarya .....	58
Caleya .....	69	Chenopodiaceæ .....	54	Cryptostemma .....	40
Callicarpa .....	52	Chenopodium .....	54	Cryptostylis .....	68
Callicoma .....	23	Chilocarpus .....	45	Cucumis .....	29
Callistemon .....	26	Chiloglottis .....	70	Cucurbitaceæ .....	29
Callitriche .....	25	Chloanthes .....	52	Cudrania .....	64
Callitris .....	66	Chloris .....	83	Cupania .....	13, 14
Calocephalus .....	36	Choretrum .....	65	Cupulifere .....	65
Calochilus .....	68	Chorizandra .....	77	Curculigo .....	70
Calostemma .....	71	Chorizema .....	15	Cuscuta .....	48
Calostrophus .....	76	Chrysanthemum .....	40	Cuttsia .....	23
Calotis .....	34	Chrysophyllum .....	44	Cyathea .....	87
Calycotrix .....	25	Chrysopogon .....	81	Cyathochaete .....	78
Calythrix .....	25	Chthonocephalus .....	36	Cycadæe .....	66
Camelina .....	4	Cichorium .....	40	Cymbidium .....	68
Campanulaceæ .....	42	Cirsium .....	40	Cymbonotus .....	40
Canavalia .....	19	Citriobatus .....	5	Cynodon .....	83
Candollea .....	40	Citrus .....	11	Cynoglossum .....	47
Candolleaceæ .....	40	Cladium .....	78, 79	Cyperaceæ .....	76
Cannabis .....	65	Claoxylon .....	63	Cyperus .....	76
Canthium .....	32	Claytonia .....	6	Cyrtostylis .....	70
Capparidæe .....	4	Cleisostoma .....	68		
Capparis .....	2	Cleistanthus .....	63	Dactylis .....	84
Caprifoliaceæ .....	31	Clematis .....	1	Dæmia .....	46
Capsella .....	3	Cleome .....	4	Damasonium .....	75
Cardamine .....	2	Clerodendron .....	52	Dampiera .....	41
Carduus .....	40	Clianthus .....	18	Danthonia .....	83
Carex .....	79	Clinostigma .....	74	Daphnandra .....	58
Cargillia .....	45	Cocculus .....	2	Darwinia .....	25
Carissa .....	45	Codonocarpus .....	54	Datura .....	49
Carmichaelia .....	18	Coelospermum .....	32	Daucus .....	30
Carpha .....	78	Colobanthus .....	5	Davallia .....	87
Carronia .....	2	Colocasia .....	74	Daviesia .....	15
Carthamus .....	40	Colletia .....	13	Deeringia .....	56
Carumbium .....	64	Colmeiroa .....	23	Dendrobium .....	67
Caryophylleæ .....	5	Comesperma .....	5	Denhamia .....	12
Cassia .....	20	Commelina .....	73	Dentella .....	31
Cassinia .....	37	Commelinaceæ .....	73	Deparia .....	87
Cassytha .....	58	Commersonia .....	8	Derris .....	19
Castanospermum .....	19	Compositæ .....	33	Deschampsia .....	82
Castanospora .....	13	Conifere .....	66	Desmodium .....	19
Casuarina .....	65	Conospermum .....	59	Deyeuxia .....	82
Casuarineæ .....	65	Convolvulaceæ .....	48	Dianella .....	71
Caustis .....	79	Convolvulus .....	48		

	Page		Page		Page
Dianthus	6	Eriachne	84	Gojjera	11
Dichelachne	82	Erianthus	81	Geitonoplesium	71
Dichondra	48	Ericaceæ	42	Geniostoma	46
Dichopogon	72	Erigeron	34	Gentiana	47
Dicksonia	87	Eriocaulæ	75	Gentianeæ	47
Didiscus	30	Eriocaulon	75	Geococcus	3
Didymotheca	54	Eriochilus	69	Geraniaceæ	9
Dilleniaceæ	1	Eriochlamys	37	Geranium	9
Dillwynia	17	Eriochloa	79	Gesneriaceæ	51
Dioscorea	71	Eriostemon	10	Geum	23
Dioscorideæ	71	Eritrichum	47	Gleichenia	86
Diospyros	45	Erodium	9	Glossodia	70
Diplachne	83	Erym	20	Glossogyne	35
Diplarrhena	70	Eryngium	30	Glossostigma	50
Diploglottis	13	Erysimum	3	Glyceria	84
Dipodium	68	Erythraea	47	Glycine	19
Discaria	13	Eucalyptus	26	Glycyrrhiza	18
Distichlis	84	Eucryphia	24	Gmelina	52
Diuris	68	Eugenia	28	Gnaphalium	39
Dodonæa	14	Euodia	11	Gnaphalodes	36
Doodia	88	Eupatorium	33	Gnephosis	36
Doryanthes	71	Euphorbia	62	Gomphocarpus	46
Doryphora	58	Euphorbiaceæ	62	Gompholobium	15
Dracophyllum	44	Eupomatia	2	Goodenia	41
Drakæa	69	Euphrasia	50	Goodeniaceæ	41
Drapetes	62	Euroschinus	14	Goodia	17
Drosera	24	Eurycles	71	Gossypium	7
Droseraceæ	24	Eustrephus	71	Gramineæ	79
Drymophila	71	Eutaxia	17	Grammitis	89
Drimys	2	Euxolus	56	Gratiola	49
Duboisia	49	Evodia	11	Grevillea	60
Dysoxylon	11	Evolvulus	48	Grewia	8
Dysphania	55	Excæcaria	64	Guilandina	20
		Exocarpus	66	Gymnostachys	74
		Exocarya	77	Gynura	39
Ebenaceæ	45			Gypsophila	5
Echium	47	Fagus	65	Gyrostemon	54
Echinocarpus	8	Fawcettia	2		
Echinopogon	83	Festuca	84, 85	Hæmodorum	70
Echinosperrum	47	Fieldia	51	Hakea	60
Eclipta	35	Ficoideæ	29	Halgania	47
Ectrosia	84	Ficus	64	Halfordia	11
Ehretia	47	Filices	86	Halophila	75
Ehrrharta	81, 82	Fimbristylis	77	Halorageæ	24
Elachanthus	36	Flacourtiæ	4	Haloragis	24
Elaeocarpus	8	Flagellaria	71	Hannafordia	8
Elaeodendron	12	Flindersia	12	Hardenbergia	19
Elatine	6	Fluviales	74	Harpullia	14
Elatineæ	6	Frankenia	5	Hedraianthera	11
Elatostemma	64	Frankeniaceæ	5	Hedycarya	58
Eleusine	83	Frenela	66	Hedyotis	31
Elythrophorus	84	Freycinetia	74	Heleocharis	77
Emmenospermum	13	Fuirena	77	Helichrysum	38
Encephalartos	66	Fumaria	4	Helicia	59
Enchylæna	55	Fumariaceæ	4	Heliotropium	47
Endiandra	58	Fusanus	65	Helipterum	38
Enhydra	36	Gahnia	79	Helmholtzia	72
Epacrideæ	42	Galactia	19	Hemarthria	81
Epacris	43	Galeola	68	Hemichroa	56
Epaltes	35	Galinsoga	35	Hemicyclia	63
Epilobium	28	Galium	32	Hemigenia	53
Epipogon	68	Gardenia	31	Hemitelia	87
Eragrostis	84	Gastrodia	68	Herpestis	49
Eranthemum	51	Gaultheria	42	Herpolorion	72
Erectites	39			Heterodendron	14
Eremophila	51				

	Page		Page		Page
Heteropogon .....	81	Lagunaria .....	7	Lycopodium .....	85
Hibbertia .....	1	Lamarckia .....	84	Lycopus .....	52
Hibiscus .....	7	Lambertia .....	60	Lygodium .....	86
Hierochloe .....	82	Lantana .....	52	Lyonsia .....	46
Hippocratea .....	12	Laportea .....	65	Lyperanthus .....	69
Hodgkinsonia .....	32	Lappago .....	80	Lysimachia .....	44
Holcus .....	82	Lappula .....	47	Lysinema .....	44
Homoranthus .....	25	Lasiopetalum .....	8	Lythrarieæ .....	28
Hordeum .....	85	Laurineæ .....	58	Lythrum .....	28
Hormogyne .....	44	Lavatera .....	6		
Hovea .....	17	Laxmannia .....	72	Maba .....	45
Howittia .....	7	Leersia .....	81	Macadamia .....	59
Hoya .....	46	Leguminosæ .....	15	Macaranga .....	63
Humea .....	37	Lemna .....	74	Macarthuria .....	29
Hybanthus .....	4	Lemnaceæ .....	74	Macrozamia .....	66
Hydrilla .....	67	Lentibularineæ .....	50	Magnoliaceæ .....	2
Hydrocharideæ .....	67	Leonotis .....	54	Malaisia .....	64
Hydrocotyle .....	29	Leontodon .....	40	Mallotus .....	63
Hymenantha .....	4	Leontopodium .....	39	Malva .....	7
Hymenophyllum .....	86	Lepidium .....	3	Malvaceæ .....	6
Hymenoporum .....	4	Lepidosperma .....	78	Malvastrum .....	6
Hypericineæ .....	6	Lepidospora .....	78	Marattia .....	86
Hypericum .....	6	Lepironia .....	77	Marianthus .....	4
Hypochoeris .....	40	Leptocarpus .....	76	Marlea .....	31
Hypoestes .....	51	Leptochloa .....	83	Marrubium .....	54
Hypolepis .....	87	Leptomeria .....	66	Marsdenia .....	46
Hypolaena .....	76	Leptorrhynchos .....	37	Marsilea .....	86
Hypoxis .....	71	Leptospermum .....	25	Marsileaceæ .....	86
Hyptiandra .....	11	Lepturus .....	85	Mayepea .....	45
		Lepyrodia .....	75	Mazus .....	49
Imperata .....	81	Lespedeza .....	19	Medicago .....	20
Indigofera .....	18	Leucocarpum .....	12	Medicosma .....	11
Ionidium .....	4	Leucopogon .....	43	Meionectes .....	24
Ipomoea .....	48	Leuzea .....	33	Melaleuca .....	26
Iridæ .....	70	Levenhookia .....	40	Melastoma .....	28
Iris .....	70	Libertia .....	70	Melastomaceæ .....	28
Isachne .....	84	Liliaceæ .....	71	Melhania .....	8
Ischaemum .....	81	Limnanthemum .....	47	Melia .....	11
Isotopsis .....	36	Limosella .....	50	Meliaceæ .....	11
Isotoma .....	42	Linaria .....	50	Melichrus .....	42
Isopogon .....	58	Lindernia .....	50	Melicope .....	10
Isotropis .....	15	Lindsaya .....	87	Melilotus .....	20
Ixiolæna .....	37	Lineæ .....	8	Melissa .....	54
Ixora .....	32	Linum .....	8	Melodinus .....	45
		Liparis .....	67	Melodorum .....	2
Jacksonia .....	15	Lipocarpha .....	77	Melothria .....	29
Jasmineæ .....	45	Lippia .....	52	Menispermaceæ .....	2
Jasminum .....	45	Lissanthe .....	42	Menkea .....	3
Juncaceæ .....	73	Litsea .....	58	Mentha .....	52
Juncus .....	73	Livistona .....	74	Meryta .....	31
Jussiaea .....	28	Lobelia .....	42	Mesembryanthemum .....	29
Justicia .....	51	Logania .....	47	Mesomelæna .....	78
		Loganiaceæ .....	46	Metrosideros .....	27
Kennedy .....	19	Lohium .....	85	Mezoneurum .....	20
Kentia .....	74	Lomaria .....	88	Micranthemum .....	62
Keraudrenia .....	8	Lomatia .....	61	Microlena .....	81
Kibara .....	58	Lonchocarpus .....	19	Micromyrtus .....	25
Kochia .....	55	Loranthaceæ .....	31	Microseris .....	40
Koeleria .....	84	Loranthus .....	31	Microtis .....	69
Kreyssigia .....	72	Lotus .....	17	Milletia .....	18
Kunzea .....	26	Loudonia .....	24	Millotia .....	37
Kyllingea .....	76	Luzula .....	73	Mimoseæ .....	20
		Lychnis .....	6	Mimulus .....	49
Labiata .....	52	Lycium .....	49	Minuria .....	34
Lagenophora .....	34	Lycopodiaceæ .....	85	Mirbelia .....	15

	Page		Page		Page
Mitrasacme.....	46	Ophioglossum.....	86	Phytolaccaceæ.....	54
Mollinedia.....	58	Oplismenus.....	80	Picris.....	40
Mollugo.....	29	Orchideæ.....	67	Pilularia.....	86
Molucella.....	54	Oreobolus.....	78	Pimelia.....	61
Momordica.....	29	Oreomyrrhis.....	30	Piper.....	65
Monenteles.....	35	Origanum.....	53	Piperaceæ.....	65
Monimiaceæ.....	58	Orites.....	60	Pisonia.....	57
Monococcus.....	54	Ornithochilus.....	68	Pithecolobium.....	23
Monotaxis.....	62	Orobanche.....	50	Piptocalyx.....	58
Monotoca.....	43	Orobancheæ.....	50	Pipturus.....	64
Moræa.....	70	Orthoceras.....	68	Pittosporæ.....	4
Morgania.....	49	Osmunda.....	86	Pittosporum.....	4
Morinda.....	32	Ottelia.....	67	Plagianthus.....	6
Moschosma.....	52	Owenia.....	12	Plantaginæ.....	54
Mucuna.....	19	Oxalis.....	9	Plantago.....	54
Muehlenbeckia.....	57	Oxylobium.....	15	Platycerium.....	89
Makia.....	29			Platylobium.....	17
Myoporinæ.....	51	Palmeæ.....	74	Platyzoma.....	86
Myoporum.....	51	Palmeria.....	58	Plectranthus.....	52
Myosotis.....	47	Panax.....	31	Pleiococca.....	11
Myosurus.....	1	Pandaneæ.....	74	Pluchea.....	35
Myriocephalus.....	36	Pandanus.....	74	Plumbaginæ.....	44
Myriogyne.....	36	Panicum.....	80, 84	Plumbago.....	44
Myriophyllum.....	24	Papaver.....	2	Poa.....	84
Myrsinæ.....	44	Papaveraceæ.....	2	Podocarpus.....	66
Myrsine.....	44	Papilionaceæ.....	15	Podocoma.....	34
Myrtaceæ.....	25	Pappophorum.....	83	Podolepis.....	37
Myrtus.....	28	Paronychiaceæ.....	57	Podotrocha.....	37
		Parietaria.....	64	Polanisia.....	4
Nageia.....	66	Parsonia.....	45	Pollia.....	73
Naiadeæ.....	74	Paspalum.....	79	Pollichia.....	47
Naias.....	75	Passiflora.....	28	Pollinia.....	81
Nasturtium.....	2	Passifloreæ.....	28	Polyalthia.....	2
Negria.....	51	Patersonia.....	70	Polycarpæa.....	6
Nephelium.....	14	Pavonia.....	7	Polycarpon.....	6
Neptunia.....	20	Pelargonium.....	9	Polycnemum.....	56
Nesodaphne.....	58	Pennantia.....	12	Polygala.....	5
Neurachne.....	81	Pennisetum.....	80	Polygalæ.....	5
Nicandra.....	49	Pentaceras.....	11	Polygonaceæ.....	57
Nicotiana.....	49	Pentachondra.....	42	Polygonum.....	57
Niemeyera.....	44	Pentapogon.....	82	Polymeria.....	48
Nitraria.....	9	Pentatropis.....	46	Polyosma.....	23
Notelæa.....	45	Peperomia.....	65	Polypodium.....	88
Notholæna.....	89	Peplidium.....	50	Polypogon.....	81
Notothixos.....	31	Pericampylus.....	2	Pomaderris.....	13
Nyctaginæ.....	57	Perotis.....	81	Pomatotrocha.....	29
Nymphæa.....	2	Persoonia.....	59	Pomax.....	32
Nymphæaceæ.....	2	Petalostigma.....	63	Poncelletia.....	44
Nyssanthæ.....	57	Petalostyles.....	20	Poranthera.....	62
		Petermannia.....	71	Portulaca.....	6
Oberonia.....	67	Petrophila.....	58	Portulacææ.....	6
Ochrosia.....	45	Phaius.....	68	Potamogeton.....	75
Oenothera.....	28	Phalaris.....	85	Potamophila.....	81
Oiacinæ.....	12	Phebalium.....	10	Pothos.....	74
Olax.....	12	Pherosphæra.....	66	Poterium.....	23
Oldenlandia.....	31	Philotrocha.....	10	Pouzolzia.....	64
Olea.....	45	Philydraceæ.....	72	Prasophyllum.....	69
Olearia.....	33	Philydrum.....	72	Pratia.....	42
Omalanthus.....	64	Pholidia.....	51	Primulaceæ.....	44
Omphacomeria.....	66	Phragmites.....	84	Procris.....	64
Onagariææ.....	28	Phyllanthus.....	63	Prostanthera.....	53
Oncinocalyx.....	53	Phylloglossum.....	85	Proteaaceæ.....	58
Ononis.....	20	Phyllota.....	16	Prunella.....	52
Onopordon.....	40	Physalis.....	49	Pseudanthus.....	62
Opecularia.....	32	Phytolacca.....	54	Pseudomorus.....	64

	Page		Page		Page
<i>Psilotum</i> .....	86	<i>Saxifrageæ</i> .....	23	<i>Stenocarpus</i> .....	61
<i>Psoralea</i> .....	18	<i>Scævola</i> .....	41	<i>Stenopetalum</i> .....	3
<i>Psychotria</i> .....	32	<i>Schellhammera</i> .....	72	<i>Stenotaphrum</i> .....	85
<i>Pteris</i> .....	87	<i>Schedonorus</i> .....	84	<i>Stephania</i> .....	2
<i>Pterocaulon</i> .....	35	<i>Schizæa</i> .....	86	<i>Sterculia</i> .....	7
<i>Pterostylis</i> .....	69	<i>Schizomeria</i> .....	23	<i>Sterculiaceæ</i> .....	7
<i>Ptilotus</i> .....	56	<i>Schoenus</i> .....	78	<i>Stipa</i> .....	82
<i>Ptychosperma</i> .....	74	<i>Scirpus</i> .....	77	<i>Strangea</i> .....	60
<i>Pultenæa</i> .....	16	<i>Scitamineæ</i> .....	67	<i>Strebloorrhiza</i> .....	18
<i>Quintinia</i> .....	23	<i>Scleranthus</i> .....	57	<i>Streptothamnus</i> .....	4
<i>Randia</i> .....	31, 32	<i>Scleria</i> .....	79	<i>Stuartina</i> .....	39
<i>Ranunculaceæ</i> .....	1	<i>Sclerolæna</i> .....	56	<i>Sturmia</i> .....	67
<i>Ranunculus</i> .....	1	<i>Scolopia</i> .....	4	<i>Stylidæ</i> .....	40
<i>Raoulia</i> .....	39	<i>Scrophularinæ</i> .....	49	<i>Stylidium</i> .....	31, 40
<i>Raphanus</i> .....	3	<i>Scutellaria</i> .....	52	<i>Stypandra</i> .....	72
<i>Ratonia</i> .....	14	<i>Sebæa</i> .....	47	<i>Styphelia</i> .....	42, 43
<i>Restiaceæ</i> .....	75	<i>Secamone</i> .....	46	<i>Styracææ</i> .....	45
<i>Restio</i> .....	75	<i>Selaginella</i> .....	85	<i>Suæda</i> .....	56
<i>Rhagodia</i> .....	54	<i>Selliera</i> .....	41	<i>Swainsona</i> .....	18
<i>Rhamnææ</i> .....	12	<i>Senebiera</i> .....	4	<i>Symphyonema</i> .....	59
<i>Rhipogonum</i> .....	71	<i>Senecio</i> .....	39, 40	<i>Symplocos</i> .....	45
<i>Rhizophora</i> .....	25	<i>Seringia</i> .....	8	<i>Syncarpia</i> .....	27
<i>Rhizophorææ</i> .....	25	<i>Sebania</i> .....	18	<i>Synoum</i> .....	12
<i>Rhizospermeæ</i> .....	86	<i>Sesuvium</i> .....	29	<i>Tabernæmontana</i> .....	45
<i>Rhodamnia</i> .....	28	<i>Setaria</i> .....	80	<i>Tagetes</i> .....	36
<i>Rhodomyrtus</i> .....	28	<i>Sicyos</i> .....	29	<i>Taraxacum</i> .....	40
<i>Rhus</i> .....	14	<i>Sida</i> .....	7	<i>Tarrietia</i> .....	8
<i>Rhynchosia</i> .....	19	<i>Sideroxylon</i> .....	44	<i>Tecoma</i> .....	51
<i>Rhynchospora</i> .....	78	<i>Siebera</i> .....	30	<i>Telopea</i> .....	61
<i>Ricinocarpus</i> .....	62	<i>Siegesbeckia</i> .....	35	<i>Templetonia</i> .....	17
<i>Ricinus</i> .....	64	<i>Silene</i> .....	5	<i>Tephrosia</i> .....	18
<i>Rochelia</i> .....	47	<i>Simarubææ</i> .....	11	<i>Tetragonia</i> .....	29
<i>Rosa</i> .....	23	<i>Sinapis</i> .....	3	<i>Tetrarrhena</i> .....	82
<i>Rosaceæ</i> .....	23	<i>Siphonodon</i> .....	12	<i>Tetratheca</i> .....	5
<i>Rubiaceæ</i> .....	31	<i>Sisymbrium</i> .....	3	<i>Teucrium</i> .....	53
<i>Rubus</i> .....	23	<i>Sisyrinchium</i> .....	70	<i>Thelymitra</i> .....	68
<i>Ruellia</i> .....	51	<i>Sium</i> .....	30	<i>Thesium</i> .....	65
<i>Rulingia</i> .....	8	<i>Sloanea</i> .....	8	<i>Thlaspi</i> .....	3
<i>Rumex</i> .....	57	<i>Smilax</i> .....	71	<i>Threlkeldia</i> .....	56
<i>Ruppia</i> .....	75	<i>Solanææ</i> .....	48	<i>Thryptomene</i> .....	25
<i>Rutaceæ</i> .....	9	<i>Solanum</i> .....	48	<i>Thymelææ</i> .....	61
<i>Rutidosia</i> .....	37	<i>Soliva</i> .....	36	<i>Thysanotus</i> .....	72
<i>Saccolabium</i> .....	68	<i>Sonchus</i> .....	40	<i>Tiliaceæ</i> .....	8
<i>Sagina</i> .....	5	<i>Sophora</i> .....	19	<i>Tillæa</i> .....	24
<i>Salicariææ</i> .....	28	<i>Sorghum</i> .....	81	<i>Tmesipteris</i> .....	86
<i>Salicornia</i> .....	56	<i>Sowerbæa</i> .....	72	<i>Todea</i> .....	86
<i>Salomonina</i> .....	5	<i>Sparaxis</i> .....	70	<i>Tolpis</i> .....	40
<i>Salsolaceæ</i> .....	54	<i>Sparganium</i> .....	74	<i>Toxanthus</i> .....	37
<i>Salsola</i> .....	56	<i>Spartothamnus</i> .....	52	<i>Trachymene</i> .....	30
<i>Salvia</i> .....	52	<i>Spergula</i> .....	6	<i>Tragopogon</i> .....	40
<i>Samara</i> .....	44	<i>Spergularia</i> .....	6	<i>Tragus</i> .....	80
<i>Sambucus</i> .....	31	<i>Spermacoce</i> .....	32	<i>Trema</i> .....	64
<i>Samolus</i> .....	44	<i>Sphaerolobium</i> .....	15	<i>Tremandrea</i> .....	5
<i>Santalaceæ</i> .....	65	<i>Spinifex</i> .....	80	<i>Trianthema</i> .....	29
<i>Santalum</i> .....	65	<i>Spilanthes</i> .....	35	<i>Tribulus</i> .....	9
<i>Sapindaceæ</i> .....	13	<i>Spiranthes</i> .....	68	<i>Trichinium</i> .....	58
<i>Saponaria</i> .....	5	<i>Sporobolus</i> .....	83	<i>Trichodesma</i> .....	47
<i>Sapotaceæ</i> .....	44	<i>Sprengelia</i> .....	44	<i>Trichodesmanes</i> .....	86
<i>Sarcochilus</i> .....	67, 68	<i>Spyridium</i> .....	13	<i>Trichonema</i> .....	70
<i>Sarcopetalum</i> .....	2	<i>Stachys</i> .....	54	<i>Trichosanthes</i> .....	29
<i>Sarcostemma</i> .....	46	<i>Stackhousia</i> .....	12	<i>Tricoryne</i> .....	72
<i>Saussurea</i> .....	33	<i>Stackhousiææ</i> .....	12	<i>Tricostularia</i> .....	78
		<i>Statice</i> .....	44	<i>Trifolium</i> .....	20
		<i>Stellaria</i> .....	5	<i>Triglochin</i> .....	74
		<i>Stemodia</i> .....	49		

	Page		Page		Page
Trigonella .....	17	Verbascum .....	50	Wilkiea .....	3
Triodia .....	83	Verbena .....	52	Wilsonia .....	48
Trirhaphis .....	83	Verbenaceæ .....	52	Wistaria .....	18
Trisetum .....	82	Vernonia .....	33	Wollfia .....	74
Tristania .....	27	Veronica .....	50	Woodwardia .....	88
Trithuria .....	75	Vicia .....	20	Woolisia .....	44
Trochocarpa .....	42	Vigna .....	19	Wurmbea .....	72
Turræa .....	11	Villarsia .....	47		
Tylophora .....	46	Villarsia .....	12	Xanthium .....	35
Typha .....	74	Viminaria .....	15	Xanthorrhoea .....	73
Typhaceæ .....	74	Vincetoxicum .....	46	Xanthosia .....	30
Typhonium .....	74	Vinifera .....	13	Xerotes .....	73
		Viola .....	4	Xylosma .....	4
Ulex .....	20	Violaricæ .....	4	Xylomelum .....	60
Umbelliferæ .....	29	Viscum .....	31	Xyrideæ .....	73
Uncinia .....	79	Vitex .....	52	Xyris .....	73
Ungeria .....	8	Vitis .....	13		
Uraria .....	19	Vittadinia .....	34	Zaleya .....	29
Urtica .....	64	Vittaria .....	87	Zanthoxylum .....	11
Urticææ .....	64			Zieria .....	9
Utricularia .....	50	Wahlenbergia .....	42	Zornia .....	19
		Waitzia .....	38	Zostera .....	75
Vallisneria .....	67	Wedelia .....	35	Zoysia .....	80
Vandellia .....	50	Weinmannia .....	23, 24	Zygophyllææ .....	9
Vellea .....	41	Westringia .....	53	Zygophyllum .....	9
Ventilago .....	12	Wickstroemia .....	62		







